



AN ROINN SLÁINTE

(Department of Health.)

TUARASCÁIL AN ÁRD-CHLÁRAITHEORA

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

1949.

DUBLIN:

PUBLISHED BY THE STATIONERY OFFICE.

To be purchased directly through the
GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN
or through any bookseller.

1951

Price : Three Shillings and Sixpence.

(Pr. 163.)

CORRIGENDA.

To Table A, page viii :

The estimated population should read as follows :—

1946	2,957,000
1947	2,974,000
1948	2,985,000
Yearly average 1939-1948	2,961,000

To Table C, page X :—

The marriage rate for 1949 should read 5.36

To Table 3, page 6 :—

The number of marriages for 1949 is 16,009

To Table 4, page 7 :—

The marriage rate for 1949 is 5.36

CORRECTIONS.

To Table A, page viii:

The estimated population should read as follows:—

1940	2,051,000
1947	2,074,000
1948	2,080,000
Yearly average 1939-1948	2,061,000

To Table C, page X:—

The marriage rate for 1948 should read 5.36

To Table D, page 3:—

The number of marriages for 1949 is 14,000

To Table E, page 7:—

The marriage rate for 1949 is 5.36

CONTENTS.

PART I.—TEXT.

REPORT :—

INTRODUCTORY REMARKS	Page
							vii
GENERAL SUMMARY	vii

POPULATION :

Estimated population, natural increase and passenger movement	ix
---	-----	-----	----

MARRIAGES :

Number and rate	ix
Rate in the Six Counties, England and Wales, and Scotland					ix
Mode of celebration		x
Conjugal condition of persons married				x
Rate for counties, etc.		xi
Marriage rate by quarters		xi
Marriage of Minors	xii
Re-marriages	xii
Licences for marriage		xii
Buildings registered for the solemnisation of marriage				xii

BIRTHS:

Number and rate	xiii
Fertility	xiii
Rate in the Six Counties, England and Wales, and Scotland						xiv
Rate for counties, etc.		xiv
Illegitimate births	xiv
Registration of births under Legitimacy Act (1931)					xv
Proportion of male to female births			xv
Births by quarters	xv
Multiple births	xv

REPORT—*continued*.

DEATHS :	Page
Number and rate	xvi
Rates in the Six Counties, England and Wales, and Scotland,	xvi
Standardised rates for counties, etc.	xvi
Deaths by quarters	xvii
Deaths in institutions	xviii
Uncertified deaths	xviii
Inquests	xviii
 Causes of Death :	
General observations	xviii
Proportion from principal causes	xix
Epidemic Diseases	xx
Tuberculosis	xxii
Influenza	xxvii
Cancer	xxvii
Heart disease	xxx
Bronchitis	xxx
Pneumonia	xxx
Diarrhoea and enteritis	xxx
Childbirth	xxxii
Violence	xxxiii
Ages at death	xxxiii
Infant mortality	xxxiv
Rate for the Six Counties, England and Wales, and Scotland	xxxiv
Causes of death by age periods	xxxv
Principal causes, 1939 to 1949	xxxvii
Causes in urban and rural areas	xxxviii

DIAGRAMS.

No. 1. Birth, death and marriage rates	vi
No. 2. Death rates from diphtheria	xxi
No. 3. Death rates from tuberculosis	xxiv
No. 4. Death rates from influenza	xxv
No. 5. Death rates from cancer	xxxi
No. 6. Infant mortality	xxxvi

PART II.—TABLES.

TABLE No. 1. Estimated population, 1801-1949	2
„ 2. Ages of the population, by sexes, number and proportion per cent.	3-5
„ 3. Number of marriages, births and deaths, and natural increase, 1864-1949	6
„ 4. Annual marriage, birth and death rates, infant mortality and natural increase, 1864-1949	7
„ 5. Marriages, births, and deaths, by quarters, 1939-1949	8
„ 6. Deaths (average number and rate) by causes, 1864-1910	9

PART II.—TABLES—*continued.*

TABLE NO.		page
6A.	Deaths (average number and rate), by causes, 1911-1940 ...	10
7.	„ (number and rate) in Ireland and the Six Counties, 1947-1949 ...	11
8.	„ „ by sexes and ages, 1864-1949 ...	12-14
9.	Marriages, births and deaths, by counties and county boroughs ...	15
10.	Marriage, birth and death rates, by counties and county boroughs ...	16
11.	Births and deaths for principal towns and aggregate urban and rural areas ...	17
12.	Birth rates and death rates for principal towns and aggregate urban and rural areas ...	18
13.	Neo-natal mortality (deaths of infants under one month old) by counties and county boroughs ...	19
14.	Births and deaths for each urban area ...	20-23
15.	Birth rates and death rates for aggregate urban and rural areas, 1911-1949 ...	24

PART III.—ABSTRACTS.

ABSTRACT I.	Marriages, births (distinguishing illegitimate births), and deaths registered by counties ...	26-27
„ II.	Marriages registered by counties ...	28-29
„ III.	Births and deaths by sexes, and ages at death, by counties ...	30-32
„ IV.	Causes of death (intermediate and detailed international lists), by sexes and ages ...	34-51
„ V.	Causes of death (short list), by sexes, ages and places of occurrence for each county (as under):—	54-125



	Page		Page		Page
Ireland	... 54	Dublin Co.	... 60	Meath	... 74
		Dublin City	... 62	Monaghan	... 124
Leinster	... 56	Galway	... 108	Offaly	... 76
Munster	... 84	Kerry	... 92	Roscommon	... 114
Connaught	... 106	Kildare	... 64	Sligo	... 116
Ulster (part of)	... 118	Kilkenny	... 66	Tipperary N.R.	98
		Leitrim	... 110	Tipperary S.R.	100
Carlow	... 58	Laoighis	... 68	Waterford Co.	... 102
Cavan	... 120	Limerick Co.	... 94	Waterford Co.	
Clare	... 86	Limerick Co. Boro'	96	Boro'	... 104
Cork Co.	... 88	Longford	... 70	Westmeath	... 78
Cork Co. Boro'	... 90	Louth	... 72	Wexford	... 80
Donegal	... 122	Mayo	... 112	Wicklow	... 82

ABSTRACT VI.	Causes of death for fourteen principal towns	... 126-127
--------------	--	-------------

APPENDIX I.	Number of searches at the General Register Office during the years 1864-1949, with the amount of fees received	... 128
-------------	--	---------

APPENDIX II.	Cases of infectious diseases notified to Department of Health	129-134
--------------	---	---------

vi
DIAGRAM No. 1. Birth, Death and Marriage Rates, 1935 to 1949.



REPORT OF THE REGISTRAR GENERAL FOR THE YEAR 1949.

DO'N AIRE SLÁINTE.

Tá sé d'onóir agam a chur faoi do bhráid Tuarascáil ar Beireatasáí, Básanna agus Pósanna cláraithe sa bhliain, 1949.

P. Ó CINNÉIDE,

Ard-Chláraitheoir.

The term Ireland in this report relates to the area in Ireland (exclusive of the Six Counties).

In this Report births have been assigned to the districts containing the normal residence of the parents and deaths to the district containing the normal residence of the deceased. The number of births shown for each of the years 1943 to 1949 is exclusive of late registrations and the number of deaths for each of the years 1940 to 1949 is exclusive of non-residents.

GENERAL SUMMARY.

During the year 1949 the number of marriages recorded was 106 less than that in 1948; the number of births registered decreased by 1,777 and the number of deaths increased by 1,705 when compared with the corresponding figures for the preceding year.

Marriages.—The marriages registered during the year 1949 numbered 16,009, compared with 16,115 for the previous year, and an annual average figure of 16,424 for the decennial period ended with 1948. The rate per 1,000 of the population for the year 1949 was 5·4 while the annual average rate for the period 1939 to 1948 was 5·6.

In the Six Counties the rate per 1,000 for 1949 was 6·8; in England and Wales it was 8·5; and in Scotland 8·1.

Births.—The births registered during the year 1949 amounted to 64,153, a decrease of 1,777 when compared with the figure for the year 1948. The average annual number for the decennial period 1939 to 1948 was 63,505. The rate for 1949 was 21·5; for 1948 it was 22·0; and for the period 1939 to 1948 the average rate was 21·4.

The rate in the Six Counties for 1949 was 21·4; in England and Wales it was 16·7; and in Scotland, 18·5.

The number of illegitimate births recorded was 2,006, equivalent to a rate of 3·1 per cent. of the total births, which was 0·2 below that for the year 1948. The corresponding percentage for 1949 in the Six Counties was 3·7; and in Scotland, 5·5.

Deaths.—During the year 1949 the number of deaths registered was 38,062, a figure which is 1,705 more than the number for 1948 and 4,168 less than the average annual number for the years 1939 to 1948. The rate per 1,000 of the population for the year 1949 was 12·7 compared with 12·1 for 1948 and 14·3 for the decennial period ended with the year 1948. The rate for 1948 was the lowest recorded.

In the Six Counties the death rate for 1949 was 11·5; in England and Wales it was 11·8 and in Scotland the rate was 12·3.

Of the deaths registered 26·3 per cent were stated to be due to heart disease, 10·9 to cancer, 7·1 to tuberculosis (all forms), 7·5 to intra-cranial lesions, 3·5 to pneumonia, and 2·7 to bronchitis.

There were 2,712 deaths from all forms of tuberculosis recorded during the year 1949. This figure is 391 less than that for 1948 and 996 less than the average number of deaths for the decennial period from 1939 to 1948. The figure for the year 1949 is the lowest yet recorded. The rate per 1,000 of the population for 1949 was 0·91; for 1948 the rate was 1·04, and for the decennial period 1939 to 1948 the rate was 1·25.

Deaths from cancer (all forms) numbered 4,161; this figure is 87 more than the figure for 1948 and 202 above the annual average number for the period from 1939 to 1948. The rate per 1,000 of the population for the year 1949 was 1·39, being 0·03 more than that for the preceding year.

During the year 1949 the number of deaths recorded as due to puerperal infection and diseases of pregnancy and childbirth was 116. This figure is equivalent to a rate of 1·81 per 1,000 births, compared with an average of 2·52 in the preceding ten years. The corresponding rate for urban areas for 1949 was 1·42 per 1,000 births, and for rural areas 2·03, as compared with 1·40 and 1·68, respectively, for the year 1948.

There were 3,415 deaths of infants under one year of age registered during the year. This figure is 102 more than that for the year 1948 and is equivalent to a rate of 53 per 1,000 births, compared with a rate of 50 for the preceding year. The rates per 1,000 births for urban and rural areas were 62 and 48 respectively in 1949, and 52 and 49 in 1948. The rate for 1948 was the lowest recorded.

The infant mortality rate in the Six Counties was 45; in England and Wales it was 32 and in Scotland the rate was 41.

Among legitimate infants the rate of mortality was 51 per 1,000 births, and among illegitimate it was 131. The legitimate infant mortality rate for the Six Counties was 44 and the illegitimate 77; for England and Wales it was 32 and 45; and for Scotland 40 and 71 respectively.

The number of deaths registered as caused by violence was 979. Included in this figure are 79 due to suicide, 7 to homicide, and 893 to accidental or unspecified violent causes. During the previous year there were 68 suicidal deaths, 18 homicidal deaths and 836 deaths due to other forms of violence. The number of accidental deaths registered during 1949 as attributable to road traffic was 209 compared with 195 for the previous year.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurrence may only be registered on the authority of the Registrar-General. The number of births registered on the authority of the Registrar-General during the year was 1,473.

Searches and Certificates.—During the year 1949 the number of searches made in the records of marriages, births and deaths in respect of which fees were received was 54,636, the certificates issued numbered 37,491, and the amount of fees received was £8,730. In the year 1948 the corresponding figures were as follows:—searches, 59,712, certificates, 51,683, and fees £11,052.

TABLE A.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1939 to 1949, with the rates per 1,000 of the estimated population represented thereby, and similar particulars relating to the Six Counties for the year 1949.

YEARS.	Estimated Population	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages	Births	Deaths	Marriages	Births	Deaths
1939 ...	2,934,000	15,204	56,070	41,717	5·18	19·11	14·22
1940 ...	2,958,000	15,212	56,594	41,885	5·14	19·13	14·16
1941 ...	2,993,000	15,021	56,780	43,797	5·02	18·97	14·63
1942 ...	2,963,000	17,470	66,117	41,640	5·90	22·31	14·05
1943 ...	2,946,000	17,328	64,375	43,494	5·88	21·85	14·76
1944 ...	2,944,000	16,772	65,425	45,128	5·70	22·22	15·33
1945 ...	2,952,000	17,301	66,861	42,762	5·86	22·65	14·49
1946 ...	2,964,000	17,525	67,922	41,457	5·91	22·91	13·98
1947 ...	2,969,000	16,290	68,978	44,061	5·49	23·23	14·84
1948 ...	2,997,000	16,115	65,930	36,357	5·38	22·00	12·13
Yearly Average, 1939—1948	2,962,000	16,424	63,505	42,230	5·55	21·44	14·26
1949 ...	2,981,000	16,009	64,153	38,062	5·36	21·46	12·73
SIX COUNTIES, 1949.							
1949 ...	1,359,798	9,216	29,106	15,652	6·78	21·40	11·51

POPULATION.

It is estimated that the population at the middle of the year 1949 was 2,981,000. The number of males was estimated to be 1,513,000, and the number of females 1,468,000. These figures are based on the result of the Census of Population taken in 1946, the natural increase (excess of births over deaths), and the balance of the passenger movement by sea only (including emigration and immigration). The population in 1936, according to the report on the Census for that year, was 2,968,420—males 1,520,454, and females 1,447,966; according to the Register of Population taken in November, 1941, it was 2,992,034—of which 1,512,727 were males and 1,479,307 females; according to the Register of Population taken in December, 1943, it was 2,949,713—males, 1,489,585 and females, 1,460,128, and according to the Census of Population taken in May, 1946, it was 2,955,107, of which 1,494,877 were males and 1,460,230 females.

In Table I the estimated population for each of the years 1851 to 1949 is given.

TABLE B.—The average excess of births over deaths during the period 1864 to 1870, during each intercensal period between 1871 and 1936, and for each of the years 1936-1949, with the rate per 1,000 of the population, and the balance of the passenger movement from 1936 to 1949.

PERIOD	Excess of Births over Deaths (Natural Increase)		Balance of Passenger Movement (including Migration). Outwards (—); Inwards (+)	
	Number	Per 1,000 of Population	Number	Per 1,000 of Population
1864-70	39,603	9.5	—	—
1871-81	31,855	8.1	—	—
1881-91	19,600	5.4	—	—
1891-1901	14,954	4.5	—	—
1901-11	17,940	5.6	—	—
1911-26	15,820	5.1	—	—
1926-36	16,264	5.5	—	—
Year 1936	15,529	5.2	—21,539	— 7.3
„ 1937	11,402	3.9	—25,936	— 8.8
„ 1938	16,884	5.7	—17,555	— 6.0
„ 1939	14,353	4.9	+13,965	+ 4.8
„ 1940	14,709	5.0	+17,168	+ 5.8
„ 1941	12,983	4.3	—23,395	— 7.8
„ 1942	24,477	8.3	—53,335	—18.0
„ 1943	20,881	7.1	—37,396	—12.7
„ 1944	20,297	6.9	+ 6,562	+ 2.2
„ 1945	24,099	8.2	— 2,345	— 0.8
„ 1946*	26,465	8.9	— 3,204	— 1.1
„ 1947*	24,917	8.4	—10,119	— 3.4
„ 1948*	29,573	9.9	—27,240	— 9.1
„ 1949*	26,091	8.7	—16,607	— 5.6

* Balance of passenger movement by sea only.

MARRIAGES.

Number and Rate.—There were 16,009 marriages registered during the year 1949 compared with a figure of 15,204 in 1939. The figure for 1949 is 106 less than that for the year 1948 and 415 less than the average for the decennial period 1939 to 1948.

The annual rate per 1,000 of the population for the year 1949 was 5.36 compared with 5.38 in 1948. The rate for the decennial period ended with 1948 was 5.55 per 1,000. In 1943, 1944, 1945, 1946 and 1947 the rates were respectively 5.88, 5.70, 5.86, 5.91 and 5.49 per 1,000. The figures and rates for each of the years 1939 to 1949 are shown in Table C on page x, and a summary of the figures and rates since 1864 is given in Tables 3 and 4 of Part II of this Report.

The following table shows the marriage-rate for Ireland, the Six Counties, England and Wales, and Scotland for each of the years 1940 to 1949:—

YEARS	Ireland	Six Counties	England and Wales	Scotland
1940	5.1	7.6	11.3	10.7
1941	5.0	9.3	9.4	9.5
1942	5.9	9.0	8.9	9.5
1943	5.9	7.8	7.2	7.6
1944	5.7	7.2	7.1	7.2
1945	5.9	7.9	9.3	9.5
1946	5.9	7.4	9.0	8.9
1947	5.5	7.1	9.3	8.6
1948	5.4	6.9	9.0	8.5
1949	5.4	6.8	8.5	8.1

MARRIAGES—continued.

In Abstract II, Part III, the number of marriages recorded for each county is shown together with information regarding the mode of celebration, the number for each quarter, the conjugal condition of the parties married, and the number of persons married who were not of full age at the time of marriage.

Mode of Celebration.—The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church during the year 1949 amounted to 15,205 (equal to 95·0 per cent. of the total), and other marriages numbered 804. The number of Catholic marriages is 88 less than that for 1948 and the number of all other marriages is 18 less than the figure for the preceding year. In the year 1949 the number of marriages other than Catholic recorded include 578 according to the rites and ceremonies of the Protestant Episcopal Church; 105 in Presbyterian meeting-houses; 60 in registered buildings belonging to various other religious denominations; 48 by civil contract in the registrars' offices; 2 according to the usage of the Society of Friends, and 11 according to Jewish rites. Comparing these figures with those for 1948, the number according to the rites and ceremonies of the Protestant Episcopal Church shows an increase of 19; in Presbyterian meeting-houses a decrease of 2; in registered buildings a decrease of 8; in the registrars' offices a decrease of 2; and a decrease of 5 according to Jewish rites.

At the Census of 1946, Catholics represented 94·3 per cent. of the population, Protestant Episcopalians 4·2 per cent., Presbyterians 0·8, Methodists 0·3, and all other denominations 0·4.

The number of Catholic marriages recorded during 1949 is equal to a rate of 5·39 per 1,000 of the estimated Catholic population, a rate which is 0·20 below the average rate for the preceding ten years, and the rate for all other marriages was 4·73 per 1,000 of all persons other than Catholics in the population, or 0·13 below the average. Corresponding rates for each year from 1939 to 1949 are shown in Table C below.

TABLE C.—MARRIAGES registered in 1949 and in each of the previous ten years, according to the **MODES OF CELEBRATION**; with the rate per 1,000 of the population represented by Catholic and all other marriages.

YEARS	Marriages registered other than Catholic							Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding Population represented by		
	Protestant Episcopal	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic Marriages	All other Marriages	Total Marriages
1939 ...	660	132	59	52	4	15	922	14,282	15,204	5·21	4·76	5·18
1940 ...	681	147	75	49	5	3	960	14,252	15,212	5·16	4·92	5·14
1941 ...	668	160	66	55	2	9	960	14,061	15,021	5·03	4·86	5·02
1942 ...	720	153	64	57	3	7	1,004	16,466	17,470	5·95	5·12	5·90
1943 ...	677	152	49	52	3	9	942	16,386	17,328	5·96	4·84	5·88
1944 ...	645	128	49	63	2	3	890	15,882	16,772	5·78	4·58	5·70
1945 ...	632	124	51	57	4	8	876	16,425	17,301	5·96	4·50	5·86
1946 ...	639	108	36	31	1	5	820	16,705	17,525	5·98	4·85	5·91
1947 ...	623	160	58	54	6	10	911	15,379	16,290	5·49	5·38	5·49
1948 ...	559	127	68	50	2	16	822	15,293	16,115	5·41	4·81	5·38
Yearly Average 1939-48	650	139	58	52	3	9	911	15,513	16,424	5·59	4·86	5·55
1949 ...	578	105	60	48	2	11	804	15,205	16,009	5·39	4·73	5·56

Conjugal Condition.—The figures show that marriages between bachelors and spinsters constitute 95·6 per cent. of the total marriages; those of widowers and spinsters, 2·6 per cent.; bachelors and widows, 1·1 per cent.; and those of widowers and widows, 0·7 per cent. Of the men married, 3·2 per cent. were widowers, and of the women, 1·9 per cent. were widows, or in 52 instances in every 1,000 marriages, one or both of the contracting parties had been married before. The corresponding figures for 1948 were:—widowers 4·0 per cent., and widows 1·8 per cent. In Table E similar figures from the year 1939 are shown.

MARRIAGES—continued.

TABLE D.—MARRIAGE RATES (per 1,000 of the population) for counties, county boroughs and provinces, for the year 1949, together with comparative figures for the periods 1925 to 1927 and 1935 to 1937, inclusive.

Counties, &c.	Marriages per 1,000 of Population			Counties, &c.	Marriages per 1,000 of Population		
	Annual Average 1925-7	Annual Average 1935-7	Year 1949		Annual Average 1925-7	Annual Average 1935-7	Year 1949
IRELAND	4.6	4.9	5.4	Kerry	4.2	3.9	4.4
Carlow	4.3	5.0	4.8	Limerick	3.6	3.7	3.5
Dublin	5.4	6.7	5.5	Limerick Co. Borough	9.4	8.5	9.7
City of Dublin	7.6	7.4	8.2	Tipperary N.R.	4.5	4.6	4.5
Kildare	3.9	4.7	4.4	Tipperary S.R.	3.8	4.0	4.5
Kilkenny	3.9	4.3	4.7	Waterford	4.1	4.4	4.5
Laoighis	3.4	3.2	3.6	Waterford Co. Borough	4.9	5.3	4.8
Longford	4.4	3.8	3.3	Munster	4.4	4.5	5.0
Louth	4.0	5.2	5.7	Galway	3.7	4.0	4.6
Meath	3.5	5.2	4.4	Leitrim	4.4	4.0	4.8
Offaly	4.3	4.4	4.9	Mayo	3.8	3.5	4.3
Westmeath	4.0	4.0	4.9	Roscommon	4.0	3.8	4.4
Wexford	4.4	4.7	4.2	Sligo	4.5	4.3	4.5
Wicklow	4.0	4.6	5.3	Connaught	3.9	3.9	4.5
Leinster	5.2	5.8	6.3	Cavan	4.3	4.2	4.8
Clare	3.6	3.7	3.9	Donegal	3.7	4.7	4.3
Cork	3.5	3.6	4.1	Monaghan	3.9	4.0	5.0
Cork Co. Borough	8.2	8.7	9.9	Ulster (part of)	3.9	4.4	4.6

Rates for Counties, etc.—In making a comparison of the marriage rates for each of the counties and county boroughs, it must be borne in mind that the rates are based on the total number of marriages recorded in each area irrespective of the fact that the persons married may not be residents of the area in which the marriage took place. An examination of the returns of marriages proves that many persons living in the rural portions of the country are married in the county boroughs and urban areas. This fact accounts in some measure for the high rates for the county boroughs. In Cork county borough the rate was 9.9 per 1,000; in Limerick 9.7; in Dublin 8.2; and in Waterford 4.8. The highest rates for the remaining areas were Louth 5.7, Waterford 5.6, Dublin 5.5, and Wicklow 5.3. The lowest rates were recorded in Longford 3.3, Limerick 3.5, Laoighis 3.6 and Clare, 3.9 per 1,000.

In the provinces the rates were 6.3 for Leinster, 5.0 for Munster, 4.6 for Ulster (part of), and 4.5 for Connaught. The corresponding rates for 1948 were 6.4 for Leinster; 5.1 for Munster; 4.7 for Ulster (part of); and 4.2 for Connaught. The rate for Leinster for 1949 is 0.5 per 1,000 above the average figure for the three years 1935 to 1937, that for Munster is 0.5 more than the average, in Connaught the increase was 0.6 and in Ulster (part of) it was 0.2 per 1,000 of the population.

Marriages in each Quarter.—The number of marriages is shown in Table 5 by quarters for each of the years 1939-1949, and also the average number and rate for the ten years 1939 to 1948, and the rate for the year 1949. In the first quarter of 1949 the rate per 1,000 of the population was 4.8, in the second 5.3, in the third 6.9, and in the fourth 4.8. The corresponding rates for the year 1948 were 4.8 for the first quarter, 5.3 for the second, 6.7 for the third, and 4.7 for the fourth quarter; and the average rates for the decennial period from 1939 to 1948 were 5.2, 5.5, 6.5 and 5.0 respectively.

In the same Table the number of Catholic marriages and marriages other than Catholic recorded for each quarter of the year 1949 is given, and the equivalent rate per 1,000 of the population, together with the average figures and rates for the decennial period from 1939 to 1948.

In the case of Catholic marriages the rate per 1,000 of the corresponding population for each of the first and following quarters of 1949 was 5.0, 4.8, 6.9 and 4.9 respectively, compared with a rate of 4.9, 5.4, 6.7 and 4.9 for the same quarter of the year 1948. The rate for other marriages for each of the quarters of the year 1949 was 2.8, 5.6, 7.3 and 3.5 respectively, and the rate for the corresponding quarter of the previous year was 2.9, 4.6, 6.3 and 2.8 per 1,000 of the population other than Catholic.

MARRIAGES—continued.

TABLE E.—Proportion of PERSONS MARRIED NOT OF FULL AGE, and of RE-MARRIAGES during the years 1939 to 1949.

YEAR	Total Marriages	Persons not of Full Age		Re-Marriages	
		of 100 Men Married	of 100 Women Married	Widowers	Widows
				of 100 Men Married	of 100 Women Married
1939	15,204	1.47	7.39	4.84	1.82
1940	15,212	1.70	8.20	4.65	1.85
1941	15,021	1.84	7.96	4.27	1.90
1942	17,470	1.99	8.51	4.12	1.65
1943	17,328	1.56	7.48	3.85	1.72
1944	16,772	2.07	8.49	3.98	1.78
1945	17,301	1.51	7.69	3.24	1.64
1946	17,525	1.13	6.39	3.10	1.62
1947	16,290	1.50	7.03	4.04	1.82
1948	16,115	1.97	8.51	3.95	1.83
1949	16,009	2.09	7.35	3.32	1.86

Age at Marriage.—The Schedules to the Acts relating to marriage indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. It is necessary that each party should be described as “ of full age ” or “ minor ” as the case may be, with the result that a complete record of the ages of the persons married is not available.

In the Province of Leinster the proportion of husbands in 1949 who were stated to have married under age was 2.09 per cent. ; in Munster 0.77 ; in Connaught 0.77, and in Ulster (part of) 0.75 per cent. In the case of females married the proportion who were minors in Leinster was 7.35, in Munster 6.04, in Connaught 4.75, and in Ulster (part of) 5.39 per cent. The corresponding percentages for the country as a whole were 1.43 for husbands and 6.47 for wives.

The proportion per cent. of males married in the Six Counties in 1949 who were under age was 5.0 and of females 19.0.

Licences for Marriage.—During the year 1949, the number of licences issued by the registrars for marriages in registered buildings and in registrars' offices was 105. On 31st December, 1949, the number of such registrars of marriages authorised to grant licences for marriage was 63.

Marriage licences issued by licensing officers of the Protestant Episcopal Church amounted to 518. The number of licensing officers on the 31st December, 1949, was 140.

The number of licences for marriages issued by the licensing ministers of the Presbyterian bodies during the year 1949 was 119. The number of licensing ministers on the 31st December, 1949, was 53, of whom 49 were of the General Assembly, 2 of the United Presbytery or Synod of Munster, and 2 of the Western Presbytery, Reformed Presbyterian Church.

Buildings in which Marriages may be solemnised.—The law does not require the Registrar General to keep a register of the churches and chapels of the Catholic Church in which marriages may be solemnised. In the case of the other religious denominations the records in this office show that 1,035 churches and chapels of the Protestant Episcopal Church were, on the 31st December, 1949, licensed for the solemnisation of marriages, 141 Presbyterian meeting-houses (139 General Assembly, 2 United Presbytery or Synod of Munster), and 162 separate buildings belonging to various other religious denominations were registered for the solemnisation of marriages. The several religious bodies to whom the 162 separate buildings belong are shown in the following list :—

Denominations	No. of Places of Worship	Denominations	No. of Places of Worship
Methodists	126	Salvation Army	2
Reformed Presbyterians	5	Seceders	2
Baptists	8	“ Undenominational ”	6
Independents or Congregationalists	3		
Christian Brethren	9		
Moravians or United Brethren	1		
		TOTAL	162

BIRTHS.

The births registered for the year 1949 numbered 64,153. Compared with 1948 there was a decline of 1,777, or 2·7 per cent., but the number was 648 more than the average number recorded during the decennial period, 1939 to 1948. The numbers recorded for each year from 1943 to 1948 were 64,375, 65,425, 66,861, 67,922, 68,978, and 65,930. It will be observed that the upward trend in the number of births which began during the emergency has terminated and each of the years 1948 and 1949 has shown a decline compared with the previous year.

The number of births per 1,000 estimated population in 1949 was 21·46, the corresponding figure for 1948 being 22·000.

In the following table the birth rate per 1,000 Census population and the legitimate fertility rate (number of legitimate births per 1,000 married women aged 15-44 years) are shown for Census periods since 1871.

Period	Total births per 1,000 Census Population	Legitimate births per 1,000 married women 15-44 years	
		Crude	Standardised*
1870-2 ...	27·5	306·6	287·1
1880-2 ...	24·0	283·7	284·2
1890-2 ...	21·7	287·4	293·6
1900-2 ...	21·9	292·2	295·4
1910-2 ...	22·7	305·4	317·8
1925-7 ...	20·6	270·8	281·2
1935-7 ...	19·4	256·1	267·0
1945-7 ...	23·0	269·8	269·8

The birth rate fell rapidly from 1870-2 to 1890-2, rose slightly in 1910-2 and fell again to its lowest value at a Census period in 1935-7. In the last intercensal period a large increase in the birth rate occurred.

The crude and standardised* fertility rates reached their maximum values in 1910-12. Between 1910-12 and 1935-37 the fertility rate declined significantly, and the standardised* rates show that the decline was not due to an increase in the average age of married women. Between 1935-37 and 1945-47 the increase in the crude rate was due to a decrease in the average age of married women, the standardised rate remaining almost constant. Thus the increase in the birth rate which took place during the emergency was due largely to an increase in the marriage rate and to a decrease in the average age of married women. There was practically no change in the fertility of married women between 1935-37 and 1945-47.

The birth rates and fertility rates in the provinces for each year since 1946 are shown in the following table.

Year	City of Dublin and Co. Dublin	Rest of Leinster	Munster	Connaught	Ulster (part of)	Total
Total Births per 1,000 population						
1946 ...	25·0	24·3	22·4	20·7	21·5	23·0
1947 ...	25·5	24·8	22·7	20·9	21·4	23·4
1948 ...	24·9	23·4	21·6	20·0	20·4	22·3
1949 ...	24·2	22·9	21·0	19·4	19·7	21·7
Legitimate births per 1,000 married women (crude)						
1946 ...	254·6	281·2	268·6	276·3	273·7	269·4
1947 ...	259·2	289·8	275·0	281·0	272·8	275·0
1948 ...	254·0	273·3	260·9	269·1	261·3	263·1
1949 ...	247·5	268·3	254·5	261·0	251·7	256·5
Legitimate births per 1,000 married women (standardised)						
1946 ...	251·1	273·3	273·0	285·1	274·8	269·4
1947 ...	255·6	281·6	279·5	290·0	273·9	275·0
1948 ...	250·5	265·6	265·1	277·7	262·3	263·1
1949 ...	244·1	260·7	258·6	269·3	252·7	256·5

* The standardised rate represents the number of legitimate births which would have occurred per 1,000 married women if the age-distribution of married women at earlier Censuses had been the same as in 1946.

BIRTHS—continued.

The birth rate and fertility rate were highest in 1947, since when there have been declines each year. The fertility rate was lowest each year in Dublin City and County and highest in Connaught, while the birth rate was lowest in Connaught. The standardised rates show what the provincial rates would have been if the age-distribution of the married women in each province had been the same as in the State as a whole in 1946. Between 1947 and 1949 the standardised fertility rate declined by 4·5 per cent. in Dublin City and County, by 7·4 per cent. in the Rest of Leinster, by 7·5 per cent. in Munster, by 7·1 per cent. in Connaught and by 7·7 per cent. in Ulster (part of). Since the fertility rates of 1947–49 are based on the 1946 Census population, they are not as accurate as those calculated for Census periods.

Crude birth rates for the provinces, counties and county boroughs, urban and rural districts are given in Tables 10 and 12.

Among the counties and county boroughs the highest rates were recorded in Kildare (26·2), Limerick County Borough (26·7), Louth (24·7), Carlow (24·1) and Westmeath (24·0). The lowest rates were recorded in Roscommon (16·9), Leitrim (17·2), Kerry, Sligo and Cavan (19·0), Cork County (19·2), Waterford County (19·3), Mayo (19·6), Donegal and Monaghan (19·9).

The birth rate for the aggregate of urban districts was 23·7 in 1949, being a decrease of 1·0 on the 1948 figure, while the corresponding rural rates were 21·1 in 1948 and 20·7 in 1949. In Table 15 the birth rates for the urban and rural areas are shown for a number of years.

The following table shows the birth rate for Ireland, the Six Counties, England and Wales and Scotland, for each of the years 1940 to 1949.

YEAR		Ireland	Six Counties	England and Wales	Scotland
1940	...	19·1	19·6	14·1	17·1
1941	...	19·0	20·9	13·9	17·5
1942	...	22·3	22·9	15·6	17·6
1943	...	21·9	24·2	16·2	18·4
1944	...	22·2	23·5	17·7	18·5
1945	...	22·7	22·0	15·9	16·9
1946	...	22·9	22·6	19·2	20·3
1947	...	23·2	23·3	20·5	22·0
1948	...	22·0	21·9	17·8	19·4
1949	...	21·5	21·4	16·7	18·5

A similarity in the trend of the birth rate in the different countries is apparent. The highest rate over the ten-year period was reached in 1947 in Ireland, England and Wales, and Scotland. The downward trend since 1947 is evident in each country.

Illegitimate Births.—The births registered during 1949 include 2,006 of illegitimate children, a figure which is 159 below that for 1948. The number for 1949 is equivalent to a rate of 0·7 per 1,000 of the population, and a rate of 3·1 per cent. of the total births recorded. The respective rates for the previous year were 0·7 per 1,000 and 3·3 per cent.

In the Six Counties for 1949 the rate per cent. of the total births was 3·7 and for Scotland 5·5.

The percentages are shown for each of the provinces for the years 1942 to 1949 in the following statement :—

AREA	Illegitimate births—per cent. of total births.							
	1942	1943	1944	1945	1946	1947	1948	1949
Ireland	3·66	3·80	3·92	3·93	3·89	3·40	3·28	3·13
Leinster ...	3·77	4·00	4·15	4·17	3·97	3·75	3·41	3·31
Munster ...	3·80	4·16	4·01	4·13	4·21	3·58	3·69	3·21
Connaught ...	2·53	2·29	2·44	2·39	2·64	1·64	1·71	1·89
Ulster (part of) ...	4·59	4·19	5·04	4·65	4·46	3·62	3·98	4·01

BIRTHS—continued.

In Tables 9 and 10 the number of illegitimate births and the proportion per cent. of the total births registered for each of the provinces, counties and county boroughs for the year 1949 are given. The highest percentages were in the following counties: Waterford 6·4, Wexford 5·5, Tipperary, S.R., 5·2, Carlow 5·1, Wicklow and Limerick each 4·9, Kilkenny 4·8, and Cavan 4·6. The counties with the lowest ratios were Mayo 1·3, Waterford county borough 1·4, Cork County borough 1·6, Kerry and Roscommon each 2·0, Galway 2·1, Leitrim 2·2, and Limerick county borough and Sligo each 2·3 per cent.

Legitimacy Act (1931).—The authority of the Registrar-General for the re-registration of births under the Legitimacy Act, 1931, was issued in 130 cases during the year 1949. This figure is 23 more than the corresponding figure for the year 1948.

Proportion of Males to Females.—The number of male births registered in 1949 was 32,880 and that of female births 31,273. The proportion between the sexes was 1,051 males per 1,000 females, a ratio which is 13 below that for 1948 and which is 11 below the average figure for the years 1939 to 1948. In the Six Counties for the year 1949 the proportion of males born alive to 1,000 females was 1,067, and in Scotland 1,058.

Table 4 shows the proportion of male to female births for each of the years since 1939, and also the average rates since the year 1864.

The male children born in wedlock in 1949 numbered 31,829, and the female 30,318, or 1,050 males to every 1,000 females, and of the illegitimate children, 1,051 were males and 955 females, or 1,101 boys to every 1,000 girls.

Births in each Quarter.—The number of births by sexes recorded during each quarter of 1949 is shown in the following table:—

	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males ...	8,436	8,555	8,433	7,456	32,880
Females ...	7,952	8,219	8,086	7,016	31,273
TOTAL ...	16,388	16,774	16,519	14,472	64,153

In Table 5 the number of births registered in each quarter of the years 1939 to 1949 is given, together with the rates for the year 1949 and the average rates for the previous decennial period. The rates for each of the quarters were 21·9, 22·4, 22·1, 19·4 per 1,000, showing increases of respectively 0·7 and 0·3 for the first and third quarters and decreases of 0·6 and 0·3 for the second and fourth quarters, compared with the average rates.

Multiple Births.—The number of infants born alive in multiple births registered during 1949 was 1,829, consisting of 898 pairs of twins, and 11 sets of triplets, as compared with 1,686 (831 pairs of twins and 8 sets of triplets) for the previous year. The twin children whose births were recorded during 1949 were 2·8 per cent. of the total number of infants whose births were registered. In 1948 the corresponding percentage was 2·5.

The number of mothers of living children whose births were recorded during the year was 63,233. Of these 62,324, or 98·6 per cent., gave birth to single infants, and 909, or 1·4 per cent., to two or more infants at a birth.

The infants born in wedlock (62,147) included 60,348 single infants, 1,766 twins and 33 triplets, equivalent to, respectively, the ratios of 97·11 per cent., 2·84 per cent., and 0·05 per cent. of the total number of legitimate births.

Illegitimate infants included 1,976 single infants, and 30 twin infants, equivalent, respectively, to 98·50 per cent. and 1·50 per cent. of the 2,006 illegitimate infants registered. In the year 1948 the illegitimate infants recorded included 2,121 single infants, and 44 twin infants.

In the year 1949 the infants born alive in multiple births comprised 873 males and 956 females. Of the twin infants, 833 were males and 933 females, the triplet infants included 22 males and 11 females.

It should be noted that the figures given above relate to live births, as stillbirths are not registered, and that, therefore, the birth of one living child and one stillborn, or one living child and two stillborn, is counted as a single birth, and the birth of two living children and one stillborn is counted as a twin birth.

DEATHS.

Number and Rate.—The number of deaths recorded during the year 1949 was 38,062, the males numbering 19,876 and the females 18,186. The total is 1,705 more than the number for 1948 and 4,168 less than the average for the decennial period 1939 to 1948. In the year 1949, the deaths of males were 759 more, and the deaths of females 946 more than in the previous year.

The deaths registered in 1949 represent a rate of of 12·73 per 1,000 of the population, compared with 12·13 for 1948 and an average of 14·26 for the ten years 1939 to 1948. The rate for males during each of the past three years was 15·62, 12·61 and 13·15, the corresponding ratio for females being 14·04, 11·64 and 12·31 respectively.

A comparison of the death rates since 1864 is shown in Table 4, and in Table 8 the rates by sexes and ages for the same periods are given.

The death rates per 1,000 of the population for Ireland, the Six Counties, England and Wales, and Scotland for the years 1940 to 1949 are as follows :—

YEARS	Ireland	Six Counties	England and Wales	Scotland
1940 ...	14·2	14·6	14·4	14·9
1941 ...	14·6	15·2	13·5	14·7
1942 ...	14·1	13·3	12·3	13·3
1943 ...	14·8	13·4	13·0	14·0
1944 ...	15·3	12·8	12·7	13·6
1945 ...	14·5	12·3	12·6	13·2
1946 ...	14·0	12·5	12·0	13·1
1947 ...	14·8	12·6	12·3	12·9
1948 ...	12·1	11·2	11·0	11·8
1949 ...	12·7	11·5	11·8	12·3

Standardised Rates for Counties, etc.—In Abstract I, Part III, the number of deaths recorded for each province, county and county borough is shown. In Tables 10 and 12 death rates are given for each of the provinces, counties and county boroughs and also for urban and rural areas.

Crude death rates vary markedly with changes in the age distributions of populations even though mortality rates at each age remain constant. It is evident, therefore, that different mortality rates may be caused largely by different age distributions in populations. Standardised death rates are rates calculated in such a way that differences in the crude mortality rates arising from differences in the age distributions of population are eliminated. Standardised rates have been calculated for 1949 in respect of each county and county borough and are shown below. These rates were calculated as follows :—

Age-specific mortality rates relating to the State were calculated from the number of deaths classified by age in 1945 to 1947 and the 1946 Census population. These rates were applied to the 1946 Census population in each county and county borough to find the expected deaths in each local population. The number of expected deaths was divided by the local population in question to obtain an “expected death rate” in the local population. The ratio of the Irish crude death rate to the “expected death rate” in each local population was calculated. This ratio is called the “Standardising ratio” and is a measure of the effect of the age constitution of each local population on the crude death rate for the area. The crude rates in 1949 were multiplied by the corresponding standardising ratios to obtain corrected rates. These corrected rates are a better indication than the crude rates of mortality condition in different areas, but it should be observed that they themselves are accurate only in so far as the age distributions in different areas have not changed greatly since 1946.

DEATHS—continued.

County, etc.	Standardising Ratio	Deaths per 1,000 Population	
		Crude	Standardised
Carlow	1.004	13.0	13.1
Dublin County	1.135	11.1	12.6
Dublin City	1.245	11.3	14.1
Kildare County	1.145	11.9	13.6
Kilkenny „	0.993	13.1	13.0
Laoighis „	0.956	13.4	12.8
Longford „	0.913	12.9	11.8
Louth „	1.054	12.8	13.5
Meath „	1.022	12.5	12.8
Offaly „	1.022	13.0	13.3
Westmeath „	0.985	12.8	12.6
Wexford „	0.965	13.3	12.8
Wicklow „	1.004	13.1	13.2
LEINSTER	1.103	12.2	13.5
Clare County	0.882	13.2	11.6
Cork „	0.934	13.7	12.8
Cork Co. Borough	1.118	14.0	15.7
Kerry County	0.938	13.2	12.4
Limerick „	0.993	12.6	12.5
Limerick Co. Borough	1.258	12.2	15.3
Tipperary, N.R.	0.984	13.4	13.2
Tipperary, S.R.	0.989	14.0	13.8
Waterford County	0.948	14.2	13.5
Waterford „ Borough	1.130	12.6	14.2
MUNSTER	0.974	13.4	13.1
Galway	0.958	12.2	11.7
Leitrim	0.857	14.0	12.0
Mayo	0.836	13.4	11.2
Roscommon	0.834	13.7	11.4
Sligo	0.864	14.9	12.9
CONNAUGHT	0.879	13.3	11.7
Cavan	0.900	15.5	14.0
Donegal	0.887	12.9	11.4
Monaghan	0.967	11.9	11.5
ULSTER (part of)	0.907	13.4	12.2
IRELAND	1.000	12.7	12.7

It will be observed that the crude death rates in the County Boroughs are understated and that they are very much overstated in Connaught and Ulster. The crude rates, of course, are high in the West of Ireland as compared with Dublin city on account of the relatively greater proportion of elderly persons in the West. The corrected rate in Dublin city is 14.1 per 1,000 population, while the corrected rate in Connaught is 11.7 and in Ulster (part of) it is 12.2 per 1,000 population. Cork city has the highest corrected death rate (15.7 per 1,000 population), while Mayo, with a rate of 11.2 per 1,000 population, occupies the lowest place. The corrected rates are highest in the County Boroughs and lowest in the rural counties of the West and North West.

During the year 1949 the rates represented by the deaths recorded for the aggregate urban and rural areas were respectively 11.9 and 13.4 per 1,000 population compared with 11.6 and 12.7 for the preceding year. The figure for the urban areas in 1949 is 0.3 above, and that for the rural areas 0.7 above the respective rates for the year 1948. A comparative statement of the rates for these areas for a series of years is given in Table 15.

Deaths in each Quarter.—The following statement shows the number of deaths of persons and of males and females registered during each quarter of the year 1949:—

	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males ...	5,784	5,164	4,274	4,654	19,876
Females ...	5,226	4,756	3,808	4,396	18,186
TOTAL ...	11,010	9,920	8,082	9,050	38,062

DEATHS—continued.

Of the total deaths, 20,930, or 55·0 per cent., were registered during the first six months and 17,132, or 45·0 per cent., in the second six months. The corresponding percentages for the preceding year were respectively 54·9 and 45·1.

During the year 1949 the mortality was highest in the first quarter, in which the rate was 14·7 per 1,000 of the population. In the second quarter the rate was 13·3, in the third 10·8, and in the last quarter it was 12·1. In the preceding year the rates for the quarters were as follows:—first 14·2, second 12·5, third 10·5, and fourth 11·4.

The rate for each quarter of 1948 and the average figure for the previous ten years are given in Table 5. A comparison between the rates for 1949 and the average figure shows that in the first quarter there was a decrease of 3·4 per 1,000; the rate for the second quarter shows a decrease of 1·1; the third a decrease of 0·8, and in the fourth quarter there was a decrease of 0·8 per 1,000.

Deaths in Institutions.—In Abstract V information is given relating to deaths in institutions for the country as a whole, and for each province, county and county borough. Deaths occurring in general and special hospitals numbered 4,985, in mental hospitals 978, in county homes and hospitals, etc., 7,455; and 24,644 occurred elsewhere, chiefly at the homes of the deceased. These figures are in the respective proportions of 13·1, 2·6, 19·6 and 64·7 per cent. of the total number of deaths.

These rates, when compared with the figures for earlier years, indicate an increasing tendency to avail of hospital and institutional treatment. In 1939 the percentages of deaths in the three classes of institutions were 11·7, 3·0 and 17·6, respectively, 67·7 per cent. dying at their own homes.

Uncertified Causes.—The number of cases in which the cause of death was not stated to have been certified by a medical practitioner or coroner was 4,325. This figure is equivalent to a rate of 11·4 per cent. of the total deaths registered during the year. The proportion for the previous year was 11·2 and the average percentage for the ten years from 1939 to 1948 was 13·9.

The majority of the uncertified deaths are recorded in rural districts, the percentage for these districts in 1949 being 15·9. In the urban areas the percentage was only 1·5.

Inquests.—The number of deaths registered on certificates issued by coroners as the result of inquests or post-mortem examinations during the year 1949 was 1,244, or one in every 31 deaths registered. The number of such deaths for the year 1949 include 822 cases in which inquests were held, and 422 cases in which the death was registered on a certificate issued as the result of a post-mortem examination.

CAUSES OF DEATH.

The causes of the deaths of males and females registered during the year 1949 classified in accordance with the list adopted at the International Conference held in Paris in 1938, are published in Abstract IV. In Abstract V the causes of the deaths by age periods for each of the provinces, counties and county boroughs are shown, and in Abstract VI the causes of the deaths for each of the principal towns are given.

The proportion of the deaths from the principal causes at certain age-periods is given in Table F on the following page. It will be seen that heart disease is the cause of the largest proportion of deaths, namely, 263 in every 1,000 deaths; the next in order are senility 147, cancer 109, intra-cranial lesions of vascular origin (cerebral hæmorrhage, etc.), 75, tuberculosis (all forms) 71, pneumonia 35, and bronchitis 27 in every 1,000 deaths. These causes account for 73 per cent. of the total mortality.

Among deaths of infants under one year the group of diseases and conditions under the heading of congenital malformations and diseases peculiar to the first year of life (including congenital debility and premature birth) accounts for 549 in every 1,000 deaths compared with 553 in every 1,000 deaths for the preceding year. Among the other principal causes of death at this age period are diarrhoea and enteritis (134 in every 1,000 deaths), pneumonia (133), whooping-cough (27 in every 1,000 deaths) and bronchitis (19 in every 1,000 deaths).

In the case of children between the ages of one and five years, pneumonia is the cause of 181 in every 1,000 deaths, tuberculosis in 148 instances, diarrhoea and enteritis in 66, whooping-cough in 47, measles in 33, bronchitis in 26, and diphtheria in 10 cases. The chief feature of the mortality of children aged 5 and under 15 years of age is the proportion due to tuberculosis (297 in every 1,000), pneumonia 58, and diphtheria 4 in every 1,000. The chief cause

TABLE F.—Proportion of deaths from the principal causes at certain age-periods in 1949.

No.	CAUSES OF DEATH	PROPORTION PER 1,000 DEATHS AT EACH AGE-PERIOD										
		All Ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 & up
	ALL CAUSES	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
1	Typhoid fever (including paratyphoid).	2	1
2	Cerebro-spinal meningitis	1	3	17	9	.	1	1
3	Scarlet fever	6	9	.	1
4	Whooping cough . . .	3	27	47	6
5	Diphtheria	10	4
6	Tuberculosis of respiratory system.	56	2	28	75	436	447	248	131	51	15	2
7	All other forms of tuberculosis.	15	12	120	222	145	66	29	15	5	2	.
8	Dysentery	1
9	Influenza	7	7	12	2	3	5	6	6	8	10	7
10	Measles	2	5	33	26	2
11	Acute infectious encephalitis	1	.	6	9	2	2	3	1	1	.	.
12	Typhus
13	Cancer	109	.	17	15	16	44	145	194	204	155	71
14	Diabetes mellitus . . .	7	.	.	17	12	10	9	7	10	9	4
15	Intra-cranial lesions of vascular origin.	75	.	3	2	9	13	41	68	105	115	77
16	Diseases of the heart .	263	.	.	67	58	89	160	241	318	366	306
17	Other diseases of the circulatory system.	27	.	4	2	3	4	23	26	34	39	29
18	Bronchitis	27	19	26	4	5	6	8	24	32	31	31
19	Pneumonia	35	133	181	58	15	15	18	24	25	24	20
20	Other diseases of the respiratory system.	15	7	15	6	13	15	23	30	22	16	11
21	Ulcer of the stomach or duodenum.	6	.	1	2	2	3	19	16	13	6	1
22	Diarrhoea and enteritis .	15	134	66	11	1	6	4	4	2	2	2
23	Appendicitis	3	.	18	30	9	6	8	5	1	2	.
24	Cirrhosis of the liver .	1	2	3	4	4	1	.
25	Diseases of liver and biliary passages.	4	.	4	4	5	4	8	6	6	6	2
26	Other diseases of the digestive system.	11	7	28	13	13	6	12	15	14	13	7
27	Nephritis	23	.	4	24	32	28	34	38	30	27	19
28	Puerperal infection	1	6	6
29	Other diseases of childbirth	3	.	.	.	5	41	27
30	Congenital debility, etc. (Nos. 157-161).	51	549	51	62	15	3	2	1	.	.	.
31	Senility	147	87	367
32	Suicide	2	.	.	.	5	6	11	7	3	1	.
33	Other violence	24	15	91	123	94	57	50	33	20	15	13
34	Other causes	67	80	212	198	99	106	101	104	92	58	31

CAUSES OF DEATH—continued.

of the deaths of persons aged 15 and under 45 years is tuberculosis, and subsequent to that age the chief factors in the mortality are heart disease, cancer and intercranial lesions.

A comparative statement of the deaths from the principal causes recorded for each of the years 1947, 1948 and 1949 is given below, and in Table 7 the rates per 100,000 of the population are published.

CAUSES	Number of Deaths Registered			CAUSES	Number of Deaths Registered		
	Years				Years		
	1947	1948	1949		1947	1948	1949
Typhoid Fever ...	15	15	12	Heart Disease ...	11,118	9,564	10,016
Cerebro-Spinal Men- ingitis ...	38	34	29	Bronchitis ...	1,318	999	1,019
Scarlet Fever ...	8	5	12	Pneumonia ...	1,868	1,239	1,329
Whooping Cough ...	298	204	130	Diarrhoea and Enter- itis (under 2 years)	744	352	490
Diphtheria ...	56	30	10	Nephritis ...	1,097	874	875
Tuberculous Disease	3,700	3,103	2,712	Puerperal Infection	31	18	18
Dysentery ...	3	7	1	Other Puerperal Causes ...	99	86	98
Influenza ...	651	201	280	Congenital Debility, Malformation, Premature Birth, etc. ...	2,507	1,905	1,955
Measles ...	106	63	56	Senility ...	6,450	4,762	5,591
Acute Infectious Encephalitis ...	14	11	26	Violence ...	971	922	979
Typhus	1				
Cancer ...	3,962	4,074	4,161				
Intra-Cranial Lesions of vascular origin	3,024	2,656	2,842				

In Table 10 the rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* are given by provinces, counties and county boroughs. The rate for Ireland was 0·2, which is the same as that for the previous year. The rates for the county boroughs are as follows:—Dublin 0·4, Cork 0·6, Limerick 0·5 and Waterford 0·6 per 1,000. The highest county rates are:—Kildare and Waterford each 0·4, Carlow, Dublin, Wicklow, Kerry and Limerick each 0·3. The counties in which the rates were lowest are:—Louth, Westmeath, Galway, Leitrim, Mayo, Roscommon, Sligo, Cavan, Donegal and Monaghan each 0·1.

It may be seen in Table 12 that the mortality from this group of causes for all urban areas (county boroughs and urban districts) was equal to a rate of 0·4 per 1,000 of the population, compared with 0·2 for the rural districts. The corresponding rates for 1948 were 0·3 and 0·2 respectively.

Typhoid and Paratyphoid Fevers.—The number of deaths recorded was 12, including 4 of males and 8 of females. The corresponding figure for 1948 was 15, including 12 of males and 3 of females. The average number for the decennial period from 1939 to 1948 was 38. During 1949 there were 2 deaths for urban areas and 10 for rural areas.

Scarlet Fever.—There were 12 deaths from this disease registered during the year 1949 compared with 5 in the previous year. The average figure for the ten years 1939 to 1948 was 21.

Whooping Cough.—The number of deaths recorded under this heading was 130, compared with 204 for the year 1948, and an average figure of 202 for the decennial period ended with the latter year. The total for 1949 includes 54 of males and 76 of females, compared with 103 and 101, respectively, in the previous year.

The figure for 1949 includes 93 of infants under one year of age and 14 of children aged between one and two years. In 1948 the corresponding figures were 137 and 36.


There were 44 deaths recorded for Dublin county borough, 12 for Kerry, 10 for Dublin (exclusive of the county borough) and 7 for Mayo.

Diphtheria.—The number of deaths was 10, compared with a figure of 30 for 1948, and an average of 192 for the years 1939 to 1948. In 1933 the number was 418 (the highest recorded since 1921) and the respective figures for each of the years 1939 to 1947 were 245, 178, 165, 267, 310, 293, 236 139 and 56.

The figures for 1949 include 5 males and 5 females, the corresponding figures for the previous year being 8 and 22 respectively.

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years).

DIAGRAM No. 2. Mortality from Diphtheria, 1935 to 1949.



CAUSES OF DEATH—continued.

Diphtheria—continued.

Included in the figure for 1949 were 7 of children aged between one and five years and one between the ages of five and ten years.

The death-rate per 100,000 of the population was 0·3, compared with 1·0 for the previous year. In the urban areas as a whole the rate for 1949 was 0·2 compared with 0·5 in the previous year, and in the rural areas the corresponding rates were 0·4 and 1·3 per 100,000 of the population.

For Leinster the rates for 1949 and 1948 were 0·2 and 0·8, for Munster 0·4 and 1·3, for Connaught 0·4 and 1·2, and for Ulster (part of) 0·4 and 0·8 per 100,000.

The following table shows the death rate per 100,000 of the population for Ireland and the urban and rural areas for each of the years 1940 to 1949 :—

YEARS		Ireland	URBAN DISTRICTS			Rural Districts
			Principal Towns	Other Urban Districts	Total	
1940	...	6·0	9·9	6·4	9·1	4·5
1941	...	5·5	9·0	4·9	8·4	4·2
1942	...	9·0	13·8	5·4	12·3	7·4
1943	...	10·5	15·7	8·8	14·3	8·4
1944	...	10·0	13·2	12·0	13·0	8·4
1945	...	8·0	7·6	9·9	8·1	8·0
1946	...	4·7	4·3	3·1	4·1	5·1
1947	...	1·9	1·3	2·1	1·5	2·1
1948	...	1·0	0·2	1·6	0·5	1·3
1949	...	0·3	0·1	0·5	0·2	0·4

The counties and county boroughs in which the highest death rates from this disease were recorded in 1949 are as follows :—Roscommon 2·8, Clare 2·4, Wicklow 1·7, Kilkenny and Louth each 1·5 per 100,000 of the population. There were no deaths recorded for Carlow, Dublin, Dublin county borough, Kildare, Laoighis, Longford, Meath, Offaly, Westmeath, Wexford, Cork county borough, Kerry, Limerick, Limerick county borough, Tipperary N.R., Tipperary S.R., Waterford, Waterford county borough, Galway, Leitrim, Mayo, Sligo, Cavan, and Monaghan, and the lowest death rates for the remaining counties were :—Donegal 0·7 and Cork 0·8.

Tuberculosis.—The number of deaths registered during 1949 from all forms of tuberculosis was 2,712—1,405 of males and 1,307 of females. When compared with the number recorded in 1948 the total shows a decrease of 391—in the case of males 234 and in the case of females of 157. The figure for 1949 is 996 below the average for the decennial period from 1939 to 1948—a decrease in male deaths of 515 and 481 in the case of female deaths.

The deaths recorded during 1949 are equivalent to a rate of 0·91 per 1,000 of the estimated population. For 1948 the rate was 1·04 per 1,000, and during the ten years from 1939 to 1948 the average rate was 1·25 per 1,000.

In the following table the mortality from tuberculosis per 1,000 of the population for Ireland, the Six Counties, England and Wales, and Scotland is given for each of the years 1940 to 1949 :—

YEARS		Ireland	Six Counties	England and Wales	Scotland
1940	...	1·25	0·98	0·70	0·82
1941	...	1·24	1·04	0·73	0·83
1942	...	1·47	0·97	0·66	0·80
1943	...	1·46	0·91	0·67	0·79
1944	...	1·30	0·89	0·63	0·82
1945	...	1·25	0·80	0·56	0·79
1946	...	1·14	0·83	0·53	0·79
1947	...	1·24	0·72	0·56	0·79
1948	...	1·04	0·69	0·51	0·76
1949	...	0·91	0·59	0·46	0·67

CAUSES OF DEATH—continued.

Tuberculosis—continued.

Table G shows the number of deaths ascribed to this disease by sexes, during each of the last eleven years. The highest rate for all persons during the period covered by the table was 1·47 per 1,000 in 1942 and the lowest 0·91 in 1949. For males the highest rate 1·53 was in 1942 and the lowest 0·93 in 1949. In the case of females the rate was highest in 1943, viz., 1·44, and lowest in 1949—0·88 per 1,000.

TABLE G.—Mortality from Tuberculosis during each of the years 1939-1949.

YEAR	MALES		FEMALES		TOTAL		Annual Increase or Decrease	
	Number of Deaths	Rate per 1,000 of the Male population	Number of Deaths	Rate per 1,000 of the Female population	Number of Deaths	Rate per 1,000 of the population	Number	Per cent.
1939 ...	1,707	1·14	1,597	1·12	3,304	1·13	+ 88	+ 2·7
1940 ...	1,944	1·28	1,741	1·21	3,685	1·25	+ 381	+11·5
1941 ...	1,855	1·21	1,856	1·27	3,711	1·24	+ 26	+ 0·7
1942 ...	2,297	1·53	2,050	1·40	4,347	1·47	+ 636	+17·1
1943 ...	2,203	1·48	2,103	1·44	4,306	1·46	— 41	— 0·9
1944 ...	1,998	1·34	1,841	1·26	3,839	1·30	— 467	—10·8
1945 ...	1,901	1·28	1,793	1·23	3,694	1·25	— 145	— 3·8
1946 ...	1,753	1·17	1,637	1·12	3,390	1·14	— 304	— 8·2
1947 ...	1,904	1·27	1,796	1·22	3,700	1·25	+ 310	+ 9·1
1948 ...	1,639	1·08	1,464	0·99	3,103	1·04	— 597	—16·1
Average 1939-48	1,920	1·28	1,788	1·23	3,708	1·25	—	—
1949 ...	1,405	0·93	1,307	0·88	2,712	0·91	— 391	—10·5

There were 2,142 deaths from tuberculosis of the respiratory system recorded in 1949 compared with 2,452 in 1948, a decrease of 310. The figure for 1949 includes 1,120 of males and 1,022 of females—the figure for males shows a decrease of 161 and that for females a decrease of 149 when compared with the corresponding figures for the previous year. During 1949 there were 570 deaths (285 males and 285 females) from tuberculosis other than that of the respiratory system. The respective figures for 1948 were 651 (358 males and 293 females). The figures for 1949 are 81 (a decrease of 73 males and 8 females) less than those for the previous year.

In Abstract IV particulars of the deaths included under the heading of tuberculosis other than respiratory are given. There were 283 deaths (147 males and 136 females) due to tuberculosis of the meninges and central nervous system, 87 deaths (41 males and 46 females) to tuberculosis of the intestines and peritoneum, 39 (18 males and 21 females) to tuberculosis of the vertebral column, 20 (10 males and 10 females) to the disease of other bones and joints, 2 (2 females) to tuberculosis of the skin, 10 (7 males and 3 females) of the lymphatic system, 21 (12 males and 9 females) in organs of the genito-urinary system, 5 (2 males and 3 females) to tuberculosis of other organs, and 103 (48 males and 55 females) caused by disseminated tuberculosis.

In the following table a comparison is made of the number of deaths from tuberculosis of the respiratory system and all other forms of the disease for each of the years 1945 to 1949 inclusive, together with the rate per 1,000 of the population.

CAUSE		YEARS				
		1945	1946	1947	1948	1949
Tuberculosis of the respiratory system	No.	2,777	2,585	2,831	2,452	2,142
	Rate	0·94	0·87	0·96	0·82	0·72
Other forms of tuberculosis.	No.	917	805	869	651	570
	Rate	0·31	0·27	0·29	0·22	0·19

The mortality from tuberculosis at different age-periods for each of the years 1944 to 1949 is shown in Table H. Among persons aged 15 and under 20 years the rates in 1949 and 1948 were respectively 0·71 and 1·04 per 1,000, the figures for males being 0·63 and 0·77 and for females 0·80 and 1·31 per 1,000. In the age-group from 20 to 24 years the rates in 1949 were—for persons 1·53, males 1·30 and females 1·76, and for 1948 respectively 1·77, 1·53 and 2·02. At the age period 25 and below 35 years the figure for both sexes in 1949 was 1·51 per 1,000, and in 1948 it was 1·80, the corresponding rates for males being 1·34 and 1·75 and for females 1·69 and 1·85 per 1,000.

DIAGRAM No. 3. Mortality from Tuberculosis, 1935 to 1949.





TABLE H. Deaths from Tuberculosis, and Death-rates per 1,000 of the population at the same age, during each of the years 1944 to 1949.

YEARS	All Ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 & up
DEATHS OF MALES.												
1944 ...	1,998	126	57	49	174	245	409	359	271	189	105	14
1945 ...	1,901	124	46	50	188	244	391	303	250	193	99	13
1946 ...	1,753	112	43	57	128	219	363	278	266	191	87	9
1947 ...	1,904	147	47	44	128	189	422	335	273	215	89	15
1948 ...	1,639	102	43	39	100	183	368	297	244	176	76	11
1949 ...	1,405	74	40	22	81	155	281	226	241	176	93	16
DEATHS OF FEMALES.												
1944 ...	1,841	102	57	71	221	286	465	266	189	113	56	15
1945 ...	1,793	116	44	66	209	298	423	274	166	123	62	12
1946 ...	1,637	93	37	49	190	253	438	240	163	109	55	10
1947 ...	1,796	102	47	69	215	300	425	269	167	106	85	11
1948 ...	1,464	80	24	40	164	232	385	228	156	98	48	9
1949 ...	1,307	81	34	42	100	202	351	199	139	81	66	12
DEATHS OF MALES AND FEMALES												
1944 ...	3,839	228	114	120	395	531	874	625	460	302	161	29
1945 ...	3,694	240	90	116	397	542	814	577	416	316	161	25
1946 ...	3,390	205	80	106	318	472	801	518	429	300	142	19
1947 ...	3,700	249	94	113	343	489	847	604	440	321	174	26
1948 ...	3,103	182	67	79	264	415	753	525	400	274	124	20
1949 ...	2,712	155	74	64	181	357	632	425	380	257	159	28
MALES—RATE PER 1,000.												
1944 ...	1.34	0.92	0.42	0.37	1.29	2.05	1.92	2.01	1.78	1.43	0.97	0.33
1945 ...	1.28	0.89	0.34	0.37	1.38	2.01	1.81	1.68	1.62	1.44	0.90	0.31
1946 ...	1.17	0.81	0.32	0.43	0.99	1.85	1.74	1.52	1.69	1.49	0.80	0.19
1947 ...	1.27	0.97	0.35	0.33	1.00	1.59	2.02	1.83	1.73	1.68	0.82	0.32
1948 ...	1.08	0.67	0.31	0.29	0.77	1.53	1.75	1.61	1.53	1.36	0.69	0.23
1949 ...	0.93	0.49	0.29	0.16	0.63	1.30	1.34	1.23	1.52	1.36	0.85	0.34
FEMALES—RATE PER 1,000.												
1944 ...	1.26	0.76	0.43	0.54	1.66	2.48	2.22	1.50	1.30	0.89	0.54	0.30
1945 ...	1.23	0.86	0.33	0.50	1.55	2.55	2.00	1.52	1.12	0.95	0.59	0.24
1946 ...	1.12	0.64	0.28	0.38	1.53	2.23	2.13	1.36	1.06	0.86	0.52	0.19
1947 ...	1.22	0.70	0.36	0.53	1.73	2.64	2.06	1.52	1.08	0.83	0.79	0.21
1948 ...	0.99	0.55	0.18	0.31	1.31	2.02	1.85	1.28	1.00	0.76	0.45	0.17
1949 ...	0.88	0.56	0.26	0.32	0.80	1.76	1.69	1.12	0.89	0.63	0.62	0.23
MALES AND FEMALES—RATE PER 1,000.												
1944 ...	1.30	0.84	0.43	0.45	1.48	2.26	2.07	1.76	1.54	1.17	0.76	0.32
1945 ...	1.25	0.87	0.33	0.43	1.46	2.27	1.90	1.60	1.38	1.20	0.75	0.27
1946 ...	1.14	0.69	0.30	0.40	1.26	2.03	1.93	1.44	1.38	1.18	0.66	0.19
1947 ...	1.25	0.84	0.35	0.43	1.36	2.10	2.04	1.68	1.41	1.26	0.81	0.26
1948 ...	1.04	0.61	0.25	0.30	1.04	1.77	1.80	1.45	1.27	1.06	0.57	0.20
1949 ...	0.91	0.52	0.28	0.24	0.71	1.53	1.51	1.18	1.21	1.00	0.73	0.28

The number of deaths recorded under the heading of tuberculosis for each of the counties and county boroughs, the fourteen principal towns and the total urban and rural areas are published in Tables 9 to 12 and 14. In Abstract V information regarding the sex and age at death is given for each county and county borough area.

In the province of Leinster in 1949 the death rate was 1.0, in Munster 0.9, in Connaught 0.8, and in Ulster (part of), 0.7. The corresponding rates for 1948 were, Leinster 1.2, Munster 0.9, Connaught 0.9 and Ulster (part of) 0.9 per 1,000.

DIAGRAM No. 4. Mortality from Influenza, 1935 to 1949.



CAUSES OF DEATH—continued.

Tuberculosis—continued.

The highest mortality rates from tuberculosis in 1949 for county or county borough areas were recorded for the following :—Limerick county borough 1·6, Kildare 1·3 and Louth and Clare each 1·2. The counties having the lowest rates were—Cavan and Monaghan each 0·6, Kilkenny, Longford, Tipperary N.R., Mayo and Donegal each 0·7 per 1,000 of the population.

The deaths from tuberculosis in 1949 for the aggregate urban districts numbered 1,124 compared with 1,290 for the previous year. For the rural districts the number in 1949 was 1,588 compared with 1,813 for last year. The rate per 1,000 of the population for the urban areas fell from 1·28 in 1948 to 1·12 in 1949, while that for the rural areas decreased from 0·93 to 0·82 per 1,000.

Influenza.—The number of deaths from this disease in 1949 was 280, compared with 201 for the preceding year and an average of 684 for the decennial period ended with 1948.

The rates per 1,000 of the population for the years 1949 and 1948 were 0·09 and 0·07 respectively.

In the aggregate urban areas the death rate for 1949 was 0·05 per 1,000, and in the rural areas 0·12 compared with 0·04 and 0·08 for 1948.

In the first quarter the mortality was 34 per cent. of the total and in each of the second, third and fourth quarters the proportion was 44, 6 and 16 respectively.

Smallpox.—Since the year 1907 no death from this disease has been recorded.

Measles.—There were 56 deaths registered in 1949 compared with 63 in the year 1948, and an average for the period from 1939 to 1948 of 76 deaths. Of the deaths recorded, 16 were for Dublin county borough, 12 for Kerry, 8 for Dublin, 5 for Cork county borough, and 3 for Cork.

Acute Poliomyelitis and Polioencephalitis.—The deaths under this heading numbered 21 (11 males and 10 females) compared with 18 (8 males and 10 females) in the previous year. The figure for 1949 includes 2 each for Dublin, Dublin county borough, Wexford, Wicklow, Cork and Mayo.

Other Infective or Parasitic Diseases.—There were 37 deaths from Hodgkin's disease recorded during the year 1949.

Cancer.—The deaths due to cancer recorded for 1949 numbered 4,161—2,214 of males and 1,947 of females. The total figure is 87 above the number for 1948 and 202 above the average number for the decennial period ended with 1948. The number of deaths of males is 40 above, and that for females 47 above the corresponding figure for 1948.

The deaths from this disease constitute 10·9 per cent. of the deaths from all causes and are equivalent to a rate of 1·39 per 1,000 of the population. The rates for males and females were respectively 1·47 and 1·32 per 1,000. In the Six Counties the rates for persons, males and females, were 1·45, 1·49 and 1·41 per 1,000, in England and Wales 1·87, 1·98 and 1·77, and in Scotland the death rates were 1·85 for both sexes, 1·88 for males and 1·83 for females.

In the following table the mortality from cancer per 1,000 of the population in Ireland, the Six Counties, England and Wales, and Scotland for each of the last ten years is given :—

YEARS		Ireland	Six Counties	England and Wales	Scotland
1940	...	1·28	1·36	1·72	1·70
1941	...	1·27	1·37	1·78	1·69
1942	...	1·37	1·41	1·83	1·71
1943	...	1·37	1·45	1·90	1·73
1944	...	1·42	1·41	1·90	1·86
1945	...	1·34	1·44	1·74	1·92
1946	...	1·36	1·42	1·77	1·89
1947	...	1·33	1·47	1·81	1·77
1948	...	1·36	1·45	1·86	1·81
1949	...	1·39	1·45	1·87	1·85

TABLE J.—Deaths from CANCER and other MALIGNANT TUMOURS

International List Nos.	Parts Affected	MALES												
		AGES AT DEATH												Total
		Under 25	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75 and upwards	
45	Lip	1	.	.	1	3	1	4	4	10	21	45
	Tongue	2	4	2	7	12	12	39
	Jaw	1	3	6	13	15	38
	Mouth	1	.	1	1	5	3	5	11	27
	Pharynx	1	1	1	4	1	1	9
	Tonsil	1	.	1	1	1	2	2	2	10
46	Esophagus	5	1	3	4	12	17	20	18	16	96
	Stomach ...	2	.	4	7	24	20	43	54	69	100	101	103	527
	Rectum	2	2	3	9	12	11	23	42	48	42	194
	Liver ...	2	1	.	1	3	6	4	8	15	24	31	18	113
	Pancreas	1	5	4	8	8	6	13	10	15	70
	Peritoneum	1	1	.	2
	Intestine ...	1	.	.	1	6	13	14	25	34	52	65	83	294
47	Larynx, Trachea	1	1	2	3	4	8	14	3	10	46
	Lung ...	2	1	5	5	5	17	33	30	32	22	16	10	178
	Mediastinum	1	.	.	1	.	3	.	5
48	Uterus
49	Ovary
	Vagina
	Vulva
50	Breast	1	1	1	3	6
51	Scrotum	1	.	.	2	3
	Prostate	2	3	5	12	33	42	57	154
	Penis	1	1	.	1	2	5
	Testicle	1	.	1	.	1	.	.	.	3
52	Bladder	1	1	1	3	7	6	13	8	40
	Kidney ...	2	1	3	1	3	3	3	1	17
53	Ear	1	.	.	.	2	1	3	7	12	26
	Face	1	.	.	4	11	25	41
	Other Skin	3	1	2	3	3	12
54	Brain	4	1	1	5	3	2	.	.	16
55	Abdomen	1	1	.	2	.	2	.	2	.	8
	Arm, Leg ...	5	.	.	1	2	.	1	.	5	3	9	13	39
	Axilia	1	.	1
	Eye ...	1	1	1	1	.	.	.	4
	Groin
	Neck	1	1	.	1	1	1	5	4	12	10	36
	Nose	1	.	1	.	3	1	1	7
	Parotid	2	3	5
	Pelvis ...	1	2	.	3
	Spine	1	1	.	2
	Spleen	1	.	1	2
	Thorax
	Throat	1	.	.	.	5	1	7	2	7	10	33
	Thyroid	1	.	.	1	2
	Other and Unspecified ...	3	.	1	.	6	1	4	3	11	7	8	12	56
TOTAL ...		19	2	17	28	66	85	154	187	283	387	463	523	2,214
Deaths from Cancer per 100,000 living of the same age ...		2.8	9.0		51.1		150.6		363.9		775.5		1095.9	146.5

registered during the year 1949 by Sexes, Ages, and parts affected.

FEMALES													Total Males and Fe- males	International List Nos.
AGES AT DEATH														
Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and up- wards	TOTAL		
.	2	2	1	3	8	53	45
1	.	.	.	1	.	.	.	1	1	1	2	6	45	
.	1	2	1	2	.	7	14	52	
.	.	.	1	.	.	.	1	.	.	.	1	3	30	
.	1	.	.	2	.	2	2	1	1	1	1	10	19	
.	1	2	12	
.	.	1	2	3	2	7	6	4	12	10	12	59	155	46
.	.	6	5	4	11	31	37	54	80	86	81	395	922	
.	2	3	.	6	6	6	11	15	20	9	17	95	289	
.	.	.	3	1	4	5	12	18	25	32	20	120	233	
.	.	.	2	2	1	4	9	12	7	8	14	59	129	
2	1	3	3	6	12	18	21	38	42	52	75	273	567	
.	.	.	1	.	.	2	1	4	.	2	2	12	58	47
1	1	.	2	4	1	6	5	16	6	8	2	52	230	
1	1	1	.	3	8	
1	1	2	4	9	15	22	17	22	21	30	17	161	161	48
.	2	.	2	5	5	3	7	10	6	5	2	47	47	49
.	1	1	2	2	
.	1	.	.	1	2	4	4	
.	1	6	21	22	28	33	35	45	39	42	62	334	340	50
.	3	51
.	154	
.	5	
.	3	
3	1	1	.	2	3	1	1	2	1	3	7	20	60	52
3	1	1	2	2	3	3	.	15	32	
.	1	.	1	1	1	1	1	6	32	53
.	.	1	.	1	.	.	1	5	4	7	19	38	79	
.	.	.	1	.	1	.	1	1	2	3	3	12	24	
3	3	4	.	.	1	.	.	11	27	54
1	2	5	3	11	19	55
.	.	.	3	1	2	3	7	7	15	7	23	68	107	
.	1	1	2	
1	1	.	1	.	.	.	3	7	
.	1	1	.	1	.	.	1	2	2	
.	1	.	1	1	1	1	3	8	44	
.	1	1	.	1	.	4	11	
.	1	1	1	1	.	2	7	
.	1	1	1	1	1	.	5	8	
.	.	.	.	1	1	1	1	1	2	2	.	9	11	
.	.	1	1	.	.	.	2	4	
.	1	1	1	1	.	.	1	2	2	
.	.	.	1	.	1	1	.	4	2	3	2	14	47	
.	2	.	3	3	1	.	9	11	
2	.	.	1	6	3	9	4	5	4	5	6	45	101	
16	11	24	52	76	103	165	191	281	306	332	390	1,947	4,161	TOTAL
2.5	16.9		72.0		172.4		369.2		594.6		731.6	131.8	139.2	Rate per 100,000

CAUSES OF DEATH—continued.

Cancer—continued.

In Tables 9 and 10 the number of deaths from cancer and the rate per 1,000 of the population for each of the counties and county boroughs are given. Similar information for urban and rural areas is shown in Tables 11, 12 and 14. In Abstract IV the ages at death of the persons whose deaths were due to this disease are given.

In the aggregate urban areas the deaths for 1949 numbered 1,449, equivalent to a rate of 1·4 per 1,000, and in the aggregate rural areas the number was 2,712 and the rate 1·4 per 1,000. In the year 1948 the number of deaths for the urban and rural areas were respectively 1,357 and 2,717, corresponding to a rate of 1·3 and 1·4 per 1,000 of the population.

In Table J the deaths from cancer in 1949 are classified according to the site of the disease and the age at death. The mortality of females under 50 years of age is higher than that of males, but after that age has been reached, the excess in the male mortality is more pronounced. The high female rate in middle life is due to the mortality of women from cancer of the uterus and breast; on the other hand, the excess in the case of males in later life is due to the number of deaths from cancer of the prostate and the digestive system.

Tumours.—In accordance with the International List of causes of death, the particulars of deaths from tumours are shown in Abstract IV in two classes:—(1) those caused by tumours definitely described as non-malignant, and (2) those caused by tumours whose nature was undetermined or was not ascertained. In 1949 the deaths in the first group amounted to 38 (11 males and 27 females) and those in the second to 89 (37 males and 52 females) compared with a total of 32 and 134 respectively, in the previous year.

The non-malignant tumours included 8 of the ovary, 6 of the bladder, and 3 each of the brain and the uterus.

The deaths classified under the heading of tumours of undetermined nature included 31 of the brain, 9 of the intestine, 8 of the stomach, 5 of the lung, 4 each of the mediastinum and liver.

Diabetes.—There were 250 deaths from this disease in 1949 compared with 173 for the previous year. The deaths for 1949 include 104 males and 146 of females, compared with 87 and 86 for 1948.

In the year 1949 the rate per 100,000 of the population represented by the deaths from this disease was 8·4. The rates for the Six Counties, and Scotland were respectively 6·2 and 10·4.

Other General Diseases.—During 1949 there were 41 deaths classified under this heading, including 19 from coeliac disease and 4 from each of toxæmia and amyloid disease.

Heart Disease.—During 1949 there were 10,016 deaths from diseases of the heart, as compared with 9,564 deaths in the previous year, and an average number of 9,565 for the decennial period ended with 1948.

The deaths from this cause in 1949 represent 26·3 per cent. of the mortality from all causes and are equivalent to a rate of 3·4 per 1,000 of the population.

In Abstract IV particulars of the deaths from different forms of heart disease are shown by sexes and ages at death.

Bronchitis.—During the year 1949 there were 1,019 deaths in which the cause was stated to be bronchitis. Of the total, 574 were those of males and 445 were those of females. The total is equal to a rate of 0·34 per 1,000 of the population and constitutes 2·7 per cent. of the total deaths registered. The number of deaths recorded during 1948 was 999, and the average figure for the decennial period from 1939 to 1948 was 1,531.

Pneumonia.—The number of deaths recorded from pneumonia (all forms) was 1,329, equivalent to a rate of 0·45 per 1,000 of the population. Of the deaths 711 were those of males and 618 those of females.

The average number of deaths during the ten years from 1939 to 1948 was 1,766, and during 1948 the number recorded was 1,239.

The deaths in 1949 include 700 from broncho-pneumonia, 189 from lobar pneumonia and 440 from pneumonia (unspecified).

Diarrhoea and Enteritis.—There were 490 deaths of children under 2 years recorded, 277 being those of males and 213 those of females. The number recorded for 1948 was 352, and the average for the ten years ended 1948 was 856. The urban mortality was equal to a rate of 10·53 per 1,000 births, and the rate for rural areas was 5·93 per 1,000 births registered, compared with respective rates of 6·91 and 4·39 in 1948.

The deaths recorded include 126 for the county borough of Dublin, and 39, 15 and 13 for each of the county boroughs of Cork, Limerick and Waterford, respectively.

DIAGRAM No. 5. Mortality from Cancer, 1935 to 1949.




TABLE K.—Deaths of women in 1949 caused by or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE.

CAUSES OF DEATH	ALL AGES	AGES						
		15—	20—	25—	30—	35—	40—	45 yrs. and up.
Diseases of Pregnancy, Childbirth, and the Puerperal State.								
Post Abortive Infection	2	.	.	.	1	1	.	.
Abortion without Septic Condition ...	3	.	.	1	.	1	1	.
Ectopic Gestation	5	.	.	2	1	1	1	.
Hæmorrhage of Pregnancy	7	.	1	.	4	.	2	.
Toxæmias of Pregnancy	19	1	2	3	6	4	3	.
Other Diseases of Pregnancy	3	.	.	.	2	1	.	.
Hæmorrhage of Childbirth	30	.	.	9	7	9	4	1
Infection during Childbirth	16	1	.	3	4	3	5	.
Puerperal Toxæmias	6	.	.	1	4	1	.	.
Other Accidents of Childbirth	22	.	1	7	1	9	4	.
Other or unspecified Puerperal Conditions	3	.	.	.	2	1	.	.
Causes associated with Pregnancy, Childbirth, and the Puerperal State.								
Diabetes	1	1	.
Cancer	2	.	.	.	2	.	.	.
Appendicitis	1	1	.	.
Heart Disease	6	.	.	2	1	.	2	1
Nephritis	1	1	.	.
Other Causes	2	.	.	1	1	.	.	.
TOTAL	129	2	4	29	36	33	23	2

TABLE L.—Deaths of women caused by, or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE, during each of the years 1939-1949, and the rate per 1,000 births registered during each of those years.

YEARS.	Puerperal Infection.*		Other Diseases of Pregnancy and Childbirth.		Puerperal Infection and Diseases of Pregnancy and Childbirth.		Causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by, or associated with Pregnancy and Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1939 ...	38	0.68	152	2.71	190	3.39	28	0.50	218	3.89
1940 ...	55	0.97	153	2.70	208	3.67	19	0.31	227	4.01
1941 ...	43	0.76	139	2.45	182	3.21	27	0.47	209	3.68
1942 ...	43	0.65	120	1.82	163	2.47	26	0.39	189	2.86
1943 ...	36	0.56	109	1.69	145	2.25	17	0.26	162	2.51
1944 ...	32	0.49	124	1.89	156	2.38	20	0.31	176	2.69
1945 ...	35	0.52	124	1.85	159	2.37	17	0.26	176	2.63
1946 ..	20	0.29	117	1.72	137	2.01	26	0.38	163	2.39
1947 ...	31	0.45	99	1.44	130	1.88	18	0.26	148	2.15
1948 ...	18	0.27	86	1.31	104	1.58	20	0.30	124	1.88
Average, 1939-48	35	0.56	122	1.96	157	2.52	22	0.35	179	2.87
1949 ...	18	0.28	98	1.53	116	1.81	13	0.20	129	2.01

* The figures and rates under this heading for the year 1939 relate only to deaths classified to puerperal sepsis.

CAUSES OF DEATH—continued.

Pregnancy, Childbirth and the Puerperal State.—Deaths under this heading are divided into three groups, viz. (1) deaths from puerperal infection; (2) deaths from other diseases of pregnancy and childbirth, and (3) deaths not classified to pregnancy or childbirth but returned as associated therewith. In 1949 the number in the first group was 18, in the second group the figure was 98, and under the third heading there were 13 deaths; so that the total number of deaths from these causes was 129. The total represents a rate of 2·01 per 1,000 of the total births registered, as compared with 1·88 in the year 1948, and an average of 2·87 for the ten years 1939 to 1948. For the years 1940 to 1949, the deaths from puerperal infection comprise those from post-abortive infection, general or local puerperal infections, puerperal thrombophlebitis, and puerperal embolism and sudden death after delivery.

In Table K full particulars of the deaths by causes and age periods are given, and in Table L a statement of the number of deaths and the rate per 1,000 births for the years 1939 to 1949.

The number of deaths from puerperal infection and other puerperal causes is given (with the rates per 1,000 births represented thereby), by provinces, counties and county boroughs and urban and rural areas in Tables 9 to 12 and 14.

Violence.—The number of deaths classified under this heading in 1949 was 979. This figure shows an increase of 57 when compared with that for the year 1948. The average figure for the ten years 1939 to 1948 from this group of causes was 944.

Included in the figure for 1949 there were 79 by suicide, 7 by homicide (including infanticide), 1 due to war operations and 892 to other external causes. The latter figure includes accidental deaths and deaths not stated to be due to suicide or homicide. The number of deaths by suicide is 11 more and those by homicide 11 less than the corresponding figure for 1948.

Of the suicidal deaths, 60 were of males and 19 of females. In 13 cases poisoning was the means used to cause death, including carbon monoxide in 5 cases and strychnine in 2 cases. In the other 66 deaths by suicide the means adopted was drowning in 24 instances, hanging or strangulation in 25, cutting or piercing instruments in 8, firearms in 7 instances and in 2 cases other means were used to cause death.

There were 4 deaths by homicide, including 2 of males and 2 of females and there were 3 cases of infanticide.

There were 22 accidental deaths from poisons or poisonous gases, 10 of which were due to carbon monoxide.

Deaths caused by accidental burns numbered 89 (33 males and 56 females), of which 36 were those of children under 5 years of age; the corresponding number of deaths of children in this age-group for the year 1948 was 34.

Deaths classified to accidental drowning numbered 129 (111 of males and 18 of females). The total includes deaths from accidental drowning and also cases in which the cause of death was given as "found drowned."

There were 222 deaths included under the heading of transport accidents; of this figure 171 were those of males and 51 those of females. In 1948 the total under this heading was 207 (171 males and 36 females). Deaths from motor vehicles numbered 142, compared with 133 in 1948. There were 67 deaths recorded as due to other road transport accidents. This figure includes 42 caused by bicycles and 23 by horse-drawn vehicles, compared with 41 and 21 respectively, for 1948. There were 10 deaths caused by railway accidents compared with 9 for 1948.

Of the 142 deaths attributed to motor vehicles, 47 were stated to be caused by motor lorries or vans, 69 by motor cars and 10 by buses.

AGES AT DEATH.

The deaths of children under 5 years of age registered during the year 1949 numbered 4,138 compared with 4,094 for the previous year. The figure for 1949 is 10·9 per cent. of the total deaths recorded. The proportion of deaths of males at this age-period exceeds that of females, the rate for males being 11·6 per cent. of the male mortality, and the rate for females 10·1 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards recorded were 22,538 in number, constituting 59·2 per cent. of the total number of deaths, and include 11,493 deaths of males, or 57·8 per cent. of the total deaths of males, and 11,045 deaths of females, or 60·7 per cent. of all the deaths of females.

Deaths at 70 years of age or over numbered 18,712, or 49·2 per cent. of the total deaths.

There were 157 deaths of persons aged 95 years or upwards (50 being males and 107 females), and of these 23 (7 males and 16 females) were stated to be aged 100 years or over.

The ages of the persons whose deaths were recorded for the year are given in Abstract III by certain age-groups.

AGES AT DEATH—continued.

The following table shows the death rates at different age periods in the years 1948 and 1949.

TABLE M.—DEATH-RATES FOR EACH AGE-PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

AGE-PERIODS	PERSONS			MALES			FEMALES		
	1948	1949	Increase or Decrease in 1949	1948	1949	Increase or Decrease in 1949	1948	1949	Increase or Decrease in 1949
Under 5 years	14.83	13.88	— 0.95	16.11	15.11	— 1.00	13.50	12.59	— 0.91
5— ...	1.04	0.92	— 0.12	1.19	0.95	— 0.24	0.88	0.89	+ 0.01
10— ...	0.80	0.82	+ 0.02	0.83	0.73	— 0.10	0.76	0.91	+ 0.15
15— ...	1.82	1.46	— 0.36	1.69	1.53	— 0.16	1.94	1.38	— 0.56
20— ...	2.74	2.38	— 0.36	2.58	2.30	— 0.28	2.91	2.47	— 0.44
25— ...	3.29	2.95	— 0.34	3.11	2.63	— 0.48	3.48	3.27	— 0.21
35— ...	4.31	4.25	— 0.06	4.44	4.26	— 0.18	4.17	4.23	+ 0.06
45— ...	8.70	8.33	+ 0.13	9.32	9.40	+ 0.08	8.05	7.23	— 0.82
55— ...	17.30	17.94	+ 0.64	18.56	19.77	+ 1.11	15.99	16.10	+ 0.11
65— ...	42.60	44.18	+ 1.58	45.11	46.57	+ 1.46	39.97	41.74	+ 1.77
75 and upwards	120.38	128.24	+ 7.86	131.16	133.88	+ 2.72	111.24	123.19	+ 11.95
All ages	12.13	12.73	+ 0.60	12.61	13.15	+ 0.54	11.64	12.31	+ 0.67

The number of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, for the period 1864 to 1870, for each of the decennial periods from 1871 to 1940, and for each year from 1939 to 1949 are given in Table 8.

INFANT MORTALITY.

During the year 1949 the deaths of 3,415 infants under one year of age were registered, compared with 3,313 in the preceding year. The figure for 1949 is equivalent to a rate of 53 per 1,000 births as compared with 50 for 1948, and an average of 69 for the ten years 1939 to 1948. The rate for each of the years 1939 to 1949 is given in Table 4, together with comparative figures for earlier periods.

Of the total deaths of infants under one year, 1,928 were those of males and 1,487 those of females: the deaths of males were equal to a rate of 59 per 1,000 births of males, and those of females to a rate of 48 per 1,000 births of females. The corresponding rates for 1948 were 54 and 46 respectively.

The infant mortality during the quarters of 1949 were, respectively, 55, 50, 44 and 58 compared with corresponding figures of 65, 47, 40 and 50 for the previous year.

The infant mortality rate for each of the years 1940 to 1949 is compared with the rate for the Six Counties, England and Wales and Scotland in the following table:—

YEARS	Ireland	Six Counties	England and Wales	Scotland
1940 ...	66	86	56	78
1941 ...	74	77	60	83
1942 ...	69	76	51	69
1943 ...	83	78	49	65
1944 ...	79	67	45	65
1945 ...	71	68	46	56
1946 ...	65	54	43	54
1947 ...	68	53	41	56
1948 ...	50	46	34	45
1949 ...	53	45	32	41

INFANT MORTALITY—continued.

During the year 1949 the following causes accounted for 81 per cent. of the total infant mortality, being equivalent in the aggregate to a rate of 43 per 1,000 births:—premature birth 10·79, congenital debility 6·81, diarrhoea and enteritis 7·12, pneumonia 7·08, congenital malformations 6·03, whooping cough 1·45, convulsions 2·59, bronchitis 1·03.

The deaths of infants during the first month of life were 46·3 per cent. of the total deaths of infants under one year of age. Between one and two months the percentage was 11·3, between 2 and 3 months 9·2, at 3 and under 6 months the rate was 18·5 and from 6 to 12 months old the rate was 14·7.

An analysis of the causes of the deaths of infants under one year of age showing the age at which death occurred is contained in Table N and a comparative statement of the rates represented by the causes of the deaths of infants under one year of age for the years 1939 to 1949 is given in Table O.

In Table 13 the neo-natal mortality (deaths of infants under one month old) is shown for each of the counties and county boroughs during the year 1949.

TABLE N. DEATHS OF INFANTS UNDER ONE YEAR BY CERTAIN CAUSES, AND AGE-PERIODS, IN THE YEAR 1949.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year
ALL CAUSES	445	530	208	191	206	1,580	386	314	631	504	3,415
Scarlet Fever	2	2
Whooping Cough	1	1	11	9	40	32	93
Diphtheria	1	1
Tuberculosis of Nervous System	1	1	.	1	6	21	29
Tuberculosis of Intestines and Peritoneum	1	3	4
Other Tuberculous Diseases	1	.	3	11	15
Syphilis	2	.	.	2	.	4	1	.	3	3	11
Influenza	1	1	2	.	4	2	6	9	5	27
Measles	2	.	15	17
Meningitis	1	1	1	3	3	1	9	15	31
Convulsions	11	12	8	8	11	50	21	22	39	51	166
Bronchitis	2	2	1	5	10	11	11	14	15	66
Pneumonia	1	11	21	11	26	67	52	62	141	129	454
Diarrhoea and Enteritis	4	14	31	48	97	67	71	146	76	457
Congenital Malformations ...	34	66	33	21	28	182	58	38	67	42	237
Congenital Debility	49	70	26	37	33	215	75	49	65	33	437
Premature Birth	227	239	69	15	19	620	42	19	15	5	692
Injury at Birth	49	39	16	9	1	114	.	.	.	5	117
Other Diseases peculiar to first year of life	59	78	16	15	11	182	13	8	17	11	254
Mechanical suffocation (includ- ing Overlying)	2	1	1	.	4	8	4	8	1	25
Other Accidents (including Lack of Care)	10	3	.	.	1	14	14
Other Causes	3	3	.	4	2	12	18	17	43	59	140

DIAGRAM No. 6. Infant Mortality, 1935 to 1949.




TABLE O.—INFANT MORTALITY RATE (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, for each of the years, 1939-1949.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
ALL CAUSES	65.83	66.42	73.53	69.44	82.63	79.45	70.88	64.63	67.95	50.25	53.23
Scarlet Fever	0.07	0.05	0.09	0.06	0.05	0.02	.	0.01	0.01	0.02	0.03
Whooping cough	1.37	1.77	1.46	1.81	2.87	2.19	1.36	0.96	2.97	2.08	1.45
Diphtheria	0.16	0.14	0.33	0.44	0.40	0.69	0.30	0.25	0.03	0.02	0.02
Tuberculosis of Nervous System	0.29	0.27	0.33	0.33	0.51	0.47	0.42	0.44	0.41	0.38	0.45
Tuberculosis of Intestines and Peritoneum	0.27	0.20	0.09	0.17	0.23	0.11	0.12	0.15	0.10	0.11	0.06
Other Tuberculous Diseases	0.43	0.28	0.28	0.23	0.48	0.31	0.34	0.31	0.37	0.29	0.23
Syphilis	0.14	0.27	0.23	0.23	0.28	0.70	0.27	0.38	0.35	0.17	0.17
Influenza	0.93	1.06	0.92	0.56	0.68	0.89	0.28	0.81	0.54	0.26	0.41
Measles	0.39	0.35	0.37	0.32	0.15	0.69	0.17	0.24	0.42	0.42	0.26
Meningitis	0.78	0.83	0.79	0.56	0.71	0.67	0.46	0.49	0.43	0.56	0.48
Convulsions	4.48	3.55	4.23	4.05	3.99	4.40	3.53	2.61	2.93	2.33	2.59
Bronchitis	2.35	2.62	2.34	2.51	2.94	2.16	1.62	1.19	1.52	1.23	1.03
Pneumonia	7.67	7.70	7.93	7.11	8.92	8.60	8.44	7.54	8.61	6.40	7.08
Diarrhoea and Enteritis	9.33	9.67	14.18	14.32	18.27	15.82	15.58	13.11	10.34	5.00	7.12
Congenital Malformations	4.82	4.59	5.57	5.13	5.86	5.30	5.31	5.20	5.38	4.90	6.03
Congenital Debility	12.68	13.25	14.14	13.66	15.21	14.55	10.89	9.57	11.38	7.93	6.82
Premature Birth	11.02	10.67	11.57	9.24	11.59	11.72	11.32	11.80	11.83	10.13	10.79
Injury at Birth	1.46	1.80	1.39	1.12	1.51	1.57	2.17	2.38	2.32	1.65	1.82
Other Diseases peculiar to first year of life	2.68	2.86	3.17	3.52	3.67	4.25	4.47	3.71	4.25	3.14	3.60
Mechanical Suffocation (including Overlying)	0.18	0.28	0.14	0.44	0.33	0.21	0.27	0.25	0.37	0.39	0.39
Other Accidents (including Lack of Care)	0.36	0.46	0.26	0.32	0.33	0.23	0.28	0.21	0.16	0.20	0.22
Other Causes	3.97	3.75	3.72	3.31	3.65	3.90	3.28	3.02	3.23	2.64	2.18

INFANT MORTALITY—continued.

During the year 1949 the number of deaths of infants under one year of age recorded for the aggregate urban areas was 1,489, representing a rate of 62 per 1,000 births registered. In 1948 the corresponding number of deaths was 1,291, and the rate 52 per 1,000 births.

For the rural areas 1,926 deaths of infants were registered in 1949 compared with 2,022 in the previous year ; the rate per 1,000 births for 1949 was 48, and for 1948 it was 49.

Table P shows the high rate of infant mortality prevailing in urban areas as compared with rural areas, especially in the fourteen principal towns. For these areas in the aggregate the rate was 63 per 1,000 births, it was 50 for the preceding year. Deaths of infants in other urban areas were equivalent to a rate of 59 per 1,000 births, the rate for 1948 being 60.

In the principal towns deaths from diarrhœa and enteritis of infants under one year of age was equal to a rate of 10 per 1,000 births compared with 8 per 1,000 in the smaller urban areas and 5 per 1,000 in rural areas.

The infant mortality rates for the principal towns are as follows, ranging in order from the highest to the lowest :—

Cork and Sligo each 74, Kilkenny 71, Wexford 66, Dublin and Limerick each 64, Waterford 63, Tralee 59, Dundalk, Drogheda and Bray each 54, Galway 52, Dun Laoghaire 49, and Clonmel 44.

The following statements show the infant mortality rate for each of the years 1940 to 1949 for the urban and rural districts in Ireland, and for each of the principal towns :—

YEARS		Ireland	URBAN DISTRICTS			Rural Districts
			Principal Towns	Other Urban Districts	Total	
1940	...	66	88	70	85	55
1941	...	74	102	83	99	58
1942	...	69	93	76	90	58
1943	...	83	115	87	110	67
1944	...	79	109	83	105	65
1945	...	71	98	67	93	58
1946	...	65	83	65	80	56
1947	...	68	83	70	80	60
1948	...	50	50	60	52	49
1949	...	53	63	59	62	48


Infant Mortality Rate—Principal Towns.

PRINCIPAL TOWNS	YEARS									
	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
Dublin	91	114	98	126	117	111	92	85	46	64
Dun Laoghaire	97	79	85	85	94	108	79	78	60	49
Cork	92	82	91	113	108	82	61	82	49	74
Limerick	70	89	77	76	123	88	69	90	71	64
Waterford	111	86	91	100	80	74	66	77	63	63
Galway	95	68	78	112	85	45	75	76	45	52
Dundalk	54	55	44	59	112	47	56	77	52	54
Drogheda	65	55	79	61	65	46	58	53	52	54
Sligo	77	70	75	128	85	132	68	138	98	74
Wexford	66	74	127	85	90	85	68	90	63	66
Kilkenny	93	94	70	124	74	32	71	61	54	71
Bray	61	116	93	93	100	93	90	63	52	54
Tralee	53	90	69	82	47	47	66	74	47	59
Clonmel	75	47	53	84	75	55	88	32	30	44

TABLE P.—INFANT MORTALITY RATE, by certain causes, for each of the undermentioned areas or groups of areas in 1949.

CAUSES OF DEATH.			DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED										
			CITIES AND BOROUGHES.					Remaining principal Towns.	Total principal Towns.	Other Urban Districts.	All Urban Districts.	All Rural Districts.	IRELAND.
			Dublin.	Dun Laoghaire.	Cork.	Limerick.	Waterford.						
			Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
ALL CAUSES	63·95	49·15	74·31	63·53	62·50	58·43	63·29	58·61	62·48	47·76	53·23
Scarlet Fever	0·08	0·05	.	0·04	0·02	0·03
Whooping Cough	2·82	1·07	1·73	2·61	1·60	1·39	2·38	0·98	2·14	1·04	1·45
Diphtheria	0·02	0·02
Tuberculosis of Nervous System	0·56	.	1·73	.	.	1·04	0·66	.	0·55	0·40	0·45
Tuberculosis of Intestines and Peritoneum	0·10	0·06
Other Tuberculous Diseases	0·16	.	0·58	.	.	0·70	0·25	0·73	0·34	0·17	0·23
Syphilis	0·32	.	0·58	.	.	.	0·25	0·24	0·25	0·12	0·17
Influenza	0·16	0·70	0·20	0·24	0·21	0·52	0·41
Measles	0·72	.	1·15	.	.	0·70	0·66	.	0·55	0·10	0·26
Meningitis	0·08	1·07	1·73	.	.	0·70	0·35	0·98	0·46	0·50	0·48
Convulsions	1·05	.	2·88	11·32	.	2·09	1·87	4·88	2·39	2·70	2·59
Bronchitis	0·81	.	0·58	0·87	1·60	1·04	0·81	1·22	0·88	1·12	1·03
Pneumonia	10·79	4·27	8·06	6·09	8·01	8·69	9·58	7·58	9·23	5·80	7·08
Diarrhoea and Enteritis	9·82	6·41	20·73	13·06	19·24	4·87	10·39	8·30	10·03	5·41	7·12
Congenital Malformations	6·85	12·82	7·49	9·57	8·01	6·26	7·30	5·86	7·05	5·43	6·03
Congenital Debility	3·87	1·07	2·30	5·22	3·21	6·26	4·01	10·75	5·16	7·79	6·82
Premature Birth	12·73	6·41	16·13	7·83	9·62	15·30	12·72	10·02	12·25	9·92	10·79
Injury at Birth	4·03	5·34	.	.	.	4·17	3·39	1·22	3·02	1·12	1·82
Other Diseases peculiar to first year of life	4·67	4·27	5·18	5·22	8·01	2·78	4·57	3·17	4·32	3·17	3·60
Mechanical suffocation (including Overlying)	0·32	3·21	0·58	.	1·60	.	0·46	0·49	0·46	0·35	0·39
Other Accidents (including Lack of Care)	0·24	.	.	0·87	.	0·35	0·25	0·24	0·25	0·20	0·23
Other Causes	3·87	3·21	2·88	0·87	1·60	1·39	3·14	1·71	2·90	1·76	2·18

PART II.



Tables.

TABLE 1.—ESTIMATED POPULATION, middle of years 1801 to 1949, in thousands.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.
1801	4,154	2,085	2,069	1881	3,847	1,901	1,946	1916	3,068	1,549	1,519
1811	4,746	2,363	2,383	1882	3,808	1,882	1,926	1917	3,065	1,551	1,514
1821	5,421	2,676	2,745	1883	3,745	1,853	1,892	1918	3,066	1,553	1,513
1831	6,194	3,033	3,161	1884	3,703	1,834	1,869	1919	3,102	1,598	1,504
1841	6,545	3,235	3,310	1885	3,671	1,820	1,851	1920	3,103	1,598	1,505
1851	5,079	2,486	2,593	1886	3,642	1,808	1,834	1921	3,096	1,599	1,497
1852	4,927	2,413	2,514	1887	3,600	1,788	1,812	1922	3,022	1,529	1,493
1853	4,807	2,358	2,449	1888	3,554	1,766	1,788	1923	3,014	1,526	1,488
1854	4,704	2,311	2,393	1889	3,516	1,748	1,768	1924	3,005	1,521	1,484
1855	4,638	2,281	2,357	1890	3,482	1,733	1,749	1925	2,985	1,512	1,473
1856	4,594	2,261	2,333	1891	3,449	1,718	1,731	1926	2,971	1,507	1,464
1857	4,540	2,234	2,306	1892	3,408	1,697	1,711	1927	2,957	1,502	1,455
1858	4,506	2,217	2,289	1893	3,362	1,684	1,698	1928	2,944	1,498	1,446
1859	4,471	2,199	2,272	1894	3,332	1,675	1,687	1929	2,937	1,496	1,441
1860	4,428	2,179	2,249	1895	3,314	1,662	1,671	1930	2,927	1,493	1,434
1861	4,393	2,164	2,229	1896	3,298	1,653	1,661	1931	2,933	1,497	1,436
1862	4,377	2,158	2,219	1897	3,283	1,646	1,652	1932	2,949	1,505	1,444
1863	4,328	2,134	2,194	1898	3,263	1,631	1,643	1933	2,962	1,512	1,450
1864	4,263	2,103	2,160	1899	3,234	1,616	1,634	1934	2,971	1,518	1,453
1865	4,223	2,084	2,139	1900	3,213	1,607	1,618	1935	2,971	1,520	1,451
1866	4,163	2,051	2,112	1901	3,200	1,603	1,606	1936	2,967	1,520	1,447
1867	4,130	2,033	2,097	1902	3,185	1,599	1,597	1937	2,948	1,510	1,438
1868	4,109	2,022	2,087	1903	3,175	1,597	1,586	1938	2,937	1,505	1,432
1869	4,090	2,012	2,078	1904	3,165	1,594	1,578	1939	2,934	1,503	1,431
1870	4,062	1,996	2,066	1905	3,160	1,593	1,571	1940	2,958	1,515	1,443
1871	4,042	1,986	2,056	1906	3,151	1,589	1,567	1941	2,993	1,533	1,460
1872	4,023	1,975	2,048	1907	3,145	1,588	1,562	1942	2,963	1,499	1,464
1873	3,989	1,953	2,034	1908	3,142	1,589	1,557	1943	2,946	1,490	1,456
1874	3,966	1,944	2,022	1909	3,139	1,588	1,553	1944	2,944	1,487	1,457
1875	3,951	1,940	2,011	1910	3,132	1,586	1,551	1945	2,952	1,490	1,462
1876	3,949	1,942	2,007	1911	3,120	1,581	1,546	1946	2,957	1,496	1,461
1877	3,956	1,947	2,009	1912	3,103	1,572	1,539	1947	2,974	1,505	1,479
1878	3,939	1,948	2,004	1913	3,092	1,568	1,531	1948	2,985	1,512	1,473
1879	3,891	1,944	1,995	1914	3,068	1,546	1,524	1949	2,981	1,513	1,468
1880		1,920	1,971	1915			1,522				

TABLE 2.—AGES OF THE POPULATION according to the Census Returns from 1851 to 1946.

CENSUS YEARS.	AGES.														Total Population.*	
	Under 1 Year.	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards		
	PERSONS.															
1851	...	100,400	391,870	633,567	710,458	640,632	497,364	660,193	568,883	434,215	299,518	121,152	42,403	6,669	1,580	5,111,550
1861	...	103,031	419,697	456,185	452,394	516,197	471,414	568,917	458,312	422,322	330,301	135,456	54,561	8,735	1,451	4,402,111
1871	...	99,807	388,438	476,611	474,552	392,142	340,114	543,674	402,845	361,783	329,440	167,510	60,419	10,843	1,881	4,053,187
1881	...	78,630	353,148	471,705	465,016	419,663	355,534	464,939	413,149	326,300	279,226	161,105	68,905	9,097	1,694	3,870,020
1891	...	64,943	277,763	379,942	414,919	413,433	325,110	430,250	353,099	226,015	247,835	142,235	67,493	12,658	1,624	3,468,694
1901	...	60,229	251,519	325,078	336,293	349,036	323,983	465,833	342,310	298,276	260,048	139,690	57,632	10,379	1,517	3,221,823
1911	...	59,057	248,108	310,163	303,149	303,443	269,058	454,276	380,399	279,189	202,898	235,538	82,580	10,767	1,063	3,139,688
1926	..	55,391	232,322	284,633	295,533	286,187	240,231	398,701	344,844	331,611	230,859	183,458	73,364	14,034	824	2,971,992
1936	...	53,606	214,660	269,345	282,783	268,326	254,513	400,069	355,325	309,290	273,819	198,941	76,238	10,899	606	2,968,420
1946	...	66,081	228,684	265,914	262,328	251,487	231,290	412,884	357,479	310,554	254,084	214,441	86,644	12,458	779	2,955,107
PROPORTION PER CENT.																
1851	...	1.96	7.67	12.40	13.91	12.54	9.74	12.92	11.14	8.50	5.86	2.37	0.83	0.13	0.03	100
1861	...	2.34	9.54	10.37	10.28	11.74	10.72	12.93	10.42	9.60	7.51	3.08	1.24	0.20	0.03	100
1871	...	2.46	9.59	11.77	11.72	9.68	8.40	13.42	9.95	8.93	8.13	4.14	1.49	0.27	0.05	100
1881	...	2.03	9.13	12.19	12.02	10.85	9.19	12.02	10.68	8.44	7.22	4.17	1.78	0.24	0.04	100
1891	...	1.87	8.01	10.96	11.97	11.92	9.38	12.41	10.18	9.69	7.15	4.10	1.95	0.36	0.05	100
1901	...	1.87	7.80	10.09	10.44	10.83	10.06	14.47	10.62	9.26	8.07	4.33	1.79	0.32	0.05	100
1911	...	1.88	7.90	9.88	9.66	9.67	8.57	14.47	12.12	8.89	6.46	7.50	2.63	0.34	0.03	100
1926	...	1.86	7.82	9.58	9.94	9.63	8.08	13.42	11.60	11.16	7.77	6.17	2.47	0.47	0.03	100
1936	...	1.81	7.23	9.07	9.53	9.04	8.57	13.48	11.97	10.42	9.22	6.70	2.57	0.37	0.02	100
1946	...	2.24	7.74	9.00	8.88	8.51	7.83	13.97	12.09	10.51	8.60	7.26	2.93	0.42	0.02	100

*At the Census of 1851, the ages of 2,646 persons (1,499 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,138 (2,029 males and 1,109 females); in 1871, the numbers were 3,128 (1,872 males and 1,256 females); in 1881, the numbers were 1,909 (1,093 males and 816 females), and in 1891 the numbers were 1,460 (696 males and 764 females).

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1946.

CENSUS YEARS.	AGES.											Total Population.*			
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75		75—85	85—95	95 and upwards
MALES.															
1851	51,165	198,917	321,938	362,086	319,085	240,776	312,850	265,981	205,950	134,815	57,334	18,581	2,900	593	2,494,470
1861	52,440	212,831	231,280	232,089	255,048	234,222	282,061	213,537	202,367	157,384	64,124	25,119	3,946	565	2,169,042
1871	50,087	197,278	241,103	242,985	192,183	163,194	260,919	195,496	170,455	159,104	83,619	28,257	5,140	776	1,992,468
1881	39,992	178,762	238,604	237,986	207,114	177,872	223,272	197,182	158,874	131,719	80,396	34,635	4,283	654	1,912,438
1891	33,109	140,973	192,978	211,364	209,297	169,659	210,857	166,702	161,679	121,960	69,006	33,266	6,347	708	1,728,601
1901	30,647	127,411	164,732	171,577	174,937	163,595	234,185	168,571	141,924	126,709	71,527	28,529	5,134	607	1,610,085
1911	29,899	125,982	157,597	154,182	155,523	141,288	228,733	198,371	142,879	100,110	109,146	40,172	5,171	450	1,589,509
1926	28,084	118,089	144,764	150,814	146,047	124,518	199,148	173,399	172,658	120,792	88,984	33,008	6,227	357	1,506,889
1936	27,152	109,213	136,348	143,720	138,112	131,680	207,403	180,524	159,188	143,199	100,878	35,154	4,663	220	1,520,454
1946	33,798	116,751	135,116	133,319	127,793	118,060	207,955	181,846	156,937	127,718	108,391	41,668	5,200	325	1,494,877
PROPORTION PER CENT.															
1851	2.05	7.98	12.91	14.52	12.80	9.66	12.55	10.67	8.26	5.41	2.30	0.75	0.12	0.02	100
1861	2.42	9.82	10.67	10.71	11.77	10.81	13.02	9.85	9.34	7.26	2.96	1.16	0.18	0.03	100
1871	2.52	9.91	12.11	12.21	9.65	8.20	13.11	9.82	8.56	7.99	4.20	1.42	0.26	0.04	100
1881	2.09	9.35	12.49	12.45	10.84	9.31	11.68	10.32	8.31	6.89	4.21	1.81	0.22	0.03	100
1891	1.92	8.16	11.17	12.23	12.11	9.82	12.20	9.65	9.36	7.06	3.99	1.92	0.37	0.04	100
1901	1.90	7.91	10.23	10.66	10.87	10.16	14.54	10.47	8.82	7.87	4.44	1.77	0.32	0.04	100
1911	1.88	7.93	9.91	9.70	9.78	8.89	14.39	12.48	8.99	6.30	6.87	2.53	0.32	0.03	100
1926	1.86	7.84	9.61	10.01	9.69	8.26	13.22	11.51	11.46	8.01	5.90	2.20	0.41	0.02	100
1936	1.79	7.18	8.97	9.45	9.08	8.86	13.64	11.87	10.47	9.42	6.64	2.31	0.31	0.01	100
1946	2.26	7.81	9.04	8.92	8.55	7.90	13.91	12.16	10.50	8.54	7.25	2.79	0.35	0.02	100

* See note (*) on page 3.

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1946.

Census Years	AGES.													Total Population*		
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95		95 and upwards	
	FEMALES.															
1851	...	49,235	192,953	311,629	348,372	321,547	256,588	347,343	302,902	228,265	164,703	63,818	23,822	3,769	987	2,617,080
1861	...	50,591	206,866	224,905	220,305	261,149	237,192	286,856	244,775	219,955	172,917	71,332	29,442	4,789	886	2,233,069
1871	...	49,720	191,160	235,508	231,567	199,959	176,920	282,755	207,349	191,328	170,336	83,891	32,162	5,703	1,105	2,060,719
1881	...	38,638	174,386	233,101	227,030	212,549	177,662	241,667	215,967	167,426	147,507	86,709	34,270	4,814	1,040	1,957,582
1891	...	31,834	136,795	186,964	203,555	204,136	155,451	219,393	186,307	174,336	125,875	73,229	34,227	6,311	916	1,740,093
1901	...	29,582	124,108	160,346	164,716	174,099	160,388	231,648	173,739	156,352	133,339	68,163	29,103	5,245	910	1,611,738
1911	...	29,158	122,120	152,566	148,967	147,920	127,770	225,543	182,028	136,310	102,788	126,392	42,408	5,596	613	1,550,179
1926	...	27,307	114,233	139,869	144,719	140,140	115,713	199,553	171,445	158,953	110,067	94,474	40,356	7,807	467	1,465,103
1936	...	26,454	105,447	132,997	139,063	130,214	119,833	192,666	174,801	150,102	130,620	98,063	41,084	6,236	386	1,447,966
1946	...	3,2283	111,933	130,798	129,009	123,694	113,230	204,929	175,633	153,617	126,366	106,050	44,976	7,258	454	1,460,230
PROPORTION PER CENT.																
1851	...	1.88	7.38	11.91	13.32	12.29	9.81	13.28	11.58	8.72	6.30	2.44	0.91	0.14	0.04	100
1861	...	2.27	9.27	10.08	9.87	11.70	10.63	12.85	10.97	9.85	7.75	3.19	1.32	0.21	0.04	100
1871	...	2.41	9.28	11.44	11.25	9.71	8.59	13.73	10.07	9.29	8.27	4.07	1.56	0.28	0.05	100
1881	...	1.97	8.91	11.91	11.60	10.86	9.08	12.35	11.04	8.56	7.54	4.13	1.75	0.25	0.05	100
1891	...	1.83	7.87	10.75	11.70	11.74	8.94	12.61	10.71	10.02	7.24	4.21	1.97	0.36	0.05	100
1901	...	1.83	7.70	9.95	10.22	10.80	9.95	14.37	10.78	9.70	8.27	4.23	1.81	0.33	0.06	100
1911	...	1.88	7.88	9.84	9.61	9.54	8.24	14.55	11.74	8.79	6.63	8.16	2.74	0.36	0.04	100
1926	...	1.96	7.80	9.55	9.88	9.56	7.90	13.62	11.70	10.85	7.51	6.45	2.76	0.53	0.03	100
1936	...	1.83	7.28	9.19	9.60	8.99	8.28	13.31	12.07	10.37	9.02	6.77	2.84	0.43	0.02	100
1946	...	2.21	7.67	8.96	8.83	8.47	7.75	14.04	12.03	10.52	8.65	7.26	3.08	0.50	0.03	100

* See note (*) on page 3.

TABLE 3.—MARRIAGES, BIRTHS and DEATHS registered, and NATURAL INCREASE (excess of Births over Deaths), 1864-1949.

PERIOD.	Mar- riages.	BIRTHS.						DEATHS.			Natural Increase.		
		Total (including Illegitimate).			Legiti- mate.	Illegitimate.		Total.	Males.	Females			
		Total.	Males.	Females		Total.	Males.					Females	
Average, 1864-70	...	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
" 1871-80	...	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
" 1881-90	...	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
" 1891-1900	...	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
" 1901-10	...	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
" 1911-20	...	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
" 1921-30	...	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
" 1931-40	...	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1939	...	15,204	56,070	28,804	27,266	54,289	1,781	927	854	41,717	21,567	20,150	14,353
1940	...	15,212	56,594	29,029	27,565	54,770	1,824	895	929	41,885	21,611	20,274	14,709
1941	...	15,021	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983
1942	...	17,470	66,117	34,013	32,104	63,698	2,419	1,298	1,121	41,640	21,868	19,772	24,477
1943	...	17,328	64,375	33,241	31,134	61,927	2,448	1,229	1,219	43,494	22,663	20,831	20,881
1944	...	16,772	65,425	33,637	31,788	62,858	2,567	1,301	1,266	45,128	23,477	21,651	20,297
1945	...	17,301	66,861	34,336	32,525	64,235	2,626	1,322	1,304	42,762	22,266	20,496	24,099
1946	...	17,525	67,922	35,120	32,802	65,280	2,642	1,379	1,263	41,457	21,863	19,594	26,465
1947	...	16,290	68,978	35,674	33,304	66,630	2,348	1,224	1,124	44,061	23,461	20,600	24,917
1948	...	16,115	65,930	33,993	31,937	63,765	2,165	1,122	1,043	36,357	19,117	17,240	29,573
Average, 1939-48	...	16,424	63,505	32,704	30,801	61,226	2,279	1,170	1,109	42,230	22,054	20,176	21,275
1949	...		64,153	32,880	31,273	62,147	2,006	1,051	955	38,062	19,876	18,186	26,091

TABLE 4.—MARRIAGES, DIVORCES, DEATHS, and Rate of Natural Increase, 1864-1949.

PERIOD.	MARRIAGES.		BIRTHS.					DEATHS.		Natural Increase per 1,000 of Population.
	Per 1,000 Population.	Per 1,000 Population.	Per 1,000 Population.	Illegitimate.		Legitimate per 1,000 Population.	Births of Males per 1,000 Births of Females.	Per 1,000 Population.	Infant Mortality per 1,000 Births.	
				Per 1,000 Population.	Per Cent. Total Births.					
1864-70	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56	
1871-80	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25	
1881-90	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32	
1891-1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50	
1901-10	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63	
1911-20	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86	
1921-30	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76	
1931-40	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17	
1939	5.18	19.11	18.50	0.61	3.18	1,056	14.22	65.83	4.89	
1940	5.14	19.13	18.52	0.62	3.22	1,053	14.16	66.42	4.97	
1941	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.34	
1942	5.90	22.31	21.50	0.82	3.66	1,059	14.05	69.44	8.26	
1943	5.88	21.85	21.02	0.83	3.80	1,068	14.76	82.63	7.09	
1944	5.70	22.22	21.35	0.87	3.92	1,058	15.33	79.45	6.89	
1945	5.86	22.65	21.76	0.89	3.93	1,056	14.49	70.88	8.16	
1946	5.91	22.91	22.02	0.89	3.89	1,071	13.98	64.63	8.93	
1947	5.49	23.23	22.44	0.79	3.40	1,071	14.84	67.95	8.39	
1948	5.38	22.00	21.28	0.72	3.28	1,064	12.13	50.25	9.87	
Average, 1939-48	5.55	21.44	20.67	0.77	3.58	1,062	14.26	69.10	7.18	
1949		21.46	20.79	0.67	3.13	1,051	12.73	53.23	8.72	

TABLE 5.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1939-49 ; with the average annual rates for the ten years 1939-48 and the rate for 1949 per 1,000 of the population.

Y ^E A ^R .	M ^a r ^r i ^a g ^e s.												B ⁱ r ^t h ^s .				D ^e a ^t h ^s .									
	C ^a t ^h o ^l i ^c .						A ^l l O ^t h ^e r.						T ^o t ^a l.						Q ^u a ^r t ^e r e ⁿ d ⁱ n ^g t ^h e l ^a s ^t d ^a y o ^f							
	Q ^u a ^r t ^e r e ⁿ d ⁱ n ^g t ^h e l ^a s ^t d ^a y o ^f						Q ^u a ^r t ^e r e ⁿ d ⁱ n ^g t ^h e l ^a s ^t d ^a y o ^f						Q ^u a ^r t ^e r e ⁿ d ⁱ n ^g t ^h e l ^a s ^t d ^a y o ^f						Q ^u a ^r t ^e r e ⁿ d ⁱ n ^g t ^h e l ^a s ^t d ^a y o ^f							
	T ^o t ^a l.						T ^o t ^a l.						T ^o t ^a l.						T ^o t ^a l.							
	M ^a r.	J ^u n ^e .	S ^e p ^t .	D ^e c.			M ^a r.	J ^u n ^e .	S ^e p ^t .	D ^e c.			M ^a r.	J ^u n ^e .	S ^e p ^t .	D ^e c.			M ^a r.	J ^u n ^e .	S ^e p ^t .	D ^e c.				
1939	...	3,359	3,411	4,179	3,333	14,282	128	254	335	205	922	3,487	3,665	4,514	3,538	15,204	14,245	14,475	14,262	13,088	56,070	13,313	10,372	8,600	9,422	41,717
1940	...	3,310	3,594	4,234	3,114	14,252	193	214	358	195	960	3,503	3,808	4,592	3,309	15,212	14,084	15,134	14,385	12,991	56,594	13,361	10,481	8,442	9,601	41,885
1941	...	3,353	3,380	3,891	3,437	14,061	167	263	311	219	960	3,520	3,643	4,202	3,656	15,021	13,673	14,955	15,067	13,085	56,780	14,653	11,312	8,679	9,153	43,797
1942	..	3,837	4,316	4,677	3,636	16,466	176	287	344	197	1,004	4,013	4,603	5,021	3,833	17,470	14,427	18,181	17,749	15,760	66,117	12,122	10,822	8,497	10,199	41,640
1943	...	4,379	3,746	4,808	3,453	16,386	169	260	324	189	942	4,548	4,006	5,132	3,642	17,328	16,400	16,916	16,242	14,817	64,375	12,627	10,974	8,955	10,938	43,494
1944	...	4,034	3,852	4,292	3,704	15,882	188	217	307	178	890	4,222	4,069	4,599	3,882	16,772	17,066	17,663	15,749	14,947	65,425	14,814	11,074	8,785	10,455	45,128
1945	...	3,507	4,386	4,620	3,912	16,425	190	208	308	170	876	3,697	4,594	4,928	4,082	17,301	16,073	17,940	17,244	15,604	66,861	13,715	10,754	8,892	9,401	42,762
1946	..	4,317	3,921	4,895	3,572	16,705	161	226	266	167	820	4,478	4,147	5,161	3,739	17,525	17,005	18,122	17,230	15,565	67,922	13,042	10,515	8,539	9,361	41,457
1947	...	3,605	3,774	4,594	3,406	15,379	164	249	305	193	911	3,769	4,023	4,899	3,599	16,290	17,537	18,946	17,424	15,071	68,978	15,975	11,161	8,288	8,637	44,061
1948	...	3,427	3,770	4,699	3,397	15,293	141	230	312	139	822	3,568	4,000	5,011	3,536	16,115	16,310	18,143	16,385	15,092	65,930	10,612	9,333	7,865	8,547	36,357
Average for ten years, 1939-1948		3,713	3,815	4,489	3,496	15,513	167	241	317	186	911	3,880	4,056	4,806	3,682	16,424	15,682	17,047	16,174	14,602	63,505	13,424	10,680	8,554	9,572	42,230
1949	...	3,506	3,383	4,880	3,436	15,205	116	237	306	145	804	3,622	3,620	5,186	3,581	16,009	16,388	16,774	16,519	14,472	64,153	11,010	9,920	8,082	9,050	38,062
Equivalent Annual Rate per 1,000 living :—																										
Average, 1939-48		5.3	5.5	6.4	5.0	5.6	4.0	5.7	7.5	4.4	5.4	5.2	5.5	6.5	5.0	5.5	21.2	23.0	21.8	19.7	18.1	21.4	14.4	11.6	12.9	14.3
1949	...	5.0	4.8	6.9	4.9	5.4	2.8	5.6	7.3	3.5	4.7	4.8	4.8	6.9	4.8	5.4	21.9	22.4	22.1	19.4	14.7	21.5	13.3	10.8	12.1	12.7

TABLE 6.—DEATHS FROM VARIOUS CAUSES, 1864-1910.

(Note.—Figures for individual years from 1864 to 1910 are given in the Annual Report for 1923).

CAUSES OF DEATH.	ANNUAL AVERAGE NUMBER OF DEATHS.					ANNUAL AVERAGE RATES PER 100,000 OF POPULATION.				
	1864-70	1871-80	1881-90	1891-1900	1901-10	1864-70	1871-80	1881-90	1891-1900	1901-10
ALL CAUSES ...	67,323	71,611	64,220	58,994	53,577	1622.7	1806.4	1756.2	1770.1	1691.4
Typhoid fever ...	2,973	660*	514	492	263	71.5	16.7*	14.1	14.7	8.3
Typhus fever ...		575*	462	166	60		14.5*	12.5	5.0	1.9
Simple continued fever.		1,067*	393	110	26		26.9*	10.6	3.3	0.8
Small-pox ...	150	628	7	21	5	3.5	15.8	0.2	0.6	0.2
Measles ...	702	882	654	515	348	17.0	22.2	17.9	15.5	11.0
Scarlet fever ...	2,001	1,640	720	291	110	48.1	41.3	19.5	8.7	3.5
Whooping cough...	1,257	1,366	1,037	821	661	30.3	34.5	28.4	24.7	20.9
Diphtheria ...	196	214	206	177	228	4.7	5.4	5.6	5.3	7.2
Influenza ...	127	69	155	1,537	963	3.0	1.7	4.4	46.3	30.4
Simple cholera ...	455	56	28	70	775	10.9	1.4	0.8	2.1	24.4
Dysentery ...	404	198	986	942		9.7	5.0	25.9	28.3	
Diarrhoea ...	1,456	1,300				35.1	32.8			
Pulmonary tuberculosis.	6,777	6,960	7,026	6,669	6,263	163.4	175.5	192.3	200.2	197.6
Other tuberculous diseases.	—	—	1,904	1,938	1,774	—	—	52.0	58.2	56.0
Cancer ...	—	—	1,362	1,608	2,157	—	—	37.4	48.3	63.2
Pneumonia ...	10,169	10,605	11,217	9,522	2,661†	244.9	267.7	306.5	285.4	84.4‡
Other respiratory diseases.					6,334†					200.8‡
Puerperal sepsis...	234	274	244	199	150	5.7	6.9	6.7	6.0	4.8
Other puerperal conditions.	516	456	370	299	260	12.4	11.5	10.1	9.0	8.2
Suicide ...	1,650	1,531	80†	90	96	39.8	38.6	2.2†	2.7	3.0
Other violence ...			1,286†	1,281	1,156			35.4†	38.5	36.5

* Average for 9 years 1872-80.

† Average for 9 years 1882-90.

‡ Average for 7 years 1904-10.

TABLE 6A.—DEATHS FROM VARIOUS CAUSES, 1911-40.

(Note.—Figures and rates for individual years from 1911 to 1939 are given in the Annual Report for 1939.)

Nos.*	CAUSES OF DEATH	ANNUAL AVERAGE NUMBER OF DEATHS.			ANNUAL AVERAGE RATE PER 100,000 OF POPULATION.		
		1911-20	1921-30	1931-40	1911-20	1921-30	1931-40
	ALL CAUSES ...	51,453	43,203	41,841	1,664.4	1,446.9	1,411.2
1	Typhoid fever ...	195	108	64	6.3	3.6	2.2
2	Typhus fever ...	32	10	4	1.0	0.3	0.1
3	Measles ...	383	253	173	12.4	8.5	5.8
4	Scarlet fever ...	148	78	88	4.8	2.6	3.0
5	Whooping cough...	494	365	215	16.0	12.3	7.3
6	Diphtheria ...	225	282	321	7.3	9.4	10.8
7	Influenza ...	2,030	1,221	1,265	65.8	40.9	42.6
8	Dysentery ...	18	11	2	0.6	0.3	0.1
*9	Encephalitis lethar- gica	—	40	27	—	1.3	0.9
10	Cerebro-spinal meningitis	30	17	30	1.0	0.6	1.1
11	Tuberculosis of respiratory system	5,027	3,437	2,797	162.6	115.0	94.3
12	Other tuberculous diseases	1,312	920	773	42.4	30.8	26.1
13	Cancer ...	2,591	2,933	3,529	83.8	98.4	119.0
14	Diabetes mellitus	245	227	260	7.9	7.6	8.8
*15	Cerebral hæmorrhage, etc.	1,415	2,077	2,392	45.8	69.6	80.7
16	Heart disease ...	5,148	4,981	7,273	166.5	167.1	245.2
*17	Other circulatory diseases	—	439	734	—	14.7	24.7
18	Bronchitis ...	4,324	2,750	2,182	139.8	92.0	73.6
19	Pneumonia, all forms	2,853	2,476	2,420	92.3	83.0	81.6
20	Other respiratory diseases	819	722	688	26.5	24.2	23.2
21	Gastric or duode- nal ulcer	229	274	327	7.4	9.2	11.0
22	Diarrhoea and enter- itis under 2 years	814	592	584	26.3	19.8	19.7
23	Appendicitis ...	129	169	189	4.2	5.7	6.4
24	Cirrhosis of Liver ...	183	95	72	5.9	3.2	2.4
*25	Other diseases of Liver, etc.	—	138	162	—	4.6	5.5
*26	Other digestive diseases	—	1,172	909	—	39.2	30.7
27	Acute and chronic nephritis	1,150	1,132	1,195	37.2	38.0	40.3
28	Puerperal sepsis ...	129	101	71	4.2	3.4	2.4
29	Other puerperal causes	212	190	170	6.9	6.4	5.7
*30	Congenital debility, etc.	2,101	1,788	1,852	68.0	59.9	62.5
*31	Senility ...	—	8,300	6,135	—	277.8	206.9
32	Suicide ...	82	89	98	2.6	3.0	3.3
33	Other violent deaths	1,165	1,023	881	37.7	34.1	29.7
34	Other defined causes	16,609	3,491	3,323	537.2	117.0	112.1
35	Causes ill-defined or unknown.	1,361	1,302	636	44.0	43.4	21.5

* Deaths from Nos. 9, 25, 26 and 31 and also parts of 15, 17, and 30 are included in No. 34 for the years 1911-20. See page xxi of Annual Report for 1931.

TABLE 7.—NUMBER OF DEATHS AND RATES PER 100,000 OF POPULATION FROM VARIOUS CAUSES, IRELAND AND NORTHERN IRELAND, 1947 to 1949.

Nos.	CAUSES OF DEATH.	IRELAND						SIX COUNTIES.					
		No.			Rate.			No.			Rate.		
		1947	1948	1949	1947	1948	1949	1947	1948	1949	1947	1948	1949
	ALL CAUSES	44,061	36,357	38,062	1482.5	1212.7	1273.4	16,913	15,125	15,652	1263.1	1119.7	1151.0
1	Typhoid fever (including paratyphoid)	15	15	12	0.5	0.5	0.4	10	5	4	0.7	0.4	0.3
2	Cerebro-spinal meningitis ...	38	34	29	1.3	1.1	1.0	17	19	7	1.3	1.4	0.5
3	Scarlet fever ...	8	5	12	0.3	0.2	0.4	2	3	1	0.1	0.2	0.1
4	Whooping cough ...	298	204	130	10.0	6.8	4.3	97	49	41	7.2	3.6	3.0
5	Diphtheria ...	56	30	10	1.9	1.0	0.3	14	7	10	1.0	0.5	0.7
6	Tuberculosis of respiratory system.	2,831	2,452	2,142	95.3	81.8	71.7	761	711	649	56.8	52.6	47.7
7	All other forms of tuberculosis.	869	651	570	29.2	21.7	19.1	213	221	149	15.9	16.4	11.0
8	Dysentery ...	3	7	1	0.1	0.2	0.0	1	2	3	0.1	0.1	0.2
9	Influenza ...	651	201	280	21.9	6.7	9.4	273	76	97	20.4	5.6	7.1
10	Measles ...	106	63	56	3.6	2.1	1.9	63	22	8	4.7	1.6	0.6
11	Acute infectious encephalitis	14	11	26	0.5	0.4	0.9	18	16	18	1.3	1.2	1.3
12	Typhus ...	—	—	1	—	—	0.0	—	—	—	—	—	—
13	Cancer ...	3,962	4,074	4,161	133.3	135.9	139.2	1,962	1,963	1,964	146.5	145.3	144.4
14	Diabetes mellitus ...	199	173	250	6.7	5.8	8.4	104	96	84	7.8	7.1	6.2
15	Intra-cranial lesions of vascular origin.	3,024	2,656	2,842	101.7	88.6	95.0	1,686	1,559	1,681	125.9	115.5	123.6
16	Diseases of the heart ...	11,118	9,564	10,016	374.1	319.0	335.0	4,662	4,304	4,672	348.2	318.7	343.6
17	Other diseases of the circulatory system.	894	890	1,020	30.1	29.7	34.1	353	444	489	26.4	32.9	36.0
18	Bronchitis ...	1,318	999	1,019	44.3	33.3	34.0	598	507	512	44.7	37.5	37.7
19	Pneumonia ...	1,868	1,239	1,329	62.8	41.3	44.5	795	623	626	59.5	46.1	46.0
20	Other diseases of the respiratory system.	620	532	576	20.9	17.8	19.3	279	208	235	20.8	15.4	17.3
21	Ulcer of the stomach or duodenum.	257	244	223	8.6	8.1	7.5	105	110	124	7.8	8.1	9.1
22	Diarrhoea and enteritis ...	846	422	587	28.5	14.1	19.6	253	164	211	18.9	12.2	15.6
23	Appendicitis ...	91	78	94	3.1	2.6	3.1	64	46	46	4.8	3.4	3.4
24	Cirrhosis of the liver ...	57	49	49	1.9	1.6	1.7	27	32	21	2.0	2.4	1.5
25	Diseases of the liver and biliary passages.	117	146	157	3.9	4.9	5.3	63	42	74	4.7	3.1	5.4
26	Other diseases of the digestive system.	523	397	405	17.6	13.2	13.6	174	166	147	13.0	12.3	10.8
27	Nephritis ...	1,097	874	875	36.9	29.2	29.3	337	307	293	25.2	22.7	21.5
28	Puerperal infection ...	31	18	18	1.1	0.6	0.6	10	6	8	0.7	0.4	0.6
29	Other diseases of childbirth	99	86	98	3.3	2.9	3.3	48	39	29	3.6	2.9	2.1
30	Congenital debility, etc. (Nos. 157-161).	2,507	1,905	1,955	84.4	63.5	65.4	857	802	776	64.0	59.4	57.1
31	Senility ...	6,450	4,762	5,591	217.0	158.8	187.1	1,355	1,131	1,111	101.2	83.8	81.7
32	Suicide ...	72	68	79	2.4	2.3	2.6	45	57	56	3.4	4.2	4.1
33	Other violence ...	899	854	900	30.2	28.5	30.1	431	399	428	32.2	29.5	31.5
34	Other causes ...	3,123	2,654	2,549	105.1	88.5	85.3	1,236	989	1,078	92.3	73.3	79.3

**TABLE 8.—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS,
registered during the years 1864-1949.**

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
„ 1871-80 ...	36,224*	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
„ 1881-90 ...	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
„ 1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
„ 1901-10 ...	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
„ 1911-20 ...	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
„ 1921-30 ...	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
„ 1931-40 ...	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1939 ...	21,567	2,671	282	167	353	390	867	975	1,668	3,355	5,736	4,181	867	55
1940 ...	21,611	2,680	251	186	351	447	916	979	1,716	3,210	5,772	4,171	866	66
1941 ...	22,642	3,043	245	157	336	422	888	1,022	1,582	3,218	5,959	4,687	1,006	77
1942 ...	21,868	3,294	312	192	401	533	929	1,061	1,557	2,918	5,446	4,210	950	65
1943 ...	22,663	3,749	270	178	397	482	926	969	1,541	2,951	5,699	4,461	966	74
1944 ...	23,477	3,607	273	160	326	424	784	951	1,589	3,051	6,066	4,992	1,180	74
1945 ...	22,266	3,231	202	156	344	417	740	864	1,520	2,845	5,718	5,046	1,112	71
1946 ..	21,863	2,952	170	144	269	376	695	864	1,498	2,737	5,764	5,110	1,193	91
1947 ...	23,461	3,269	180	143	264	348	764	1,011	1,599	2,949	6,058	5,542	1,261	73
1948 ...	19,117	2,262	164	113	232	315	677	807	1,446	2,496	4,993	4,660	901	51
Average, 1939-48 ...	22,054	3,076	235	160	327	415	819	950	1,572	2,973	5,721	4,706	1,030	70
1949 ...	19,876	2,301	130	98	198	274	553	784	1,492	2,553	5,104	5,123	1,216	50

Rates per 1,000 of corresponding population.

1864-70 ...	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-80 ...	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881-90 ...	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900 ...	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-10 ...	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-20 ...	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-30 ...	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-40 ...	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1939 ...	14.35	19.81	2.09	1.18	2.59	2.93	4.23	5.47	10.60	23.70	57.48	120.42	191.68
1940 ...	14.26	19.72	1.85	1.30	2.55	3.33	4.43	5.44	10.82	22.49	57.38	119.18	192.24
1941 ...	14.77	22.13	1.78	1.08	2.41	3.11	4.25	5.62	9.86	22.28	58.54	132.36	220.75
1942 ...	14.59	24.50	2.32	1.36	2.95	4.01	4.54	5.96	9.92	20.66	54.71	121.58	211.59
1943 ...	15.21	27.17	2.00	1.33	2.94	4.02	4.33	5.42	10.11	22.33	52.39	130.92	
1944 ...	15.79	26.19	2.02	1.19	2.42	3.54	3.68	5.34	10.45	23.14	55.89	148.88	
1945 ...	14.94	23.16	1.48	1.15	2.52	3.44	3.43	4.78	9.86	21.30	52.00	146.57	
1946 ..	14.58	19.55	1.25	1.08	2.10	3.17	3.33	4.74	9.52	21.36	53.01	135.06	
1947 ...	15.62	21.62	1.33	1.07	2.06	2.93	3.66	5.53	10.14	22.99	55.64	145.05	
1948 ...	12.61	14.82	1.20	0.84	1.79	2.63	3.21	4.38	9.09	19.27	45.43	117.28	
Average, 1939-48 ...	14.67	21.87	1.73	1.16	2.43	3.31	3.91	5.27	10.03	21.95	54.25		
1949 ...	13.15	15.11	0.95	0.73	1.53	2.30	2.63	4.26	9.40	19.77	46.57	133.88	

* During 1864-70 the ages at death were unspecified for an average annual number of 49 males, and during 1871-80 for an average annual number of 29 males.

TABLE 8 (contd.).—DEATHS OF FEMALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1949.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
" 1871-80	35,387*	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
" 1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
" 1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,002	4,501	1,589	298
" 1901-10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
" 1911-20	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
" 1921-30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
" 1931-40	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1939	20,150	2,159	209	180	343	429	881	934	1,553	2,782	5,126	4,350	1,084	120
1940	20,274	2,146	218	201	387	459	910	1,003	1,486	2,856	5,051	4,388	1,056	118
1941	21,155	2,285	216	191	359	488	912	1,036	1,418	2,899	5,167	4,877	1,198	109
1942	19,772	2,532	218	197	391	513	1,007	1,027	1,408	2,466	4,497	4,312	1,085	119
1943	20,831	2,892	266	201	414	484	975	969	1,368	2,543	4,788	4,618	1,215	98
1944	21,651	2,877	254	182	367	435	905	939	1,377	2,555	5,099	5,133	1,384	144
1945	20,496	2,611	193	163	317	461	861	929	1,362	2,406	4,858	4,850	1,354	131
1946	19,594	2,298	156	125	300	382	819	883	1,374	2,262	4,731	4,776	1,392	96
1947	20,600	2,474	164	148	312	419	776	858	1,312	2,364	4,985	5,161	1,516	111
1948	17,240	1,832	118	101	263	341	739	754	1,193	2,067	4,212	4,329	1,204	87
Average, 1939-48	20,176	2,410	201	169	345	441	878	933	1,385	2,520	4,852	4,680	1,249	113
1949	18,186	1,837	118	119	173	283	679	751	1,123	2,058	4,478	5,001	1,459	107

Rates per 1,000 of corresponding population.

1864-70	...	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	223.66
1871-80	...	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	...	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	...	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	...	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	...	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-30	...	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-40	...	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1939	...	14.08	16.56	1.59	1.31	2.67	3.62	4.63	5.41	10.47	21.55	52.91	107.04	186.99
1940	...	14.05	16.32	1.64	1.45	2.98	3.84	4.74	5.76	9.93	21.94	51.70	107.07	180.01
1941	...	14.49	17.18	1.61	1.36	2.74	4.04	4.69	5.88	9.37	22.01	52.28	117.62	198.93
1942	...	13.51	18.98	1.62	1.40	2.97	4.23	5.17	5.81	9.27	18.67	45.37	103.71	182.76
1943	...	14.31	21.68	2.03	1.54	3.11	4.20	4.66	5.46	9.39	20.01	46.19	119.46	
1944	...	14.86	21.55	1.93	1.40	2.75	3.77	4.33	5.28	9.44	20.09	49.18	134.01	
1945	...	14.02	19.30	1.45	1.23	2.35	3.94	4.06	5.16	9.21	18.66	46.23	125.78	
1946	...	13.28	15.88	1.19	0.97	2.42	3.36	3.98	5.01	8.92	17.84	44.47	118.51	
1947	...	14.04	17.07	1.25	1.14	2.51	3.68	3.77	4.86	8.50	18.71	46.77	128.19	
1948	...	11.64	12.52	0.89	0.77	2.10	2.97	3.55	4.23	7.65	15.72	39.15	105.14	
Average, 1939-48	...	13.84	17.70	1.52	1.26	2.66	3.77	4.36	5.29	9.22	19.51	47.43	—	
1949	...	12.31	12.59	0.89	0.91	1.38	2.47	3.27	4.23	7.23	16.10	41.74	123.19	

* During 1864-70 the ages at death were unspecified for an average annual number of 81 females, and during 1871-80 for an average annual number of 15 females.

TABLE 8 (contd.).—DEATHS OF PERSONS IN THIRTEEN AGE-GROUPS, registered during the years 1864-1949.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	50
„ 1871-80 ...	71,611*	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	62
„ 1881-90 ...	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	48
„ 1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	56
„ 1901-10 ...	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,314	7,673	2,759	48
„ 1911-20 ...	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	36
„ 1921-30 ...	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	29
„ 1931-40 ...	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	20
1939 ...	41,717	4,830	491	347	696	819	1,748	1,909	3,221	6,137	10,862	8,531	1,951	17
1940 ...	41,885	4,826	469	387	738	906	1,826	1,982	3,202	6,066	10,823	8,559	1,922	17
1941 ...	43,797	5,328	461	348	695	910	1,800	2,058	3,000	6,117	11,126	9,564	2,204	18
1942 ...	41,640	5,826	530	389	792	1,046	1,936	2,088	2,965	5,384	9,943	8,522	2,035	18
1943 ...	43,494	6,641	536	379	811	966	1,901	1,938	2,909	5,494	10,487	9,079	2,181	17
1944 ...	45,128	6,484	527	342	693	859	1,689	1,890	2,966	5,606	11,165	10,125	2,564	21
1945 ...	42,762	5,842	395	319	661	878	1,601	1,793	2,882	5,251	10,576	9,896	2,466	20
1946 ..	41,457	5,250	326	269	569	758	1,514	1,747	2,872	4,999	10,495	9,886	2,585	18
1947 ...	44,061	5,743	344	291	576	767	1,540	1,869	2,911	5,313	11,043	10,703	2,777	18
1948 ...	36,357	4,094	282	214	495	656	1,416	1,561	2,639	4,563	9,205	8,989	2,105	13
Average, 1939-48 ...	42,230	5,486	436	329	672	856	1,697	1,883	2,957	5,493	10,573	9,386	2,279	18
1949 ...	38,062	4,138	248	217	371	557	1,232	1,535	2,615	4,611	9,582	10,124	2,675	15

Rates per 1,000 of corresponding population.

1864-70 ...	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80 ...	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-90 ...	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900 ...	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.83
1901-10 ...	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-20 ...	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-30 ...	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-40 ...	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1939 ...	14.22	18.21	1.85	1.24	2.62	3.26	4.42	5.44	10.54	22.69	55.26	113.14	185.79
1940 ...	14.16	18.05	1.75	1.37	2.76	3.57	4.58	5.60	10.39	22.23	54.58	112.65	185.24
1941 ...	14.63	19.70	1.70	1.22	2.57	3.54	4.46	5.75	9.62	22.15	55.45	124.41	208.20
1942 ..	14.05	21.75	1.97	1.38	2.96	4.12	4.85	5.89	9.60	19.71	50.09	111.91	192.02
1943 ...	14.76	24.47	2.01	1.43	3.03	4.11	4.50	5.44	9.76	21.19	49.37		124.71
1944 ...	15.33	23.91	1.98	1.29	2.59	3.65	4.00	5.31	9.95	21.64	52.61		140.82
1945 ...	14.49	21.26	1.46	1.19	2.44	3.68	3.74	4.97	9.54	20.00	49.18		135.29
1946 ..	13.98	17.75	1.22	1.02	2.26	3.27	3.66	4.87	9.22	19.61	48.79		126.33
1947 ...	14.84	19.39	1.29	1.10	2.28	3.30	3.71	5.20	9.33	20.81	51.25		136.15
1948 ...	12.13	13.69	1.05	0.80	1.94	2.80	3.38	4.31	8.38	17.71	42.32		110.87
Average, 1939-48 ...	14.26	19.88	1.63	1.20	2.50	3.53	4.13	5.28	9.63	20.77	50.89		—
1949 ...	12.73	13.88	0.92	0.82	1.46	2.38	2.95	4.25	8.33	17.94	44.18		128.24

*During 1864-70 the ages at death were unspecified for an average annual number of 80 persons and during 1871-80 for an average annual number of 44 persons.

TABLE 9.—MARRIAGES, BIRTHS and DEATHS by Provinces, Counties and County Boroughs in 1949.

PROVINCES AND COUNTIES.	MARRI- AGES	BIRTHS		DEATHS FROM							Deaths of Infants under One Year of age.
		Total.	Illegiti- mate Births.	All Causes.	Principal Epidemic Diseases. *	Tuber- culosis.	Cancer.	Puerperal Infection		Other Diseases of Child- birth.	
IRELAND.	16,009	64,153	2,006	38,062	712	2,712	4161	4	14	98	3,415
Carlow ...	165	822	42	444	9	37	39	.	.	.	56
Dublin Co. ...	722	2,982	76	1,440	38	112	175	.	.	.	153
City of Dublin ...	4,349	12,415	299	5,937	191	541	747	.	7	13	794
Kildare	285	1,699	71	771	25	82	82	.	.	4	87
Kilkenny ..	311	1,446	69	875	15	47	73	.	.	4	90
Laoighis ..	177	1,049	39	665	9	40	71	.	.	3	59
Longford ...	120	748	30	466	6	27	53	.	.	1	27
Louth ...	376	1,632	41	849	8	79	124	1	.	.	79
Meath ...	294	1,445	60	827	10	62	105	.	.	.	67
Offaly ...	262	1,173	42	697	9	49	84	.	.	2	56
Westmeath ...	271	1,320	50	704	6	57	73	.	.	7	50
Wexford ...	387	2,027	111	1,218	17	70	136	.	.	4	117
Wicklow ...	318	1,426	70	792	16	56	102	1	.	1	76
LEINSTER ...	8,037	30,184	1,000	15,685	359	1,259	1,864	2	7	39	1,711
Clare ...	333	1,790	60	1,127	13	99	101	.	.	1	82
Cork Co. ...	1,097	5,157	132	3,667	59	252	380	1	.	13	272
Cork Co. Borough ...	752	1,736	28	1,058	48	86	108	.	1	.	129
Kerry ...	585	2,541	52	1,762	40	115	161	.	.	7	133
Limerick Co. ...	349	2,188	108	1,253	34	79	119	1	.	2	136
Limerick Co. Borough	418	1,149	27	525	20	68	65	.	.	2	73
Tipperary N.R. ...	264	1,298	47	778	12	42	84	.	.	1	69
Tipperary S.R. ...	352	1,817	95	1,092	14	68	135	.	.	3	98
Waterford Co. ...	266	921	59	678	17	37	66	.	.	2	63
Waterford Co. Boro ^s	137	624	9	355	16	24	42	.	.	.	39
MUNSTER ...	4,553	19,221	617	12,295	273	870	1,261	2	1	31	1,094
Galway ...	762	3,480	73	2,014	17	139	194	.	1	4	144
Leitrim ...	212	769	17	624	5	36	59	.	.	.	34
Mayo ...	636	2,899	39	1,991	14	110	203	.	1	4	98
Roscommon ...	320	1,227	25	995	8	60	106	.	.	1	43
Sligo ...	282	1,186	27	932	9	59	108	.	2	3	56
CONNAUGHT ...	2,212	9,561	181	6,556	53	404	670	.	4	12	375
Cavan ...	337	1,336	62	1,089	10	41	123	.	1	3	65
Donegal ...	582	2,713	104	1,759	14	102	180	.	1	7	124
Monaghan ...	288	1,138	42	678	3	36	63	.	.	6	46
ULSTER (part of) ...	1,209	5,187	208	3,526	27	179	266	.	2	16	245

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years of age)

TABLE 10.—MARRIAGE, BIRTH and DEATH RATES by Provinces, Counties and Co
Boroughs in 1949.

PROVINCES AND COUNTIES.	Popu- lation accord- ing to the Census of Popu- lation, 1946.	MARRI- AGES.	BIRTHS.		DEATHS.					
		Rates per 1,000 of Popula- tion.	Rates per 1,000 of Popula- tion.	Illegiti- mate per cent. of Total Births.	RATES PER 1,000 OF POPULATION.				RATES PER 1,000 B	
					All Causes	Prin- cipal Epid- emic Dis- eases.*	Tuber- culosis.	Cancer.	Puer- peral Infection	Other Diseases of Child- birth.
IRELAND	2,955,107	5.4	21.5	3.1	12.7	0.2	0.9	1.4	0.3	1.5
Carlow ...	34,081	1.8	24.1	5.1	13.0	0.3	1.1	1.1	.	.
Dublin Co. ...	130,142	5.5	22.9	2.5	11.1	0.3	0.9	1.3	.	.
City of Dublin ...	506,051	8.2	23.5	2.4	11.3	0.4	1.0	1.4	0.6	1.0
Kildare ...	64,849	4.4	26.2	4.2	11.9	0.4	1.3	1.3	.	2.4
Kilkenny ...	66,712	4.7	21.7	4.8	13.1	0.2	0.7	1.1	.	2.7
Laoighis ...	49,697	3.6	21.1	3.7	13.4	0.2	0.8	1.4	.	2.9
Longford ...	36,218	3.3	20.7	4.0	12.9	0.2	0.7	1.5	.	1.3
Louth ...	66,194	5.7	24.7	2.5	12.8	0.1	1.2	1.9	0.6	.
Meath ...	66,232	4.4	21.8	4.2	12.5	0.2	0.9	1.6	.	.
Offaly ...	53,686	1.9	21.8	3.6	13.0	0.2	0.9	1.6	.	1.7
Westmeath ...	54,949	1.9	24.0	3.8	12.8	0.1	1.0	1.3	.	5.3
Wexford ...	91,855	4.2	22.1	5.5	13.3	0.2	0.8	1.5	.	2.0
Wicklow ...	60,451	5.3	23.6	4.9	13.1	0.3	0.9	1.7	0.7	0.7
LEINSTER	1,281,117	6.3	23.6	3.3	12.2	0.3	1.0	1.5	0.3	1.3
Clare ...	85,064	3.9	21.0	3.4	13.2	0.2	1.2	1.2	.	0.6
Cork Co. ...	268,073	4.1	19.2	2.6	13.7	0.2	0.9	1.4	0.2	2.5
Cork Co. Borough ...	75,595	9.9	23.0	1.6	14.0	0.6	1.1	1.4	0.6	.
Kerry ...	133,893	1.1	19.0	2.0	13.2	0.3	0.9	1.2	.	2.8
Limerick Co. ...	99,589	3.5	22.0	4.9	12.6	0.3	0.8	1.2	0.5	0.9
Limerick Co. Borough	42,970	9.7	26.7	2.3	12.2	0.5	1.6	1.5	.	1.7
Tipperary, N. R.	58,103	1.5	22.3	3.6	13.4	0.2	0.7	1.4	.	0.8
Tipperary, S. R.	77,911	1.5	23.3	5.2	14.0	0.2	0.9	1.7	.	1.7
Waterford Co. ...	47,839	5.6	19.3	6.4	14.2	0.4	0.8	1.4	.	2.2
Waterford Co. Boro'.	28,269	4.8	22.1	1.4	12.6	0.6	0.8	1.5	.	.
MUNSTER	917,306	5.0	21.0	3.2	13.4	0.3	0.9	1.4	0.2	1.6
Galway ...	165,201	1.6	21.1	2.1	12.2	0.1	0.8	1.2	0.3	1.1
Leitrim ...	44,591	4.8	17.2	2.2	14.0	0.1	0.8	1.3	.	.
Mayo ...	148,120	4.3	19.6	1.3	13.4	0.1	0.7	1.4	0.3	1.4
Roscommon ...	72,510	4.4	16.9	2.0	13.7	0.1	0.8	1.5	.	0.8
Sligo ...	62,375	4.5	19.0	2.3	14.9	0.1	0.9	1.7	1.7	2.5
CONNAUGHT	492,797	4.5	19.4	1.9	13.3	0.1	0.8	1.4	0.4	1.3
Cavan ...	70,355	4.8	19.0	4.6	15.5	0.1	0.6	1.7	0.7	2.2
Donegal ...	136,317	1.3	19.9	3.8	12.9	0.1	0.7	1.3	0.4	2.6
Monaghan ...	57,215	5.0	19.9	3.7	11.9	0.1	0.6	1.1	.	5.3
ULSTER (part of)	263,887	4.6	19.7	4.0	13.4	0.1	0.7	1.4	0.4	3.1

NOTE.—The rates for Ireland and the City of Dublin are calculated on the population estimated to the middle of 1949.
*See note page 15.

TABLE 11.—BIRTHS AND DEATHS for the Principal Towns and Urban and Rural areas, 1949.

URBAN AND RURAL AREAS.	Births.	DEATHS FROM							
		All Causes.	Principal Epidemic Diseases.*	Tuber- culosis.	Cancer.	Puerperal Infection.		Other Diseases of Child- birth.	Infants under One Year of Age.
						Sepsis.	Other.		
IRELAND ...	64,153	38,062	712	2,712	4,161	4	14	98	3,415
ALL RURAL DISTRICTS	40,323	26,029	354	1,588	2,712	4	4	74	1,926
ALL COUNTY BOR- OUGHS AND URBAN DISTRICTS ...	23,830	12,033	358	1,124	1,449	.	10	24	1,489
COUNTY BOROUGHS AND PRINCIPAL TOWNS NAMED BELOW ...	19,735	9,835	313	906	1,206	.	9	18	1,247
CITY OF DUBLIN ...	12,415	5,937	191	541	747	.	7	13	794
Borough of Dun Laoghaire ...	936	510	9	32	72	.	.	.	46
Wick County Borough	1,736	1,058	48	86	108	.	1	.	129
Wexmerick County Borough ...	1,149	525	20	68	65	.	.	2	73
Waterford County Borough ...	624	355	16	24	42	.	.	.	39
Wexway Borough ...	445	206	6	30	16	.	1	1	23
Dundalk U.D. ...	466	240	3	30	35	.	.	.	25
Drogheda U.D. ...	387	182	.	17	26	.	.	.	21
Galway U.D. ...	283	164	3	19	18	.	.	.	21
Sligo U.D. ...	290	162	1	6	24	.	.	1	19
Wick County U.D. ...	267	120	3	14	5	.	.	.	19
Wex County U.D. ...	261	142	3	14	23	.	.	.	14
Wex County U.D. ...	204	138	9	18	13	.	.	1	12
Wex County U.D. ...	272	96	1	7	12	.	.	.	12
OTHER URBAN DIS- TRICTS ...	4,095	2,198	45	218	243	.	1	6	242
COUNTY BOR- OUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	16,574	8,066	229	726	1,017	.	7	16	1,029
Province of Munster	5,700	3,176	115	297	354	.	1	5	377
Province of Connaught	1,079	567	11	73	55	.	1	3	59
Province of Ulster (part of)	477	224	3	28	23	.	1	.	24
RURAL DISTRICTS :—									
Province of Leinster	13,610	7,619	130	533	847	2	.	23	682
Province of Munster	13,521	9,119	158	573	907	2	.	26	717
Province of Connaught	8,482	5,989	42	331	615	.	3	2	316
Province of Ulster (part of)	4,710	3,302	24	151	343	.	1	16	211

* See note, page 15.

TABLE 12.—BIRTH AND DEATH RATES for the Principal Towns and Urban and Rural areas in 1949.

URBAN AND RURAL AREAS.	Population according to the Census of Population, 1946.	Birth Rate, per 1,000 Population.	DEATHS.						
			RATE PER 1,000 POPULATION.				RATE PER 1,000 BIRTHS.		
			All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puer-peral Infection.	Other Diseases of Child-birth.	Infants under One Year of Age.
IRELAND ...	2,955,107	21.5	12.7	0.2	0.9	1.4	0.3	1.5	53
ALL RURAL DISTRICTS	1,947,810	20.7	13.4	0.2	0.8	1.4	0.2	1.8	48
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	1,007,297	23.7	11.9	0.4	1.1	1.4	0.4	1.0	62
COUNTY BOROUGHS AND PRINCIPAL TOWNS NAMED BELOW ...	818,645	24.1	12.0	0.4	1.1	1.5	0.5	0.9	63
CITY OF DUBLIN ...	506,051	23.5	11.3	0.4	1.0	1.4	0.6	1.0	64
Borough of Dun Laoghaire ...	44,674	20.4	11.1	0.2	0.7	1.6	.	.	49
Cork County Borough	75,595	23.0	14.0	0.6	1.1	1.4	0.6	.	74
Limerick County Borough ...	42,970	26.7	12.2	0.5	1.6	1.5	.	1.7	64
Waterford County Borough ...	28,269	22.1	12.6	0.6	0.8	1.5	.	.	63
Galway Borough ...	20,370	21.8	10.1	0.3	1.5	0.8	2.2	2.2	52
Dundalk U.D. ...	18,562	25.1	12.9	0.2	1.6	1.9	.	.	54
Drogheda U.D. ...	15,715	24.6	11.6	.	1.1	1.7	.	.	54
Sligo U.D. ...	12,920	21.9	12.7	0.2	1.5	1.4	.	.	74
Wexford U.D. ...	12,296	23.6	13.2	0.1	0.5	2.0	.	3.4	66
Kilkenny U.D. ...	10,291	25.9	11.7	0.3	1.4	0.5	.	.	71
Bray U.D. ...	11,085	23.5	12.8	0.3	1.3	2.1	.	.	54
Tralee U.D. ...	9,990	20.4	13.8	0.9	1.8	1.3	.	4.9	59
Clonmel U.D. ...	9,857	27.6	9.7	0.1	0.7	1.2	.	.	44
OTHER URBAN DISTRICTS ...	188,652	21.7	11.7	0.2	1.2	1.3	0.2	1.5	59
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN:—									
Province of Leinster	681,713	24.3	11.8	0.3	1.1	1.5	0.4	1.0	62
Province of Munster	248,361	23.0	12.8	0.5	1.2	1.4	0.2	0.9	66
Province of Connaught	52,947	20.4	10.7	0.2	1.4	1.0	0.9	2.8	55
Province of Ulster (part of)	24,276	19.6	9.2	0.1	1.2	0.9	2.1	.	50
ALL RURAL DISTRICTS IN:—									
Province of Leinster	599,404	22.7	12.7	0.2	0.9	1.4	0.1	1.7	50
Province of Munster	668,945	20.2	13.6	0.2	0.9	1.4	0.1	1.9	53
Province of Connaught	439,850	19.3	13.6	0.1	0.8	1.4	0.4	1.1	32
Province of Ulster (part of)	239,611	19.7	13.8	0.1	0.6	1.4	0.2	3.4	44

NOTE—The rates for Ireland, the City of Dublin and the Borough of Dun Laoghaire are calculated on the population estimated to the middle of 1949.

*See note, page 15.

TABLE 13—Neo-natal Mortality (deaths of infants under one month old) by counties and county boroughs in the year 1949.

PROVINCES AND COUNTIES	DEATHS OF INFANTS UNDER ONE MONTH OLD										
	Total Number	Rate per 1,000 Births	CAUSE OF DEATH								
			Prema- ture Birth	Debility	Injury at Birth	Other Diseases of Infancy	Congen- ital Malfor- mations	Diar- rhoea and Enteritis	Convul- sions	Pneu- monia	Other Causes
IRELAND ...	1,580	25	620	215	114	182	182	97	50	67	53
Armagh ...	26	32	12	7	.	.	2	.	3	1	1
Dublin ...	77	26	27	3	11	14	13	4	.	3	2
County of Dublin ...	346	28	150	13	50	47	33	19	1	22	11
Galway ...	35	21	9	7	2	6	3	3	1	1	3
Kilkenny ...	51	35	20	4	4	7	10	3	1	1	1
Louth ...	32	31	12	6	1	2	7	2	.	1	1
Longford ...	7	9	3	2	1	1
Meath ...	37	23	15	2	5	4	5	.	2	1	3
Monaghan ...	31	21	10	8	3	3	2	.	1	1	3
Sligo ...	26	22	14	4	.	1	2	4	.	.	1
Westmeath ...	25	19	13	4	1	4	2	.	.	1	.
Wexford ...	55	27	18	22	1	2	2	.	4	1	5
Wicklow ...	36	25	14	1	5	4	6	3	2	.	1
LEINSTER ...	784	26	317	83	84	95	87	38	15	33	32
Dublin ...	39	22	14	2	.	6	6	2	4	2	3
Dublin ...	129	25	51	22	2	18	18	10	3	4	1
Dublin Co. Borough ...	56	32	28	.	.	7	8	8	1	4	.
Kerry ...	71	28	25	13	8	2	6	5	4	4	4
Limerick ...	70	32	20	13	2	2	6	17	.	8	2
Limerick Co. Borough ...	26	23	7	5	.	5	3	1	4	.	1
Wicklow, N.R. ...	34	26	12	11	2	1	3	.	2	.	3
Wicklow, S.R. ...	44	24	21	9	.	6	3	2	.	1	2
Waterford ...	36	39	16	9	.	1	2	4	3	.	1
Waterford Co. Boro' ...	17	27	4	.	.	5	4	3	.	.	1
MUNSTER ...	522	27	198	84	14	53	59	52	21	23	18
Cork ...	62	18	18	10	6	5	10	2	4	6	1
Cork ...	17	22	9	4	.	2	.	.	.	1	1
Cork ...	39	13	15	6	.	6	7	2	1	1	1
Cork ...	27	22	12	6	1	4	3	.	.	1	.
Cork ...	29	24	18	6	.	2	3
CONNAUGHT ...	174	18	72	32	7	19	23	4	5	9	3
Sligo ...	29	22	13	2	3	4	5	1	1	.	.
Sligo ...	49	18	9	13	1	8	7	2	7	2	.
Sligo ...	22	19	11	1	5	3	1	.	1	.	.
Sligo (part of) ...	100	19	33	16	9	15	13	3	9	2	.

TABLE 14.—BIRTHS and DEATHS registered during the YEAR 1949, for the Fourteen Principal Towns and for each URBAN DISTRICT.

AREA.	Popu- lation according to the Census of / Popula- tion, 1946	Annual Rate per 1,000 persons represented by		BIRTHS.		DEATHS		BIRTHS.	All Causes.	Principal epidemic diseases.	Total Number.	BIRTHS.	Total Number.	Caused by															Violence.	No. Uncertified.																																																																																																																																																																																																																
		Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.							Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.			Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.	Principal epidemic diseases.

Total other Urban Districts	188,652	21.7	11.7	0.2	4,095	2,198	242	1,123	.	.	6	1	.	.	3	.	35	165	53	11	243	1	6	62	89
I. LEINSTER.																									
An Uaimh ...	4,102	22.2	12.9	0.2	91	53	8	23	1	7	1	.	2	.	.	3	.
Arklow ...	4,915	26.9	16.7	0.2	132	82	8	56	.	.	1	2	.	1	7	.	.	5	1
Athlone ...	8,379	24.2	10.3	0.1	245	86	9	41	.	.	1	5	3	.	5	.	2	1	3
Athy ...	3,639	24.7	13.5	0.3	90	49	6	26	1	6	3	2	6	.	.	2	1
Birr ...	3,224	21.1	12.1	0.3	68	39	1	21	1	3	1	.	6	.	.	.	2
Carlow ...	7,466	20.6	9.5	0.3	154	71	14	38	2	4	.	.	6	.	.	4	8
Ceanannus Mór ...	2,143	22.9	9.3	.	49	20	3	12	1	.	4	.	.	1	.
Enniscorthy ...	6,020	22.6	12.8	0.7	160	77	12	33	4	7	1	.	4	.	.	1	1
Longford ...	4,020	28.1	13.9	0.5	113	56	7	28	2	3	1	1	8	.	.	2	1
Naas ...	3,774	20.7	10.6	0.8	78	40	6	15	3	1	1	1	5	.	.	2	2
New Ross ...	4,894	24.1	12.7	0.2	118	62	5	40	1	7	.	1	11	.	.	1	2
Trim ...	1,383	17.4	12.3	.	24	17	.	9	2	.	.	3
Tullamore ...	5,897	25.8	11.2	.	152	66	8	30	8	.	.	13	.	.	3	.
Wicklow ...	3,183	24.5	17.3	0.6	78	55	4	32	1	1	5	.	.	5	.	.	1	1

NOTE.—The rates for Ireland, the City of Dublin and the Borough of Dun Laoghaire are calculated on the population estimated to the middle of 1919.

TABLE 14.--URBAN DISTRICTS, 1949 (continued).

AREA.	Popu- lation according to the Census of Popula- tion, 1946	BIRTHS.		DEATHS		Total Number.	Under 1 year of Age.	At 65 years and up- wards.	Caused by										Influenza.	Cancer	Puerperal Infection.	Other Diseases of Childbirth.	Violence.	No. Uncertified.		
		Annual Rate per 1,000 persons represented by	BIRTHS.	All Causes.	Principal epidemic diseases.				Principal Epidemic Diseases.																Tuber- culosis	
									Typhoid fever	Scarlet fever.	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus.	Diarrhoea & En- teritis (under 2 years).	Pulmonary.							Other Forms.	
II. MUNSTER.																										
Carrick-on-Suir	...	4,859	25.1	12.6	0.4	122	61	12	29	2	4	6	.	7	1	1		
Cashel	...	3,063	21.2	11.1	0.7	65	34	5	13	.	1	1	3	4	.	3	.	.		
Clonakilty	...	2,825	12.7	13.1	.	36	37	3	20	3	.	.	4	1	.		
Cobh...	...	5,619	19.0	15.7	0.4	107	88	13	46	2	1	.	.	8	1	.		
Dungarvan	...	5,276	22.7	14.0	0.8	120	74	13	31	4	5	2	.	3	1	2		
Ennis	...	5,871	29.6	11.9	0.3	174	70	5	34	.	.	.	1	1	7	5	.	6	3	.		
Fernoy	...	4,213	19.9	12.1	0.7	84	51	8	23	3	3	.	.	3	.	11		
Killarney	...	5,947	14.1	9.6	0.2	84	57	10	23	1	.	.	.	3	1	.	11	.	4		
Kilrush	...	3,351	23.0	10.4	0.3	77	35	8	14	1	2	1	.	3	.	4		
Kinsale	...	2,087	16.8	10.5	.	35	22	1	13	1	.	.	1	1	.		
Listowel	...	3,311	23.0	11.2	0.3	76	37	7	18	1	2	.	.	4	.	.		
Macroom	...	2,230	19.3	16.1	.	43	36	2	19	3	1	.	5	1	4		
Mallow	...	5,215	19.6	10.0	.	102	52	4	30	4	.	.	7	.	.		
Midleton	...	2,792	18.3	11.1	.	51	31	1	16	4	.	.	2	.	2		
Nenagh	...	4,516	18.6	10.9	0.2	84	49	4	24	.	1	2	1	.	4	.	3		

Skibbereen	...	2,263	12.7	15.2	0.4	30	36	5	25	1	2	1	.	7	.	1	.	5
Templemore	...	2,055	20.4	11.2	.	42	23	.	14	3	.	.	4
Thurles	...	6,011	27.6	10.5	.	166	63	4	51	4	3	.	11	.	.	.	2
Tipperary	...	5,267	25.4	15.0	.	134	79	6	38	6	3	.	10
Youghal	...	4,809	17.3	14.3	0.2	83	69	3	56	1	.	2	2	4	11	.	.	.	3
CONNAUGHT.																										
Ballina	...	6,045	24.3	10.3	0.2	147	62	6	25	6	5	.	7	.	1	.	2
Ballinasloe	...	5,421	12.7	8.9	.	69	48	6	24	3	1	.	7	.	.	.	2
Castlerea	...	4,951	14.3	10.1	0.2	71	50	2	32	7	.	1	3	.	.	.	6
Westport	...	3,240	19.8	11.4	.	64	37	1	24	2	.	.	4	.	1	.	1
ULSTER (part of).																										
Belaghee	...	1,179	21.2	15.3	.	25	18	2	8	2	2
Bunrana	...	2,729	25.3	3.7	.	69	10	1	5	1
Bundoran	...	1,815	21.4	13.2	0.5	39	24	3	13	1	1	1	2	2	.	1	1	
Carrickmacross	...	2,116	18.9	9.5	.	40	20	3	7	1	1	.	4	.	.	1	
Castleblayney	...	1,769	22.6	7.3	.	40	13	2	7	1	1	
Cavan	...	3,477	22.4	12.7	0.3	78	44	5	19	1	6	1	1	7	.	.	2	
Clones	...	2,002	21.5	9.6	.	45	20	2	12	5	.	.	1
Cootehill	...	1,565	21.7	10.9	.	34	17	1	12	1	1	.	1	.
Letterkenny	...	2,848	18.6	7.0	.	53	20	1	10	3	.	.	2	.	.	.	2
Monaghan	...	4,676	11.5	8.1	0.2	54	38	4	21	1	3	1	.	6

TABLE 15.—BIRTH and DEATH RATES, for the aggregate Urban and Rural areas in each of the years 1911 to 1949.

YEAR:	RATES PER 1,000 OF POPULATION REPRESENTED BY								RATES PER 1,000 BIRTHS.	
	BIRTHS.		DEATHS. (All Causes).		PRINCIPAL EPI- DEMIC DISEASES.		TUBERCULOSIS (All forms).		INFANT MORTALITY.	
	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts
1911 ...	26.31	21.47	19.04	15.33	2.15	0.53	3.04	1.78	135	72
1912 ...	25.33	21.68	18.54	15.31	1.59	0.45	2.98	1.78	121	65
1913 ...	25.62	21.50	19.09	15.96	1.88	0.58	2.95	1.78	139	72
1914 ...	25.48	21.16	20.44	14.41	1.83	0.48	3.06	1.67	123	62
1915 ...	24.38	21.09	19.83	16.62	1.48	0.47	3.17	1.82	130	65
1916 ...	22.58	20.57	18.07	15.90	1.22	0.50	2.85	1.83	123	64
1917 ...	21.27	19.57	17.30	16.71	1.17	0.43	2.85	1.92	121	69
1918 ...	20.80	19.59	20.76	16.26	1.23	0.42	3.02	1.77	125	62
1919 ...	22.41	18.99	19.44	17.43	0.86	0.32	2.61	1.60	119	69
1920 ...	26.19	19.85	16.43	14.00	1.32	0.53	2.22	1.43	113	60
1921 ...	24.44	17.90	15.41	13.99	1.19	0.44	2.03	1.38	105	56
1922 ...	23.41	17.91	16.26	14.14	0.96	0.40	2.01	1.34	98	54
1923 ...	24.24	18.96	15.28	13.50	1.01	0.37	2.07	1.25	99	50
1924 ...	25.36	19.39	16.57	14.42	1.05	0.38	2.06	1.31	104	55
1925 ...	24.71	19.21	15.66	14.20	1.09	0.32	2.05	1.37	97	53
1926 ...	23.84	19.23	15.27	13.54	1.33	0.43	1.84	1.31	110	56
1927 ...	23.44	18.98	15.56	14.44	0.96	0.33	1.92	1.26	99	56
1928 ...	23.11	18.80	14.41	14.10	0.97	0.38	1.71	1.23	91	56
1929 ...	22.85	18.53	15.06	14.46	0.87	0.39	1.75	1.13	93	53
1930 ...	23.24	18.47	14.69	14.05	0.90	0.34	1.73	1.12	90	56
1931 ...	22.56	18.07	15.03	14.47	0.93	0.33	1.76	1.14	88	58
1932 ...	22.44	17.53	14.71	14.51	1.00	0.38	1.49	1.14	95	59
1933 ...	22.45	17.94	14.15	13.47	0.87	0.37	1.55	1.02	85	54
1934 ...	22.75	17.96	12.92	13.26	0.69	0.33	1.48	1.05	78	55
1935 ...	23.43	17.79	14.00	13.97	0.91	0.39	1.62	1.10	87	57
1936 ...	23.11	17.90	14.22	14.45	0.99	0.37	1.49	1.02	99	59
1937 ...	23.11	17.23	14.76	15.56	0.85	0.35	1.53	1.09	91	61
1938 ...	22.65	17.76	13.13	13.88	0.71	0.30	1.42	0.93	84	55
1939 ...	21.93	17.69	13.35	14.65	0.71	0.25	1.37	1.00	83	55
1940 ...	21.71	17.84	14.26	14.11	0.64	0.23	1.61	1.06	85	55
1941 ...	21.96	17.76	14.68	14.79	0.92	0.24	1.58	1.09	99	58
1942 ...	25.18	20.87	14.27	13.91	0.96	0.37	1.89	1.26	90	58
1943 ...	23.91	20.33	14.58	14.51	1.11	0.44	1.80	1.26	110	67
1944 ...	24.06	21.23	14.66	15.62	1.04	0.41	1.64	1.13	105	65
1945 ...	24.37	21.77	14.01	14.74	0.91	0.34	1.59	1.08	93	58
1946 ..	25.06	21.92	13.15	14.50	0.71	0.29	1.49	0.97	80	56
1947 ...	25.93	22.01	14.30	15.24	0.66	0.29	1.62	1.06	80	60
1948 ...	24.71	21.09	11.56	12.70	0.27	0.21	1.28	0.93	52	49
1949 ..	23.66	20.70	11.95	13.36	0.36	0.18	1.12	0.82	62	48

NOTE.—For 1923 and subsequent years the births and deaths on which the above rates are based have been assigned to the normal residence of the mother in the case of births and to that of the deceased in the case of deaths. Prior to 1923 the figures on which the rates were based were partially corrected for deaths in institutions. The rates given relate to the urban and rural areas as existing in the respective years.

PART III.

Abstracts.

ABSTRACT I.—MARRIAGES, BIRTHS AND DEATHS registered during the year 1949, in each Province, County, and County Borough.

PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGHES.	Area* in Statute Acres	Popula- tion accord- ing to Census of Popula- tion, 1946.	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number	Transferred from Area	Transferred to Area	Net Number	Total Number	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
IRELAND	17,024,116	2,955,107	16,009	64,153			64,153	2,006			2,006	38,062			38,062	26,091
PROVINCES																
I.—LEINSTER	4,851,486	1,281,117	8,037	30,466	585	303	30,184	1,064	157	93	1,000	15,956	347	76	15,685	14,499
II.—MUNSTER	5,962,074	917,306	4,553	19,299	263	185	19,221	661	100	56	617	12,204	57	148	12,295	6,926
III.—CONNAUGHT	4,230,824	492,797	2,212	9,384	66	243	9,561	129	3	55	181	6,439	22	139	6,556	3,005
IV.—ULSTER (part of)	1,979,732	263,887	1,207	5,004	39	222	5,187	152	3	59	208	3,463	25	88	3,526	1,661

PROVINCE OF LEINSTER.

1. CARLOW	221,486	34,081	165	723	14	113	822	21	1	22	42	426	21	39	444	378
2. DUBLIN CO.	205,937	130,142	722	1,140	141	1,983	2,982	135	96	37	76	1,214	226	452	1,440	1,542
3. CITY OF DUBLIN	21,906	506,051	4,349	15,895	3,576	96	12,415	458	198	39	299	6,869	1,079	147	5,937	6,478
4. KILDARE	418,646	64,849	285	1,311	5	393	1,699	40	.	31	71	695	15	91	771	928
5. KILKENNY	509,472	66,712	311	1,327	37	156	1,446	31	2	40	69	842	17	50	875	571
6. LAOIGHIS	424,892	49,697	177	978	20	91	1,049	14	.	25	39	666	26	25	665	384
7. LONGFORD	257,933	36,218	120	700	24	72	748	22	1	9	30	424	4	46	466	282
8. LOUTH	202,842	66,194	376	1,900	339	71	1,632	30	2	13	41	811	47	85	849	783
9. MEATH	577,819	66,232	294	1,028	8	425	1,445	34	.	26	60	741	14	100	827	618
10. OFFALY	493,636	53,686	262	1,093	16	96	1,173	24	1	19	42	645	10	62	697	476
11. WESTMEATH	435,007	54,949	271	1,346	142	116	1,320	125	94	19	50	743	80	41	704	616
12. WEXFORD	581,059	91,855	387	1,974	30	83	2,027	79	3	35	111	1,202	62	78	1,218	809
13. WICKLOW	500,251	60,451	318	1,051	20	395	1,426	51	3	22	70	678	55	169	792	634

PROVINCE OF MUNSTER.

14. CLARE	787,755	85,064	333	1,620	7	177	1,790	24	1	37	60	1,069	4	62	1,127	663
15. CORK CO.	1,840,888	268,073	1,097	4,202	221	1,176	5,157	186	71	17	132	3,733	446	380	3,667	1,490
16. CORK CO. BOROUGH ...	2,511	75,595	752	2,819	1,200	117	1,736	23	8	13	28	1,023	310	345	1,058	678
17. KERRY	1,161,703	133,893	585	2,483	16	74	2,541	38	.	14	52	1,729	38	71	1,762	779
18. LIMERICK CO.	661,583	99,589	349	1,848	43	383	2,188	103	17	22	108	1,276	174	151	1,253	935
19. LIMERICK CO.	2,068	42,970	418	1,568	451	32	1,149	16	5	16	27	508	157	174	525	624
20. TIPPERARY, N.R. ...	493,253	58,103	264	1,386	175	87	1,298	168	134	13	47	763	43	58	778	520
21. TIPPERARY, S.R. ...	558,035	77,911	352	1,802	76	91	1,817	54	1	42	95	1,085	69	76	1,092	725
22. WATERFORD CO. ...	452,308	47,839	266	773	28	176	921	37	3	25	59	563	27	142	678	243
23. WATERFORD CO. BOROUGH	1,970	28,269	137	798	188	14	624	12	6	3	9	455	126	26	355	269

PROVINCE OF CONNAUGHT.

24. GALWAY	1,467,661	165,201	762	3,512	108	76	3,480	78	20	15	73	1,999	69	84	2,014	1,466
25. LEITRIM	376,762	44,591	212	713	8	64	769	8	.	9	17	569	3	58	624	145
26. MAYO	1,333,944	118,120	636	2,795	12	116	2,899	8	.	31	39	1,926	29	94	1,991	908
27. ROSCOMMON	608,540	72,510	320	1,190	36	73	1,227	17	2	10	25	1,005	50	40	995	232
28. SLIGO	443,917	62,375	282	1,174	31	43	1,186	18	2	11	27	940	44	36	932	254

PROVINCE OF ULSTER (Part of).

29. CAVAN	467,160	70,355	337	1,198	6	144	1,336	27	.	35	62	1,015	15	89	1,089	247
30. DONEGAL	1,193,584	136,317	582	2,706	21	28	2,713	96	3	11	104	1,750	19	28	1,759	954
31. MONAGHAN	318,988	57,215	288	1,100	41	79	1,138	29	2	15	42	698	51	31	678	460

* Exclusive of the larger rivers, lakes and tideways.

ABSTRACT II.—MARRIAGES

PROVINCES AND COUNTIES	TOTAL MARRIAGES.	Catholic Marriages.	Marriages other than Catholic.								Total Marriages Registered in the Quarter ending the last day of			
			Total.	Protestant Episcopalian.	In Registered Pres- byterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.	
IRELAND	16,009	15,205	804	578	105	60	48	2	11	3,622	3,620	5,186	3,581	
PROVINCES.														
LEINSTER	8,037	7,585	452	335	27	35	46	2	7	1,476	1,764	2,951	1,846	
MUNSTER	4,553	4,441	112	99	3	5	1	.	4	1,220	1,053	1,277	1,003	
CONNAUGHT	2,212	2,164	48	40	3	4	1	.	.	648	537	569	458	
ULSTER (part of) ...	1,207	1,015	192	104	73	15	.	.	.	278	266	389	274	

PROVINCE OF

CARLOW	165	158	7	6	.	.	1	.	.	44	45	38	38
DUBLIN CO.	722	661	61	54	4	3	.	.	.	106	159	310	147
CITY OF DUBLIN ...	4,349	4,116	233	146	12	27	39	2	7	733	913	1,739	964
KILDARE	285	275	10	9	.	1	.	.	.	42	80	89	74
KILKENNY	311	301	10	10	81	45	110	75
LAOIGHIS	177	162	15	12	.	1	2	.	.	38	50	47	42
LONGFORD	120	114	6	4	.	2	.	.	.	41	26	23	30
LOUTH	376	355	21	12	8	.	1	.	.	72	92	119	93
MEATH	294	282	12	11	1	54	76	97	67
OFFALY	262	251	11	11	56	65	73	68
WESTMEATH	271	264	7	7	67	61	79	64
WEXFORD	387	370	17	17	79	89	121	98
WICKLOW	318	276	42	36	2	1	3	.	.	63	63	106	86

PROVINCE OF

CLARE	333	333	97	83	79	74
CORK CO.	1,097	1,038	59	53	1	4	1	.	.	310	249	325	213
CORK CO. BOROUGH ...	752	737	15	9	1	1	.	.	4	164	171	236	181
KERRY	585	576	9	9	182	110	142	151
LIMERICK CO.	349	347	2	2	134	78	66	71
LIMERICK CO. BOROUGH	418	412	6	5	1	72	113	153	80
TIPPERARY, N.R. ...	264	259	5	5	78	64	56	66
TIPPERARY, S.R. ...	352	346	6	6	95	72	105	80
WATERFORD CO. ...	266	257	9	9	61	77	77	51
WATERFORD CO. BOROUGH	137	136	1	1	27	36	38	36

PROVINCE OF

GALWAY	762	759	3	3	236	174	203	149
LEITRIM	212	199	13	10	1	2	.	.	.	50	46	62	54
MAYO	636	629	7	6	1	194	164	137	141
ROSCOMMON	320	314	6	6	96	85	89	50
SLIGO	282	263	19	15	1	2	1	.	.	72	68	78	64

PROVINCE OF

CAVAN	337	276	61	46	11	4	.	.	.	76	91	89	81
DONEGAL	582	499	83	38	38	7	.	.	.	121	110	216	135
MONAGHAN	288	240	48	20	24	4	.	.	.	81	65	84	58

REGISTERED IN THE YEAR 1949.

MARRIAGES.								PROVINCES AND COUNTIES.
Contracted between				Of		Of Persons not of full Age		
Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	
15,298	179	414	118	532	297	229	1,036	IRELAND
7,608	97	259	73	332	170	168	591	PROVINCES.
4,387	49	91	26	117	75	5	275	LEINSTER.
2,139	20	40	13	53	33	17	105	MUNSTER.
1,164	13	24	6	30	19	9	65	CONNAUGHT.
								ULSTER (part of).
LEINSTER								
161	1	2	1	3	2	4	19	CARLOW.
685	7	23	7	30	14	16	47	DUBLIN CO.
4,096	54	155	44	199	98	103	284	CITY OF DUBLIN.
270	5	7	3	10	8	6	33	KILDARE.
300	1	7	3	10	4	3	18	KILKENNY.
170	4	1	2	3	6		8	LAOIGHIS.
116	2	2		2	2	1	8	LONGFORD.
359	2	14	1	15	3	6	38	LOUTH.
280	4	6	4	10	8	4	23	MEATH.
249	6	4	3	7	9	2	17	OFFALY.
262	1	5	3	8	4	9	29	WESTMEATH.
364	5	17	1	18	6	4	39	WEXFORD.
296	5	16	1	17	6	10	28	WICKLOW.
MUNSTER								
324	4	4	1	5	5	1	19	CLARE.
1,050	14	26	7	33	21	6	52	CORK CO.
719	12	17	4	21	16	7	44	CORK CO. BOROUGH.
573	2	8	2	10	4	3	18	KERRY.
338	1	9	1	10	2	4	27	LIMERICK CO.
399	4	10	5	15	9	5	27	LIMERICK CO. BOROUGH.
253	4	6	1	7	5	2	25	TIPPERARY, N.R.
339	3	7	3	10	6	3	28	TIPPERARY, S.R.
258	4	3	1	4	5	2	22	WATERFORD CO.
134	1	1	1	2	2	2	13	WATERFORD CO. BOROUGH.
CONNAUGHT								
740	6	14	2	16	8	7	39	GALWAY.
205	1	3	3	6	4	2	7	LEITRIM.
616	6	11	3	14	9	1	28	MAYO.
308	5	4	3	7	8	2	14	ROSCOMMON.
270	2	8	2	10	4	5	17	SLIGO.
ULSTER (Part of)								
327	1	7	2	9	3	3	15	CAVAN.
559	8	13	2	15	10	6	34	DONEGAL.
278	4	4	2	6	6		16	MONAGHAN.

ABSTRACT III.—BIRTHS and DEATHS at different Ages registered in the year 1949—by Provinces and Counties.

Provinces and Counties.	TOTAL BIRTHS	TOTAL DEATHS	AGES AT DEATH.																			95 & up- wards			
			Under 1 Year	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—		70—	75—	85—
IRELAND { Persons Males Females	64,153 32,880 31,273	38,062 19,876 18,186	3,415 1,928 1,487	337 183 154	167 76 91	129 73 56	90 41 49	4,138 2,301 1,837	248 130 118	217 98 119	371 198 173	557 274 283	619 268 351	613 285 328	711 332 379	824 452 372	1,073 598 475	1,542 894 648	1,846 1,022 824	2,765 1,531 1,234	3,826 2,110 1,716	5,756 2,994 2,762	10,124 5,123 5,001	2,675 1,216 1,459	157 50 107
LEINSTER { Persons Males Females	30,184 15,452 14,732	15,685 8,087 7,598	1,711 964 747	158 79 79	78 38 40	64 29 35	47 20 27	2,058 1,130 928	110 58 52	100 47 53	177 93 84	253 114 139	272 110 162	268 122 146	314 149 165	365 198 167	499 282 217	721 424 297	871 509 362	1,266 702 564	1,695 952 743	2,264 1,144 1,120	3,561 1,707 1,854	856 337 519	35 9 26
MUNSTER { Persons Males Females	19,221 9,887 9,334	12,295 6,452 5,843	1,094 615 479	117 69 48	54 22 32	45 28 17	23 12 11	1,333 746 587	83 46 37	78 31 47	111 61 50	169 83 86	203 98 105	187 89 98	218 93 125	268 157 111	330 191 139	473 273 200	621 341 280	905 510 395	1,212 660 552	1,907 991 916	3,273 1,671 1,602	874 398 476	50 13 37
CONNAUGHT { Persons Males Females	9,561 4,907 4,654	6,556 3,451 3,105	375 219 156	30 18 12	24 11 13	12 10 2	14 5 9	455 263 192	36 20 16	27 10 17	60 32 28	95 58 37	92 40 52	97 41 56	112 55 57	118 54 64	173 87 86	226 122 104	224 106 118	368 202 166	588 320 268	996 530 466	2,211 1,167 1,044	629 324 305	49 20 29
ULSTER (part of)	5,187 2,634 2,553	3,526 1,886 1,640	235 130 105	32 17 15	11 5 6	8 6 2	6 4 2	292 162 130	19 6 13	12 10 2	23 12 11	40 19 21	52 20 32	61 33 28	67 35 32	73 43 30	71 38 33	122 75 47	130 66 64	226 117 109	331 178 153	589 329 260	1,079 578 501	316 157 159	23 8 15
LEINSTER.																									
CARLOW { Persons Males Females	822 422 400	444 240 204	56 31 25	1 . 1	2 1 1	2 1 1	3 2 1	64 35 29	3 . 3	3 2 1	9 5 4	12 5 7	10 3 7	8 5 3	11 9 2	8 5 3	7 5 2	11 7 4	12 6 6	31 15 16	44 22 22	60 34 26	112 66 46	36 14 22	3 2 1
DUBLIN CO. { Persons Males Females	2,982 1,513 1,469	1,440 753 687	153 87 66	19 8 11	10 4 6	6 1 5	6 1 5	194 101 93	10 3 7	9 2 7	24 13 11	25 12 13	22 15 7	25 16 9	24 7 17	35 25 10	46 29 17	65 36 29	79 48 31	137 78 59	152 77 75	178 88 90	319 167 152	92 36 56	4 . 4
CITY OF DUBLIN { Persons Males Females	12,415 6,431 5,984	5,937 2,931 3,006	794 459 335	60 32 28	28 17 11	17 6 11	20 7 13	919 521 398	54 32 22	43 24 19	63 33 30	102 52 50	103 37 66	105 52 53	134 59 75	152 74 78	241 139 102	326 205 121	404 234 170	539 293 246	655 353 302	735 327 408	1,101 425 676	245 68 177	16 3 13
KILDARE { Persons Males Females	1,699 856 843	771 411 360	87 49 38	15 7 8	5 3 2	5 3 2	3 . 3	115 62 53	4 1 3	3 3 .	7 4 3	20 8 12	16 5 11	13 7 6	14 6 8	23 13 10	26 12 14	34 22 12	60 32 28	82 52 30	102 60 42	176 84 92	40 18 22	2 . 2	
KILKENNY { Persons Males Females	1,446 753 693	875 481 394	90 51 39	8 2 6	. . .	2 2 2	3 3 .	105 47 58	2 . 2	3 2 2	4 2 2	6 3 3	15 8 7	16 7 9	12 7 5	15 11 4	20 14 6	35 23 12	41 24 17	67 41 26	77 39 38	158 86 72	240 131 109	57 26 31	2 . 2
LAOIGHIS { Persons Males Females	1,049 543 506	665 373 292	59 31 28	7 3 4	. . .	2 1 1	. . .	68 35 33	3 1 2	5 . 5	6 5 1	8 5 3	14 6 8	6 3 3	14 6 8	16 7 9	17 9 8	25 14 11	28 18 10	42 26 16	78 52 26	111 60 51	176 107 69	46 19 27	2 . 2
LONGFORD { Persons Males Females	748 374 374	466 246 220	27 13 14	4 4 .	5 3 2	3 1 2	2 1 1	41 22 19	. . .	4 . 4	3 1 2	5 1 4	7 3 4	9 2 7	8 3 5	5 4 1	12 7 5	19 12 7	19 14 5	27 16 11	52 29 23	86 42 44	140 71 69	28 18 10	1 1 .

ABSTRACT III.—continued—BIRTHS, and DEATHS at different Ages registered in the year 1949.

Provinces and Counties.	TOTAL BIRTHS	TOTAL DEATHS	AGES AT DEATH.															95 & up- wards								
			Under 1 Year	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—		50—	55—	60—	65—	70—	75—	85—	
WATERFORD OO.	{ Persons Males Females	{ 678 348 330	63	6	3	1	1	74	2	5	5	11	7	11	14	18	17	22	27	52	69	111	175	53		
			35	4	1	.	.	40	2	1	5	5	4	6	4	10	10	14	10	32	36	61	93	13		
			28	2	2	1	1	34	.	4	.	10	8	7	8	10	8	7	7	17	20	33	50	82	40	
WATERFORD CO.BOROUGH	{ Persons Males Females	{ 355 171 184	39	4	2	2	.	47	3	3	4	4	6	5	4	16	9	14	21	30	33	53	95	10		
			18	4	1	2	.	25	2	1	1	1	2	2	2	11	3	8	13	18	13	26	37	6		
			21	.	1	.	.	22	1	1	2	3	4	3	2	5	6	6	8	12	20	27	58	4		
CONNAUGHT.																										
GALWAY	{ Persons Males Females	{ 2,014 1,067 947	144	10	11	4	4	173	10	8	20	35	28	35	32	35	62	65	71	116	169	265	670	209		
			85	7	6	3	2	103	4	3	10	23	17	15	18	14	34	31	34	64	90	142	356	107		
			59	3	5	1	2	70	6	5	10	12	11	20	14	21	28	28	34	37	52	79	123	314	102	
LEITRIM	{ Persons Males Females	{ 624 343 281	34	2	4	.	1	41	1	2	5	6	8	7	9	12	13	28	31	39	115	186	49			
			18	2	1	.	1	22	.	4	1	5	5	3	3	7	7	10	17	18	35	69	113	28		
			16	.	3	.	.	19	1	2	1	5	3	4	6	5	6	6	18	14	21	34	46	73	21	
MAYO	{ Persons Males Females	{ 1,991 1,038 953	98	10	1	3	6	118	14	7	19	23	25	30	43	33	53	66	60	99	189	317	663	209		
			61	5	1	2	.	69	11	2	12	16	5	13	25	14	24	42	23	59	105	155	343	110		
			37	5	.	1	6	49	3	5	7	7	20	17	18	19	29	29	24	37	40	84	162	320	99	
ROSCOMMON	{ Persons Males Females	{ 995 498 497	43	4	4	2	2	55	2	2	11	20	18	10	11	16	20	28	32	57	79	156	383	87		
			22	2	2	2	.	30	1	3	4	4	5	4	6	9	9	11	16	16	32	49	83	180	42	
			21	2	2	.	.	25	1	2	8	8	13	6	7	7	7	11	12	12	16	30	73	203	45	
SLIGO	{ Persons Males Females	{ 932 505 427	56	4	4	3	1	68	9	8	5	11	13	15	17	22	25	39	30	57	82	143	309	75		
			33	2	1	3	.	39	4	5	3	6	8	6	5	10	13	23	16	29	41	81	175	37		
			23	2	3	.	1	29	5	3	2	5	5	9	9	12	12	12	16	14	28	41	62	134	38	
ULSTER (part of).																										
CAVAN	{ Persons Males Females	{ 1,089 600 489	65	8	2	1	3	79	6	1	7	8	17	19	13	24	23	37	34	85	118	181	332	99		
			34	3	.	1	2	40	1	1	5	5	7	7	5	16	11	18	23	48	68	99	191	52		
			31	5	2	.	1	39	5	.	2	3	10	12	8	8	8	12	19	11	37	50	82	141	47	
DONEGAL	{ Persons Males Females	{ 1,759 938 821	124	15	9	5	3	156	11	8	12	26	19	24	39	37	37	55	63	96	150	291	549	179		
			70	10	5	4	2	91	5	6	4	12	7	15	22	20	20	37	28	52	77	164	289	87		
			54	5	4	1	1	65	6	2	8	14	12	9	17	17	17	17	18	35	44	73	127	260	92	
MONAGHAN	{ Persons Males Females	{ 678 348 330	46	9	.	2	.	57	2	3	4	6	16	18	15	12	11	30	33	45	63	117	198	38		
			26	4	.	1	.	31	.	3	2	2	6	11	8	7	7	20	15	17	33	66	98	18		
			20	5	.	1	.	26	2	.	1	4	10	7	7	5	5	4	10	18	28	30	51	100	20	

ABSTRACT IV.

Causes of Death.

ABSTRACT IV—CAUSES OF DEATH

[illegible]

different Periods of Life in the Year 1949.

ATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
30 18	98 119	198 173	274 283	268 351	285 328	332 379	452 372	598 475	894 648	1,022 824	1,531 1,234	2,110 1,716	2,994 2,762	5,123 5,001	1,216 1,459	50 107		
46 48	28 54	85 106	159 205	165 210	131 156	124 117	116 99	123 73	140 81	123 49	95 67	96 56	73 64	64 48	11 15		(1-44)	(1-17)
	.	.	.	1	1	1	.	1	.	2	.	.	.	1 2	.	.	1	1
	1	1	2	1
	3	2
	4	17
	5	17
2 2	1	1	1	.	.	.	6	17
	7	17
3	1	.	.	1	.	1	8	3
	1 2	9	4
	1	10	5
	1	1	1	1	.	.	11	17
	.	1	1	.	.	.	2	.	1	1	.	.	12	17
	22 42	81 100	155 202	157 205	124 146	117 107	109 92	116 67	123 72	100 35	76 46	57 35	36 31	15 10	1 2	.	13-22	(6-7)
	7 18	46 68	124 166	130 176	112 133	104 100	96 80	108 55	116 63	92 29	72 41	52 30	32 29	12 10	1 2	.	13	6
	15 24	35 32	31 36	27 29	12 13	13 7	13 12	8 12	9 9	8 6	4 5	5 5	4 2	3	.	.	14-22	7
	8 15	24 22	14 13	12 10	5 4	2 1	3 1	2 2	4 1	2 .	1 .	1	14	7
	2 4	2 4	4 7	5	3 2	4 4	2 3	2 2	2 2	1 2	1 .	2 .	2 .	1 .	.	.	15	7
	1	1	4 4	2 2	1 1	1	2 1	3 3	2 .	1 .	1 3	1 1	1 .	2	.	.	16	7
	1	1 1	.	2 1	1	2	1	2	1 1	2 2	.	1 .	1	17	7
	1	1	18	7
	.	2	.	.	1	.	1	.	1	1 1	.	.	1	.	.	.	19	7
	.	.	2 2	3 3	2	1 1	3 2	.	1	.	1	20	7

ABSTRACT IV.—continued—CAUSES OF DEATH

			AGES AT											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total der 5 years
		Infective and Parasitic Diseases—continued.												
7	21	Tuberculosis of Other {M. Organs. {F.	2 3	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
7	22	Disseminated Tubercu- {M. losis. {F.	48 55	· ·	1 ·	· ·	1 ·	2 3	3 4	3 2	1 3	1 1	1 1	9 11
17	23	Leprosy ... {M. {F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
8	24	Purulent Infection, and {M. Septicaemia. {F.	15 16	· ·	· ·	· ·	1 ·	· ·	1 ·	1 1	1 1	· ·	1 1	3 4
17	25	Gonococcal Infections {M. {F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
17	26	Other Bacterial {M. Diseases (Dysentery {F. excepted).	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
9	27	Dysentery ... {M. {F.	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
10	28	Malaria ... {M. {F.	2 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
17	29	Other Diseases due to {M. Parasitic Protozoa, {F. except Spirochaetes	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
11	30	Syphilis* ... {M. {F.	38 15	3 1	1 ·	· ·	2 1	1 2	7 4	1 ·	· ·	· ·	· ·	8 4
17	31	Relapsing Fever ... {M. {F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
17	32	Other Diseases due to {M. Spirochaetes {F.	8 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
12	33	Influenza ... {M. {F.	156 124	2 2	2 ·	4 2	9 ·	3 2	20 6	5 ·	1 ·	2 ·	· 1	28 7
13	34	Smallpox ... {M. {F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
14	35	Measles ... {M. {F.	27 29	· ·	· ·	1 1	· ·	10 5	11 6	8 7	1 2	2 ·	2 2	24 17
17	36	Acute Poliomyelitis and {M. Polioencephalitis {F.	11 10	· ·	· 1	1 ·	· ·	· ·	1 1	1 ·	· ·	1 1	· ·	3 2
17	37	Acute Infectious En- {M. cephalitis (Lethargic {F. or Epidemic).	13 13	· ·	· ·	· ·	· ·	· ·	· ·	· ·	3 ·	· ·	1 ·	1 3
17	38	Other Diseases due to {M. Viruses. {F.	1 5	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	1 ·
15	39	Typhus and Typhus-like {M. Diseases (Ricketts- {F. ioses).	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
16	40	Ankylostomiasis ... {M. {F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
16	41	Hydatid Disease ... {M. {F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
16	42	Other Diseases due to {M. Helminths. {F.	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
17	43	Mycoses ... {M. {F.	3 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	1 ·
17	44	Other Infective or Para- {M. sitic Diseases. {F.	22 23	· ·	· ·	· ·	1 ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·

* Including deaths from Locomotor ataxia, General Paralysis of the Insane and Aneurysm of aorta.

at different Periods of Life in the Year 1949.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
.	.	.	1	1	.	.	.	1	1	.	.	.	21	7
2	4	6	6	7	1	3	3	1	1	2	1	2	22	7
6	4	4	9	8	4	1	3	2	2	.	.	1	23	17
.	24	8
.	1	.	.	.	2	1	3	.	.	2	.	2	2	1	.	.	25	17
.	1	1	4	1	3	1	.	.	26	17
.	27	9
.	28	10
.	1	29	17
.	.	1	1	.	1	1	2	.	5	5	4	3	5	2	.	.	30	11
.	1	1	2	2	1	2	.	1	.	31	17
.	1	32	17
1	.	2	1	3	1	6	3	3	6	9	8	25	22	41	9	.	33	12
.	34	13
2	1	35	14
2	7	2	1	36	17
3	2	1	2	1	1	1	1	1	1	1	.	.	1	.	.	.	37	17
3	1	1	.	.	2	2	1	1	1	3	1	1	1	.	1	.	38	17
.	1	3	.	.	39	15
.	1	40	16
.	41	16
1	42	16
.	1	.	1	.	.	.	1	.	.	.	43	17
.	.	.	1	3	2	2	.	3	2	3	1	2	1	1	.	.	44	17
.	.	.	2	2	3	.	.	1	5	.	2	2	2	4	.	.		

ABSTRACT IV.—continued.—CAUSES OF DEATH

[illegible]

at different Periods of Life in the Year 1949.

ATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards	Detailed International List Nos.	Intermediate International List Nos.
3 2	1 6	5 3	6 4	3 15	18 25	31 55	68 80	95 110	160 172	191 195	286 292	390 317	467 345	489 343	38 49	1 5	(45-57)	(12-24)
2 1	1 3	4 3	5 3	2 11	17 24	28 52	66 76	85 103	154 165	187 191	283 281	387 306	463 332	484 337	38 48	1 5	45-55	18-23
1	.	1	1	1	.	1	1	.	3	2	.	.	56	24
1	.	.	.	1	1	3	2	9	6	3	2	3	1	3	.	.	57	24
.	3	.	.	2	.	1	2	7	4	2	10	9	8	3	.	.		
8 12	4 9	7 7	8 4	6 10	8 10	6 10	7 10	8 16	13 18	13 34	24 31	33 57	44 67	53 69	7 11	.	(58-71)	(25-30)
2 4	1 6	4 1	2 1	2 1	2 4	1	1	.	2	3	.	1	1	.	.	.	58	25
.	1	1	4	2	2	1	12	13	29	32	4	.	59	26
.	1	.	.	60	26
3	3	2	3	3	4	3	6	2	5	6	12	16	14	19	3	.	61	27
.	1	.	3	.	.	1	62	29
1 1	1	1	.	3	3	4	2	.	1	1	.	4	6	2	.	.	63	23
.	.	.	1	64	29
.	.	1	2	1	2	.	1	1	3	1	2	1	2	1	.	.	65	19
2 7	.	.	1	1	.	1	.	.	1	1	.	2	.	1	.	.	66	29
.	1	67-71	30
.	67	30
.	68	30
.	69	30
.	70	30
.	1	71	30

ABSTRACT IV.—continued.—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
(31-32)	(72-76)	IV. Diseases of the Blood and Blood-Forming Organs. { M. F.	158 171	• •	• •	• •	1 1	• 1	1 2	• 1	1 •	3 2	3 1	8 6
32	72	Hæmorrhagic Conditions. { M. F.	16 14	• •	• •	• •	1 1	• 1	• 2	• 1	1 •	• •	• •	1 3
31	73	Anaemias ... { M. F.	87 128	• •	• •	• •	• •	• •	• •	• •	• •	2 •	1 •	1 2
32	74	Leukæmias and Aleukæmias. { M. F.	39 20	• •	• •	• •	• •	• •	• •	• •	• •	3 •	1 1	4 1
32	75	Diseases of the Spleen { M. F.	9 6	• •	• •	• •	1 •	• •	1 •	• •	• •	• •	1 •	2 •
32	76	Other Diseases of the Blood and Blood-forming Organs. { M. F.	7 3	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
(33-34)	(77-79)	V. Chronic Poisoning and Intoxication { M. F.	2 •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
33	77	Alcoholism (Ethylism) { M. F.	2 •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
34	78	Lead Poisoning ... { M. F.	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
34	79	Chronic Poisoning by other Mineral and Organic Substances. { M. F.	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •
(35-41)	(80-89)	VI. Diseases of the Nervous System and Sense Organs. { M. F.	1,673 1,938	31 26	16 15	18 11	27 26	28 29	120 107	20 19	6 16	6 9	2 4	154 155
40	80	Encephalitis (non-epidemic). { M. F.	22 9	• •	• •	• •	1 •	2 1	3 1	2 1	• 1	1 1	• •	6 4
35	81	Meningitis (non-meningococcal). { M. F.	59 48	2 1	1 2	1 •	5 4	10 5	19 12	7 8	2 5	2 3	1 2	31 30
36	82	Diseases of the Medulla and Spinal Cord. { M. F.	39 32	• •	• •	1 •	• •	• •	• 1	• •	• •	• •	• •	• 1
37	83	Intra-cranial Lesions of Vascular Origin. { M. F.	1,262 1,580	• •	• •	• •	• •	• •	• •	• •	2 •	• •	• •	• 2
38	84	Mental Disorders and Deficiency. { M. F.	44 50	• •	1 •	• •	1 •	• •	2 •	2 •	• •	1 1	• •	1 5
39	85	Epilepsy ... { M. F.	57 35	• •	1 •	• •	• •	• •	1 •	3 •	• •	• •	1 1	5 1
40	86	Convulsions (under 5 years). { M. F.	95 99	27 23	12 12	13 9	18 21	13 18	83 83	7 7	3 6	2 2	• 1	95 99
40	87	Other Diseases of the Nervous System. { M. F.	73 68	• •	• •	• •	• •	• •	• •	• •	1 •	• •	• •	• 1
41	88	Diseases of the Organs of Vision. { M. F.	2 2	• •	• •	• •	• •	• •	• •	• •	• •	1 •	• •	• 1
41	89	Diseases of the Ear and of the Mastoid Antrum. { M. F.	20 15	2 2	2 •	4 1	3 •	3 5	14 8	1 1	1 1	• 1	• •	16 11

at different Periods of Life in the Year 1949.

BATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
8 2	2 3	3 3	1	5 6	3 8	3 8	12 6	9 6	12 7	11 19	15 30	24 22	26 22	13 22	3 1	.	(72-76)	(31-32)
2	1 1	1 1	.	1	.	1 1	1 1	1 1	1 1	2	.	1 1	1 2	2 1	.	.	72	31
1 2	.	1 1	.	.	1 5	.	5 4	4 4	4 3	5 16	13 26	21 17	18 18	10 20	3 1	.	73	31
4	1 1	1 1	.	1 3	1 1	1	4 1	4 1	7 3	3 2	2 1	1 3	5 2	.	.	.	74	32
.	.	.	.	3	1 1	.	2	1	.	.	.	75	32
1	.	.	1	.	.	1	.	.	.	1	.	1	1	1	.	.	76	32
.	.	.	.	1	2
.	1	.	.	1	(77-79)	(33-34)
.	1	.	.	1	77	33
.	78	34
.	79	34
5 11	7 8	17 10	13 7	11 20	18 14	25 27	32 27	41 59	69 89	85 131	158 194	225 242	338 386	419 474	55 82	3 2	(80-89)	(35-41)
.	.	1	2 1	1 1	2	3 1	1	1	2	.	1 1	2	80	40
5 4	2 3	5 3	3	1 3	4 2	2 1	1	2	1 2	.	2	81	35
3	.	.	1	.	1 1	1 1	3 3	3 2	6 2	3 2	8 4	5 3	7 5	2 4	.	.	82	36
.	.	3 1	3 1	3 4	4 5	9 15	21 18	21 41	45 70	59 115	130 179	194 223	315 369	397 454	55 80	3 2	83	37
2	2	3 1	.	1 2	2 2	3 5	1 1	3 6	5 8	5 4	5 4	7 3	2 2	4 4	.	.	84	38
2	2 3	4 3	4 1	3 4	2	3 2	4 2	6 3	5 3	4 3	3	4 5	4 2	4 1	.	.	85	39
.	86	40
.	.	1 1	1 3	2 6	2 4	4 2	1 3	4 7	4 4	13 7	9 5	13 8	8 7	11 9	.	.	87	40
.	1	1	.	.	88	41
.	1	.	.	.	1	.	.	1	.	1	.	.	.	1	.	.	89	41

ABSTRACT IV.—continued—CAUSES OF DEATH

													AGES AT	
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
(42-48)	(90-103)	VII. Diseases of the Cir- culatory System. { M. F.	5,753 5,283	1	1	2 2
42-46	90-95	<i>Heart Diseases</i> ... { M. F.	5,265 4,751	.	.	.	1	.	1	.	1	.	.	1
42	90	Pericarditis ... { M. F.	23 9	.	.	.	1	.	1	1
46	91	Acute Endocarditis ... { M. F.	12 7
43	92	Chronic Affection of the Valves and Endocar- dium. { M. F.	541 492
44	93	Diseases of the Myocar- dium. { M. F.	3,090 3,147
45	94	Diseases of the Coronary Arteries : Angina Pectoris. { M. F.	955 500
46	95	Other Diseases of the Heart. { M. F.	644 596
48	96	Aneurysm (except of Heart and Aorta). { M. F.	. 1
47	97	Arterio-sclerosis (ex- clud. Coron. or Renal Sclerosis or Cereb. Hæm.) { M. F.	172 198
47	98	Gangrene ... { M. F.	67 54
48	99	Other Diseases of the Arteries. { M. F.	12 12
48	100	Diseases of the Veins { M. F.	14 26
48	101	Diseases of the Lympha- tic System. { M. F.	2 2	1	.	1
48	102	High Blood Pressure (Idiopathic). { M. F.	217 236
48	103	Other Diseases of the Circulatory System. { M. F.	4 3	1	.	1	1
49-52)	(104-114)	VIII. Diseases of the Respiratory System. { M. F.	1,611 1,313	50 29	35 34	45 33	99 67	84 70	313 233	59 41	16 17	10 6	5 7	403 304
52	104	Diseases of the Nasal Fossæ and Annexa. { M. F.	1
52	105	Diseases of the Larynx { M. F.	8 4	1 .	.	.	2 1	3 1	6 2	1	7 2
49	106	Bronchitis ... { M. F.	574 445	6 4	5 6	9 5	10 6	5 10	35 31	8 4	3 1	1 .	1 1	48 37
50	107-9	<i>Pneumonia, All Forms</i> { M. F.	711 618	43 24	28 24	34 28	87 57	75 54	267 187	46 35	12 14	9 6	4 5	338 247
50	107	Broncho-pneumonia ... { M. F.	371 329	25 12	19 15	24 18	70 41	52 36	190 122	29 20	4 10	7 5	3 4	233 161
50	108	Lobar Pneumonia ... { M. F.	107 82	4 .	3 1	3 4	2 2	6 4	18 11	2 4	3 2	.	1 .	24 17
50	109	Pneumonia (un- specified). { M. F.	233 207	14 12	6 8	7 6	15 14	17 14	59 54	15 11	5 2	2 1	.	81 69

at different Periods of Life in the Year 1949.

ATH.																	95 & up- wards	Detailed International List Nos.	Intermediate International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—					
5 5	8 14	8 10	19 20	12 33	35 34	54 60	98 69	158 118	256 167	343 264	599 416	861 686	1,225 1,105	1,776 1,843	289 418	5 19	} (90- 103)	(42- 48)	
5 5	8 13	7 9	18 20	12 31	35 31	48 46	87 65	142 101	239 148	310 225	556 376	781 609	1,119 999	1,626 1,674	267 380	5 18			
3 2	4 .	. .	1 1	. .	1 .	3 1	. 1	3 .	3 .	2 .	1 .	1 .	1 1	. 1	} 90	42	
. .	2 .	1 .	2 4	1 .	1 .	1 .	3 .	. .	1 .	1 .	2			
1 3	3 10	4 5	9 10	5 18	13 13	17 14	18 20	19 25	30 26	37 21	72 32	82 56	101 96	119 121	11 20	. 2	} 92	43	
1 .	. .	1 1	4 1	5 3	7 11	14 21	26 29	53 47	92 74	136 127	270 213	408 379	697 684	1,159 1,241	213 304	4 12			
.	1 1	1 3	5 2	8 6	35 9	43 12	83 29	102 55	141 70	185 91	173 93	163 115	15 14	. .	} 94	45	
. .	1 1	2 2	1 3	1 7	9 5	5 4	7 6	23 17	28 19	33 22	71 60	104 83	145 125	185 196	28 42	1 4			
.	1	} 96	48	
.	1 .	. 1	. .	2 3	3 2	5 5	14 9	19 24	46 43	69 87	14 22	. 1			
.	1 .	. 1	. 2	. 1	1 3	10 5	14 12	34 21	7 9	. .	} 98	47	
.	2 2	1 1	1 2	. 1	3 1	2 3	2 2	1			
. 4	1 1	1 1	1 2	2 4	1 2	4 6	2 1	2 4	. 1	. .	} 100	48	
.	1	1 .	1			
. 1	. 1	} 101	48	
. .	1 .	1 .	1 .	. 2	. 2	4 7	6 1	12 10	13 11	23 28	24 23	45 39	43 49	45 56	1 6	. .			
. .	. .	1	1 1	1 .	. 1	} 103	48	
10 9	6 7	7 8	9 7	8 9	12 16	14 21	20 21	54 24	91 36	110 51	119 83	163 118	197 196	335 332	51 65	2 6			} (104- 114)
.	1			
1	1	} 105	52	
2	. .	1 2	1 1	1 .	5 1	5 1	1 6	18 5	29 11	38 15	58 35	68 52	96 80	173 155	31 41	1 1			
10 6	6 5	5 2	3 4	3 5	5 6	4 5	8 10	20 8	26 9	34 23	28 29	42 36	67 82	100 125	11 13	1 3	} 107- 9	50	
6 4	2 2	1 1	1 3	2 3	. 4	2 .	3 1	4 4	10 2	11 5	8 13	13 12	25 41	43 63	6 8	1 2			
. 1	2 .	. .	1 .	. 2	2 3	6 2	7 3	6 5	13 7	10 7	13 10	22 23	1 1	. 1	} 108	50	
4 2	4 3	4 .	. 1	1 2	4 2	2 3	3 6	10 2	9 4	17 13	7 9	19 17	29 31	35 39	4 4	. .			

ABSTRACT IV.—Continued—CAUSES OF DEATH

			AGES AT											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
VIII. Diseases of the Respiratory System—contd.														
51	110	Pleurisy ... {M. F.	27 20	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
52	111	Congestion, Oedema {M. Haemorrhagic Infarc- F. tion and Thrombosis of the Lungs.	107 133	· 1	2 4	· ·	· 2	1 4	5 11	2 2	· 2	· ·	· ·	7 15
52	112	Asthma ... {M. F.	142 86	· ·	· ·	· ·	· 1	· 1	· 2	1 ·	1 ·	· ·	· 1	2 3
52	113	Pulmonary Emphysema {M. F.	6 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
52	114	Other Diseases of the {M. Respiratory System. F.	35 7	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	1 ·
(53- 60)	(115- 129)	IX. Diseases of the {M. Digestive System. F.	885 630	60 38	42 27	44 29	75 82	54 29	275 205	24 24	6 8	10 3	4 6	319 246
60	115	Diseases of the Buccal {M. Cavity and Annexa F. and of the Pharynx and Tonsils.	7 10	· 1	1 ·	· ·	· ·	· ·	1 1	1 1	· ·	1 ·	1 ·	4 2
60	116	Diseases of the Oeso- {M. phagus. F.	4 3	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
53	117	Ulcer of the Stomach {M. or Duodenum. F.	183 40	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	1 ·
60	118	Other Diseases of the {M. Stomach. F.	62 60	· ·	· 1	1 1	1 4	2 1	4 7	1 1	· ·	1 ·	· ·	6 8
54- 55	119- 120	Diarrhoea and Enteritis {M. F.	329 258	60 37	41 26	43 28	70 76	49 27	263 194	14 19	3 5	4 1	1 1	285 220
56	121	Appendicitis ... {M. F.	55 39	· ·	· ·	· ·	· ·	· ·	· ·	2 2	2 2	1 1	1 2	6 7
57	122	Hernia, Intestinal {M. Obstruction. F.	114 75	· ·	· ·	· ·	3 2	2 ·	5 2	5 ·	· ·	1 ·	· ·	11 2
60	123	Other Diseases of the {M. Intestines. F.	14 11	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· 1	· ·	1 1
8	124	Cirrhosis of the Liver {M. F.	41 8	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
59	125	Other Diseases of the {M. Liver. F.	26 17	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	1 ·	· ·	2 ·
59	126	Biliary Calculi ... {M. F.	21 68	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
59	127	Diseases of the Gall {M. Bladder and Ducts. F.	9 16	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	1 ·
60	128	Diseases of the Pancreas {M. (other than Diabetes). F.	8 10	· ·	· ·	· ·	1 ·	· ·	1 ·	· ·	· 1	· ·	· ·	1 1
60	129	Peritonitis, without {M. stated cause. F.	12 15	· ·	· ·	· ·	· ·	1 1	1 1	· 1	· ·	· ·	1 2	2 4

at different Periods of Life in the Year 1949.

DEATH.																	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.	
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—					
.	.	1	2	2	3	1 1	.	1	5 2	2 1	1	2 2	7 5	7 2	.	.	} 110	51		
.	.	1	3 1	2 1	3	8	4 4	1 2	5 7	11 8	7 5	15 17	15 17	29 33	8 9	2		} 111	52	
.	2	1	1	1	2 3	2 5	7 1	11 7	20 6	19 4	19 12	31 11	6 11	23 16	2	.			} 112	52
.	2	1	1	.	2	.	.	.				} 113
.	.	1	.	2	.	2 1	.	4 1	3 1	5	5 2	5	4	2 1	1	.	} 114			
.	.	1	.	.	.	1	.	1	1	.	2		} 115		
9 6	6 7	6 3	9 10	12 6	14 9	22 16	33 11	31 23	55 21	48 24	78 37	86 59	73 69	71 76	13 7	.			} 115-129	
1 1	.	2	1	1	.	1	.	1	2	.	.				} 116
.	1	.	1 1	1	2	.	1	.	.	} 117			
1	.	.	2	5 3	2	14 1	11 3	11 3	26 2	25 3	27 7	28 6	18 6	10 6	2	.		} 118		
.	.	1	.	1	1	1 2	1	1	3 4	5	8 6	9 7	15 17	8 11	4 1	.			} 119-120	
2 1	1 1	1	.	1 2	2 3	2	3 1	4 4	1 1	2 1	4 1	8 3	4 8	9 9	2 1	.				} 121
3 3	4 4	3	3 2	4	4	3 4	4 1	4 1	4 3	2	3 1	2 5	5 4	3 2	.	.	} 122			
2	1	1	1 4	.	2 1	2 2	5 1	2 3	6 4	6 3	16 8	15 10	15 14	27 20	3 2	.		} 123		
.	.	.	1	.	.	.	1	1	1	1	3	5	.	2 3	1	.			} 124	
.	2	1	3	1	9	6	9	7	1	2 1	.	.				} 125
1	1	1	1 2	.	1	.	6 1	1	3 2	.	3 1	3 2	2 2	1 4	1 1	.	} 126			
.	.	.	.	1	2	2	1	4	1	2 8	1 9	7 18	7 8	3 12	2	.		} 127		
.	.	.	1	.	1	1	1	2 1	1	1	2 1	1	3 3	1 3	.	.			} 128	
.	.	.	.	1	.	.	.	1 1	1 2	3	1	1	1	2 2	.	.				} 129
.	1	.	1	.	1	1 2	.	3 3	.	1	.	1	2 2	2	.	.	} 129			

[illegible]

at different Periods of Life in the Year 1949.

EATH.

[illegible]

ABSTRACT IV.—continued—CAUSES OF DEATH

[illegible]

ABSTRACT IV.—continued—CAUSES OF DEATH

			AGES AT											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
		XVII. Deaths from Violence												
		— <i>contd.</i>												
84	174	Accidents in Mines and Quarries. { M. F.	4
84	175	Agricultural and Forestry Accidents. { M. F.	11 1
84	176	Accidents caused by Machinery. { M. F.	8
84	177	Food Poisoning ... { M. F.	3
84	178	Accidental Absorption of Poisonous Gas. { M. F.	7 5	1	.	.	1
84	179	Other Acute Accidental Poisoning (not by Gas). { M. F.	4 3	1	1
84	180	Conflagration ... { M. F.	2 3	1	.	.	1
84	181	Accidental Burns (Conflagration excepted). { M. F.	33 56	.	.	1	.	1 1	2 4	5 9	5 5	1 3	1 1	14 22
84	182	Accidental Mechanical Suffocation. { M. F.	14 15	4 .	4 4	1 3	4 4	.	13 12	.	1	.	.	13 14
84	183	Accidental Drowning ... { M. F.	111 18	3 1	3 1	.	.	6 3
84	184	Accidental Injury by Firearms. { M. F.	15 1
84	185	Accidental Injury by Cutting or Piercing Instruments. { M. F.
84	186	Accidental Injury by Fall, Crushing, Landslide, etc. { M. F.	72 18	1	.	.	1	2
84	187	Cataclysm ... { M. F.
84	188	Injury by Animals ... { M. F.	3
84	189	Hunger or Thirst ... { M. F.
84	190	Excessive Cold ... { M. F.	1
84	191	Excessive Heat ... { M. F.	2
84	192	Lightning ... { M. F.	1 1
84	193	Other Accidents due to Electric Currents { M. F.	3 1	1	.	1
84	194	Attack by Venomous Animals. { M. F.
84	195	Other Accidents ... { M. F.	101 153	7 7	1 .	.	.	1 .	9 7	.	1	2	.	12 8
85	196	Deaths of Persons in Military Service during Operations at War { M. F.	1
85	197	Deaths of Civilians due to Operations of War. { M. F.
86	198	Legal Executions ... { M. F.
87	(199-200)	XVIII. Ill-defined Causes of Death. { M. F.	133 99	3 4	1 1	2 3	3 1	9 9
87	199	Sudden Death { M. F.	14 11
87	200	Causes of Death Unstated or Ill-defined. { M. F.	119 88	3 4	1 1	2 3	3 1	9 9

t different Periods of Life in the Year 1949.

ATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
1	1	1	1	174	84
.	.	2	1	.	.	1	.	3	.	.	3	1	175	84
.	.	3	.	1	.	2	1	.	1	176	84
.	1	.	.	1	.	.	.	1	177	84
1	1	.	.	.	2	1	1	178	84
.	1	.	1	.	1	.	.	1	.	1	.	179	84
.	.	1	1	1	.	.	.	2	180	84
.	1	1	1	.	.	181	84
2	1	1	.	1	.	1	1	.	1	.	.	3	2	5	1	.	182	84
3	1	.	.	1	3	1	8	13	4	.	183	84
.	1	1	.	.	.	184	84
6	7	16	11	8	8	6	10	4	7	8	4	4	4	2	.	.	185	84
.	.	1	.	1	.	.	1	2	1	.	2	3	3	1	.	.	186	84
.	.	3	1	3	.	2	1	1	2	2	187	84
.	.	.	1	188	84
.	189	84
.	190	84
.	2	191	84
.	.	.	.	1	192	84
1	.	.	1	.	.	1	.	.	1	193	84
.	194	84
2	1	3	1	2	.	2	2	5	4	5	7	9	12	26	7	1	195	84
1	1	2	.	.	1	1	.	1	1	2	7	9	29	61	29	1	196	85
.	197	85
.	198	86
2	.	2	2	1	2	3	7	15	9	15	40	24	1	1	.	.	(199)	87
1	1	2	1	1	3	2	8	7	7	10	25	22	-200)	87
.	2	2	1	.	1	6	1	1	.	.	199	87
2	.	2	2	1	2	3	3	2	8	15	4	2	200	87
1	1	2	1	1	3	2	5	5	7	10	21	20		

ABSTRACT V.

ABSTRACT V.—Causes of Death in IRELAND, by Sexes, Ages, and Places of Occurrence during the Year 1949.

No.	CAUSES OF DEATH, ETC.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	38,062	19,876 18,186	1,928 1,487	373 350	228 237	472 456	553 679	784 751	1,492 1,123	2,553 2,058	5,104 4,478	6,389 6,567	2,759 2,226	487 491	4,215 3,240	12,415 12,229	2,203 2,122
1	Typhoid Fever (including Para-typhoid),	12	4 8	1 1	1	.	1 1	1 2	1 1	.	3 3	.	.
2	Cerebro-spinal Meningitis	29	17 12	6 3	8 4	2 2	.	.	1 1	9 6	.	6 3	2 3	.
3	Scarlet Fever	12	4 8	2 .	1 3	1 3	.	1 1	2 3	.	2 2	.	1
4	Whooping Cough	130	54 76	41 52	12 22	1 2	25 27	.	4 7	25 42	2 8
5	Diphtheria	10	5 5	.	4 3	1 1	2 4	3 1	.
6	Tuberculosis of the Respiratory System.	2,142	1,120 1,022	6 2	6 14	11 24	170 234	242 309	200 180	224 118	164 70	84 59	13 12	422 356	85 68	214 189	399 409	9 2
7	All other forms of Tuberculosis	570	285 285	17 23	45 42	51 52	66 68	39 42	26 19	17 21	12 11	9 7	3 .	108 109	4 8	96 103	77 65	2 1
8	Dysentery	1	1	1	1
9	Influenza	280	156 124	20 6	8 1	1 .	.	4 2	.	9	17 20	47 39	50 40	10 5	3 1	18 11	125 107	22 20
10	Measles	56	27 29	11 6	13 11	3 9	8 9	.	7 6	12 13	.
11	Acute Infectious Encephalitis	26	13 13	.	1 3	1 3	1 1	.	3 1	.	4 1	2 .	1 .	2 2	.	5 6	6 4	1 .
12	Typhus	1
13	Cancer	4,161	2,214 1,947	1	6 6	3 4	9 6	19 35	94 128	239 268	470 472	850 638	523 390	405 325	28 26	546 381	1,235 1,215	25 16
14	Diabetes Mellitus	250	104 146	.	.	6 2	5 6	7 5	9 5	7 11	18 26	30 61	22 29	18 19	.	36 45	50 81	1 1

16	Intra-cranial Lesions of Vascular Origin.	2,842	1,262	1,580	1	2	1	6	7	30	66	189	509	455	119	22	285	836	69
16	Diseases of the Heart	10,016	3,265	4,751	13	25	47	135	381	293	246	1,900	1,898	1,084	293	195	1,084	3,693	187
17	Other Diseases of the Circulatory System.	1,020	488	532	1	2	5	17	35	62	76	186	172	135	62	16	135	275	17
18	Bronchitis	1,019	574	445	13	2	6	6	47	36	96	164	205	108	36	6	108	424	32
19	Pneumonia	1,329	711	618	71	16	8	12	46	127	62	109	112	147	87	11	147	426	24
20	Other Diseases of the Respiratory System.	576	326	250	6	6	6	16	52	43	71	87	71	58	43	7	58	218	10
21	Ulcer of the Stomach or Duodenum.	223	183	40	1	2	7	25	37	52	52	46	12	78	52	2	78	51	3
22	Diarrhoea and Enteritis	587	329	258	22	2	3	3	5	94	6	12	11	73	94	1	73	161	5
23	Appendicitis	94	55	39	6	7	8	7	8	21	3	7	3	28	21	1	28	6	2
24	Cirrhosis of the Liver	49	41	8	2	2	2	4	10	11	15	8	2	11	11	1	11	19	1
25	Diseases of the Liver and Biliary Passages.	157	56	101	2	1	5	7	7	16	9	22	6	12	16	1	12	28	1
26	Other Diseases of the Digestive System.	405	221	184	13	4	6	9	19	74	41	64	50	66	74	1	66	80	8
27	Nephritis	875	508	367	3	14	17	24	43	73	75	163	161	148	73	9	148	278	11
28	Puerperal Infection	18	18			1	8	9		7				3	7		3	8	4
29	Other Diseases of Childbirth	98	98			5	50	42	1	30				47	30		47	21	
30	Congenital Debility, etc. (Nos. 157-161).	1,955	1,118	837	25	10	2	1	1	343	1			330	343	1	330	444	71
31	Senility	5,591	2,669	2,922						25		384	2,285	227	25	39	227	2,378	1,548
32	Suicide	79	60	19		3	7	12	13	2	12	9	4		2	1		57	1,579
33	Other Violence	900	570	330	33	74	60	67	75	90	66	74	51	114	90	1	114	365	2
34	Other Causes	2,549	1,436	1,113	72	56	55	75	152	267	228	337	278	372	267	55	372	742	151

ABSTRACT V.—continued—Causes of Death for the PROVINCE OF LEINSTER, by Sexes, Ages, and Places of Occurrence during the Year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.		
			8,037 7,598	964 747	166 181	105 105	207 223	232 308	347 332	706 514	1,211 926	2,096 1,863	2,053 2,399	1,781 1,405	218 227	1,688 1,348	4,400 4,618	347 342
1	ALL CAUSES	15,685	1 4	1	.	.	1	1	.	1	1	1	.	.
2	Typhoid Fever (including Para-typhoid).	5	10 6	4 2	5 3	1 1	8 4	.	1 1	1 1	.
3	Cerebro-spinal Meningitis	16	4 5	2	1 3	1 1	.	.	1	2 3	.	2 2	.	.
4	Scarlet Fever	9	34 36	28 25	6 11	24 22	.	1 1	9 13	1
5	Whooping Cough	70	.	1	2	2	1	.
6	Diphtheria	3	536 490	2 1	1 4	4 9	72 116	112 151	97 85	113 55	86 33	44 32	5 4	233 184	22 16	81 77	200 213	1
7	Tuberculosis of the Respiratory System.	1,026	117 116	6 12	25 20	18 23	29 29	14 13	10 6	5 10	5 2	5 1	.	61 61	.	31 34	25 18	.
8	All other forms of Tuberculosis	233
9	Dysentery
10	Influenza	84	46 38	5 1	3 1	.	2	1 1	.	3 2	5 5	14 10	15 13	7 2	1	7 5	31 31	4 2
11	Measles	28	11 17	7 3	3 6	1 7	1	5 8	.	2	4 9	.
12	Acute Infectious Encephalitis	12	6 6	.	1 1	2	1	.	1 1	.	2	1	.	1 1	.	3 2	2 3	.
13	Typhus
14	Cancer	1,864	981 883	1	6 2	1	3 2	9 11	44 62	121 140	228 216	371 289	197 161	260 211	10 13	225 159	486 500	4 3
15	Diabetes Mellitus	107	41 66	.	.	2	4 2	2 2	1 3	3 6	4 13	18 33	7 7	11 10	.	14 22	16 33	1

15.	Intra-cranial Lesions of Vascular Origin.	1,225	513 712	.	.	2	.	2	4	22	26	81	204	174	85	10	113	305	13
16	Diseases of the Heart	4,376	2,250 2,126	.	.	10	9	12	19	64	175	412	810	748	201	111	481	1,457	49
17	Other Diseases of the Circulatory System.	503	243 260	.	.	1	1	7	1	11	23	48	94	71	47	8	75	113	4
18	Bronchitis ...	463	278 185	6	4	.	.	4	1	4	23	51	90	85	32	1	52	193	5
19	Pneumonia ...	637	344 293	30	36	8	7	3	3	3	24	33	43	49	98	2	65	179	8
20	Other Diseases of the Respiratory System.	270	148 122	3	3	.	3	5	3	5	27	41	36	27	28	2	31	188	3
21	Ulcer of the Stomach or Duodenum.	86	71 15	7	2	1	19	22	14	7	30	.	25	16	.
22	Diarrhoea and Enteritis	281	149 132	9	14	.	1	1	2	1	3	2	2	4	84	1	18	46	1
23	Appendicitis	35	19 16	2	3	3	3	3	4	3	2	3	1	1	9	.	7	3	2
24	Cirrhosis of the Liver	24	22 2	2	3	5	9	2	1	8	.	6	8	.
25	Diseases of the Liver and Biliary Passages.	61	25 36	1	1	.	.	2	.	2	3	5	10	2	11	.	4	10	1
26	Other Diseases of the Digestive System.	166	89 77	5	3	1	1	2	3	2	11	19	22	19	42	1	23	23	.
27	Nephritis ...	349	204 145	1	1	4	3	7	1	12	24	34	59	61	39	7	51	107	1
28	Puerperal Infection ...	9	9	1	5	3	5	.	.	4	.
29	Other Diseases of Childbirth ...	39	39	1	22	16	16	.	19	4	.
30	Congenital Dehility, etc. (Nos. 157-161).	982	553 429	12	8	4	3	.	1	232	1	141	179	15
31	Senility ...	1,320	586 734	105	481	13	15	73	485	201
32	Suicide ...	25	21 4	1	3	3	4	6	3	1	2	1	.	18	.
33	Other Violence	415	260 155	14	19	26	3	30	28	30	35	34	30	15	59	1	39	161	1
34	Other Causes	962	525 437	68	25	17	26	30	18	26	57	84	117	83	149	24	116	236	36
				49	33	26		19	36	34	45	68	80	47	110	15	75	237	25

ABSTRACT V—continued—Causes of Death for the Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
			753 687	87 66	14 27	5 14	25 24	31 16	32 27	65 46	126 90	165 165	203 212	226 188	27 16	106 54	394 429	1 2
1	ALL CAUSES ... M. F.	1,440 {	1	1	.	.	.	1	.	.
	Typhoid Fever (including Para-typhoid). M. F.	1 {
2	Cerebro-spinal Meningitis ... M. F.	2 {	1	1	1	1	.
3	Scarlet Fever ... M. F.	1 {	1	1	1
4	Whooping Cough ... M. F.	10 {	4	2	2	3	.	1	1	.
5	Diphtheria ... M. F.	.	6	3	3	4
6	Tuberculosis of the Respiratory System. M. F.	92 {	57	.	1	3	6	14	12	9	7	6	3	25	3	5	24	.
7	All other forms of Tuberculosis ... M. F.	20 {	35	2	1	1	2	7	5	6	3	1	1	15	.	8	12	.
8	Dysentery ... M. F.	.	8	2	3	1	4	1	2	1	.	.	.	4	.	2	2	.
9	Influenza ... M. F.	5 {	12	10
10	Measles ... M. F.	8 {
11	Acute Infectious Encephalitis ... M. F.	1 {	5	2	1	1	1	.	.	.	2	.	.	1	.	2	2	.
12	Typhus ... M. F.	.	2	.	.	1	1	2	.
13	Cancer ... M. F.	175 {	6	6	.
14	Diabetes Mellitus ... M. F.	14 {	1	1	1	.
			84	.	1	.	.	.	3	12	21	27	20	28	.	10	46	1
			91	.	1	.	.	.	4	12	22	31	21	35	1	6	49	.
			5	1	1	.	1	3	3	.	3	2	.
			9	6	1	4	.	.	2	.

15	Intra-cranial Lesions of Vascular Origin.	M. F.	117	48 69	1	.	3	4	7	10 18	8 27	26 13	12 14	3 5	33 50	1
16	Diseases of the Heart	... M. F.	407	215 192	.	.	1	1	1	2	2	1	15 12	46 27	71 51	78 95	30 18	35 19	136 145	.
17	(Other Diseases of the Circulatory System.	M. F.	56	29 27	3	1	3	3	5 9	15 13	8 2	4 2	16 23	.
18	Bronchitis M. F.	47	24 23	1	2	.	2	2	.	1	.	1	4 2	9 8	8 7	1 1	6	17 22	.
19	Pneumonia M. F.	57	29 28	12 7	2 3	2 1	1 1	1 1	.	.	1	2 1	5 1	.	5 7	9 6	6 1	13 20	.
20	(Other Diseases of the Respiratory System.	M. F.	33	20 13	.	1	.	.	.	1	1	.	4	3 3	8 2	4 5	5 3	5	9 10	.
21	Ulcer of the Stomach or Duodenum.	M. F.	11	8 3	2	2	2 2	2 1	5 1	.	3 2	.
22	Diarrhoea and Enteritis	... M. F.	25	18 7	11 4	1 2	.	.	.	1	1	.	1	2	1	1	12 7	1	5	.
23	Appendicitis	... M. F.	5	2 3	.	1	.	1	1	.	1	.	.	1	.	.	2 3	.	.	.
24	Cirrhosis of the Liver.	... M. F.	5	4 1	2	1	1	2	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. F.	8	4 4	1	.	1	.	1	1	2 1	1	4 1	1	2	.
26	Other Diseases of the Digestive System.	M. F.	26	15 11	2	1	1	1	1	1	.	.	3	3 1	3 5	3 2	11 7	3 1	1 3	.
27	Nephritis M. F.	27	17 10	.	.	.	1	1	2	2	1	4	2 2	4 1	4 4	7 1	2	7 9	.
28	Puerperal Infection F.
29	Other Diseases of Childbirth ...	F.
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	92	47 45	46 42	1	1	1	1	.	.	.	1	.	.	.	22 28	8 1	17 16	.
31	Senility M. F.	63	27 36	3 7	24 29	2 2	1 1	20 31	1
32	Suicide M. F.	5	4 1	2	1	.	.	1	4 1	.
33	Other Violence	... M. F.	43	32 11	5 2	4 3	.	1	1	6	2	.	5	2	7 2	.	8 4	3 1	21 6	.
34	Other Causes	... M. F.	84	43 41	5 2	5	2	11 3	3 2	.	1 3	4	10 7	6 5	6 5	6 8	22 21	7 4	12 14	.

ABSTRACT V—continued.—Causes of Death for the CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSE OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospla.		Mental Hos-pitals.	County Homes and Hospla. District Hospla. and Co. infirm-aries.	Else-where.
	ALL CAUSES	5,937	2,931 3,006	459 335	62 63	56 41	85 80	89 119	133 153	344 223	527 416	680 710	496 866	1,099 925	54 95	484 453	1,294 1,533	49 31
1	Typhoid Fever (including Para-typhoid).	1	1	1	1	.
2	Cerebro-spinal Meningitis	11	7 4	2 2	4 1	1 1	6 4	.	.	1	.
3	Scarlet Fever	4	2 2	1	1 2	2 2
4	Whooping Cough	44	23 21	20 15	3 6	20 17	.	.	3 4	.
5	Diphtheria
6	Tuberculosis of the Respiratory System.	458	265 193	2	2	4 3	36 43	47 56	40 38	63 27	49 11	22 11	2 2	128 100	9 7	28 16	100 70	.
7	All other forms of Tuberculosis	83	40 43	1 6	8 5	6 13	14 8	3 4	2 3	4 3	2 1	.	.	32 36	1	4 3	4 3	.
8	Dysentery
9	Influenza	19	6 13	2	1	.	2	.	2	1	3	2 1	1 4	3 1	.	1	3 11	.
10	Measles	16	6 10	6 3	6	1	4 8	.	1	2	.
11	Acute Infectious Encephalitis	5	2 3	.	1	.	.	.	1	1	1	1	.	1	.	1	2	.
12	Typhus
13	Cancer	747	372 375	1	2	.	.	5 6	16 31	61 59	101 98	129 113	57 68	159 126	1 4	60 50	152 195	.
14	Diabetes Mellitus	42	12 30	.	.	1	2	1	.	3	1 10	7 12	1 3	6 6	.	1 8	5 16	.

15	Intra-cranial Lesions of Vascular M. F. Origin.	454	166 288	1	8	13	36	75	35	48	.	37	81
16	Diseases of the Heart	1,676	784 892	.	.	6	3	9	28	74	173	257	228	129	28	174	453
17	Other Diseases of the Circulatory System.	212	88 124	.	.	.	1	.	4	14	20	30	23	31	1	32	24
18	Bronchitis ...	192	117 75	2	1	.	.	1	2	15	32	37	27	27	1	28	62
19	Pneumonia ...	306	175 131	86	13	4	2	3	2	16	14	17	18	79	.	26	70
20	Other Diseases of the Respiratory System.	113	65 48	1	3	.	1	2	4	10	26	10	8	17	1	9	38
21	Ulcer of the Stomach or Duodenum.	31	28 3	1	2	8	9	7	1	18	.	4	6
22	Diarrhea and Enteritis	136	74 62	51	1	.	1	1	1	1	1	1	2	61	1	3	10
23	Appendicitis	3	3	1	2	.	.	.	3	.	.	17
24	Cirrhosis of the Liver	10	9 1	1	2	3	2	1	.	4	.	2	3
25	Diseases of the Liver and Biliary Passages.	23	8 15	.	1	.	1	.	.	1	3	2	3	6	.	1	2
26	Other Diseases of the Digestive System.	60	27 33	1	1	.	.	.	1	4	6	7	8	14	.	5	8
27	Nephritis ...	112	51 61	1	.	1	1	1	4	7	9	18	9	15	1	5	30
28	Puerperal Infection ...	7	7	4	3	3	.	.	4
29	Other Diseases of Childbirth ...	13	13	.	.	.	1	5	7	13	.	.	.
30	Congenital Debility, etc. (Nos. M. F. 157-161).	418	242 176	228	6	5	2	2	155	1	31	56
31	Senility ...	226	78 148	20	58	7	4	1	66
32	Suicide ...	8	8	1	2	3	1	.	.	2	1	.	108
33	Other Violence ...	159	93 66	2	7	18	8	8	7	14	14	11	4	36	1	7	49
34	Other Causes ...	348	180 168	33	10	10	8	5	10	32	28	28	16	87	7	25	61
				18	11	11	5	13	12	21	31	28	18	72	4	16	76

ABSTRACT V—continued.—Causes of Death for the Administrative County of KILDARE, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES	771	411 360	49 38	13 15	4 3	12 15	12 17	19 18	34 26	54 40	112 72	102 116	53 37	8 8	95 62	255 253	18 11
1	Typhoid Fever (including Para-typhoid).	{
2	Cerebro-spinal Meningitis	{	1	.	1	1	.	.
3	Scarlet Fever	{	1	.	.	1	1	.	.
4	Whooping Cough	{	1	1
5	Diphtheria	{	1	.
6	Tuberculosis of the Respiratory System.	{	25 36	1	1 1	.	2 11	5 12	4 5	7 1	5 3	1 2	.	9 10	2	3 4	11 22	.
7	All other forms of Tuberculosis...	{	11 10	3 1	3 2	1 1	2 2	1 2	.	2	.	1	.	3 6	.	4 2	4 2	.
8	Dysentery	{
9	Influenza	{	5 4	1	1	2 1	2 2	.	.	2	5 2	.
10	Measles	{	1	1	1	.	.
11	Acute Infectious Encephalitis...	{
12	Typhus	{
13	Cancer	{	43 39	.	.	.	7 6	.	2 4	7 6	11 11	15 11	8 7	9 5	.	15 9	19 25	.
14	Diabetes Mellitus	{	3 2	.	.	.	2	.	.	2	.	1	.	.	.	2	1 2	.

15	Intra-cranial Lesions of Vascular M. F.	45	20	114	7	12	24	19	3	4	1	11	13	4	1	27	21	6	34	17
16	Diseases of the Heart	192	25	78	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
17	Other Diseases of the Circulatory M. F.	19	7	7	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
18	Bronchitis ...	42	24	18	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
19	Pneumonia ...	39	19	20	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
20	Other Diseases of the Respiratory M. F.	7	3	4	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
21	Ulcer of the Stomach or Duodenum.	1	1	1	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
22	Diarrhea and Enteritis	24	11	13	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
23	Appendicitis	4	4	4	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
24	Cirrhosis of the Liver	1	1	1	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
25	Diseases of the Liver and Biliary Passages.	1	1	1	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
26	Other Diseases of the Digestive M. F.	7	3	4	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
27	Nephritis ...	18	14	4	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
28	Puerperal Infection ...	4	4	4	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
29	Other Diseases of Childbirth ...	4	4	4	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
30	Congenital Debility, etc. (Nos. 157-161).	47	27	20	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
31	Senility ...	60	19	41	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
32	Suicide ...				12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
33	Other Violence ...	27	21	6	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17
34	Other Causes ...	51	34	17	12	18	20	4	3	4	1	14	13	4	1	19	21	6	34	17

ABSTRACT V—continued.—Causes of Death for the Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.				Un- certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospita. Hospita.	Mental Hos- pitals.	County Homes and Hospita. District Hospita. and Co. Infirm- aries.		Else- where.
	ALL CAUSES	875	481 394	51 39	7 8	1 4	5 5	15 16	18 9	37 18	65 43	125 110	157 142	57 17	19 9	126 88	279 280	16 33
1	Typhoid Fever (including Para- typhoid).	1	1								1			1				
2	Cerebro-spinal Meningitis																	
3	Scarlet Fever	1	1		1											1		
4	Whooping Cough	1	1	1													1	
5	Diphtheria	1	1															
6	Tuberculosis of the Respiratory System.	38	26 12				2 2	8 2	4 4	6 1	4 3	2		14 4	1	2	10 7	
7	All other forms of Tuberculosis	9	5 4		1 1			1 3	1		1			2 1		2 2	1 1	
8	Dysentery																	
9	Influenza	9	6 3							1	1	1	3 3	1		1	4 3	
10	Measles																	
11	Acute Infectious Encephalitis																	
12	Typhus																	
13	Cancer	73	42 31					1	1 2	1 4	9 8	17 11	13 6	4 2		9 8	29 21	
14	Diabetes Mellitus	4	2 2								2			1		1		

[illegible]

ABSTRACT V—continued.—Causes of Death for the Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospla.	Mental Hos-pitals.	County Homes and Hospls. and Co. Infirm-aries.		Else-where.	
	ALL CAUSES	665	373 292	31 28	4 5	1 7	10 4	9 11	13 17	23 19	44 26	112 77	126 98	34 10	7 11	91 81	241 190	34 23
1	Typhoid Fever (including Para-typhoid).	{
2	Cerebro-spinal Meningitis	{	1	1	1
3	Scarlet Fever	{
4	Whooping Cough	{
5	Diphtheria	{
6	Tuberculosis of the Respiratory System.	{	16 16	.	.	1	4 1	4 7	2 3	3 3	3 1	.	.	9 5	1 1	1 4	5 6	.
7	All other forms of Tuberculosis...	{	4 4	.	2	.	1 1	1 1	2 4	2	.
8	Dysentery	{
9	Influenza	{	8 5	1	.	.	.	1 1	.	2	1	2 2	3	1	.	3	4 5	.
10	Measles	{	1	.	.	1	1	.
11	Acute Infectious Encephalitis...	{	1	1	1	.
12	Typhus	{
13	Cancer	{	48 23	2 2	2 4	9 4	20 9	15 4	4 3	.	16 7	28 13	.
14	Diabetes Mellitus	{	2 2	1	.	.	1 1	1	.	.	1	2 1	.

[illegible]

ABSTRACT V—continued.—Causes of Death for the Administrative County of Louth, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths		
			All Ages.	Under 1 year.	1-5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls., and Co. Infir-maries.
	ALL CAUSES	849	440 409	49 30	13 7	6 6	10 20	12 17	29 13	31 32	44 49	128 118 117	53 33	17 14	109 90	261 272	13 11
1	Typhoid Fever (including Para-typhoid).	{ M. F. }
2	Cerebro-spinal Meningitis	{ M. F. }
3	Scarlet Fever	{ M. F. }
4	Whooping Cough	{ M. F. }	2	2	2	.
5	Diphtheria	{ M. F. }	1	.	1	1	.	.
6	Tuberculosis of the Respiratory System.	{ M. F. }	29 38	.	.	.	3 14	8 10	8 5	6 4	3 1	1 3	5 4	1 1	10 13	13 20	.
7	All other forms of Tuberculosis.	{ M. F. }	6 6	1 1	2 1	1	2 2	.	.	.	1	.	4 2	.	2	2	.
8	Dysentery	{ M. F. }
9	Influenza	{ M. F. }	1	1	1	.
10	Measles	{ M. F. }
11	Acute Infectious Encephalitis	{ M. F. }	1	.	.	1	1	.	.
12	Typhus	{ M. F. }
13	Cancer	{ M. F. }	65 59	.	.	.	1	1	7 2	5 11	10 12	29 22	11 5	3	16 18	35 36	1
14	Diabetes Mellitus	{ M. F. }	4 5	1	3 4	1	.	1 3	2 1	.

ABSTRACT V—continued.—Causes of Death for the Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	6-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and Hospls. District Hospls., and Co. Infirm-aries.
	ALL CAUSES	827	426 401	35 32	10 9	3 4	10 13	11 17	15 26	29 26	63 43	121 91	44 23	6 21	118 95	258 262	29 29
1	Typhoid Fever (including Para-typhoid).	1	1						1					1			
2	Cerebro-spinal Meningitis																
3	Scarlet Fever																
4	Whooping Cough	2	2	1												2	
5	Diphtheria ...																
6	Tuberculosis of the Respiratory System.	50	22 28				1 8	9	5 6	7	6 2	3 3	1 1	1 3	15 14	5 10	
7	All other forms of Tuberculosis ...	12	6 6		1 1	1 1	2 1	2 1		2			4 1	2	1 3	1	
8	Dysentery ...																
9	Influenza ...	2	1 1									1 1				1 1	
10	Measles ...																
11	Acute Infectious Encephalitis ...																
12	Typhus ...																
13	Cancer ...	105	59 46		1				1 5	6 7	13 10	22 14	8 4	1 1	19 13	31 28	1
14	Diabetes Mellitus ...	3	2 1						1			1			2	1	

15	Intra-cranial Lesions of Vascular M. F. } Origin.	72	33	1	1	2	1	1	4	.	13	16	1
16	Diseases of the Heart	224	39	1	1	.	1	1	.	1	10	28	1
17	Other Diseases of the Circulatory M. F. } System.	37	105	1	1	3	6	2	5	.	21	79	9
18	Bronchitis ...	22	119	1	5	.	2	2	5	.	26	79	1
19	Pneumonia ...	22	22	2	.	1	4	.	.	5	15	.
20	Other Diseases of the Respiratory M. F. } System.	16	15	2	2	.	.	2	13	.
21	Ulcer of the Stomach or Duo- M. F. } denum.	9	13	1	2	1	1	.	.	10	.
22	Diarrhoea and Enteritis ... M. F. } ...	7	9	9	.
23	Appendicitis ...	10	10	5	6	.
24	Cirrhosis of the Liver ... M. F. } ...	2	6	2	4	.
25	Diseases of the Liver and Biliary M. F. } Passages.	2	6	1	6	1
26	Other Diseases of the Digestive M. F. } System.	6	3	2	.
27	Nephritis ...	31	5	2	1	.	.	.	1	.
28	Puerperal Infection	4
29	Other Diseases of Childbirth	2
30	Congenital Debility, etc. (Nos. M. F. } 157-161).	44	19	1	1	.	.	.	12	.
31	Senility ...	66	12	2	2	3	.	6	8	.
32	Suicide ...	1
33	Other Violence ...	28	22	20	1	1	.
34	Other Causes ...	75	22	21	1	10	2
			28	34	19
			1	1	.
			17	1	12	.
			11	1	8	.
			44	3	3	1	1	2	2	5	3	1	1	1	3	.	2	25	6
			31	4	4	1	1	1	1	4	3	4	4	4	2	.	6	21	6

ABSTRACT V—continued.—Causes of Death for the Administrative County of OFFALY, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	(CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals,		County Homes and District Hospls., and Co. Infir-maries.	Else-where.
	ALL CAUSES	697	393 304	30 26	5 8	8 1	4 8	10 16	19 12	31 21	44 25	127 74	115 113	40 25	13 4	90 60	250 215	40 47
1	Typhoid Fever (including Para-M. typhoid).	{
2	Cerebro-spinal Meningitis	{
3	Scarlet Fever	{
4	Whooping Cough	{	1	1	1
5	Diphtheria	{
6	Tuberculosis of the Respiratory System.	{	15 20	.	.	.	3	4 10	5 1	2 4	2 1	2 1	.	4 8	.	3 1	8 11	1
7	All other forms of Tuberculosis	{	10 4	.	1 2	2 1	1 1	2 .	1 .	1 .	1 .	2 .	.	3 .	.	6 2	1 2	.
8	Dysentery	{
9	Influenza	{
10	Measles	{
11	Acute Infectious Encephalitis	{	1	1	1
12	Typhus	{
13	Cancer	{	52 32	.	.	.	1	2	1 1	9 6	7 5	19 14	13 6	7 3	.	15 9	30 20	1
14	Diabetes Mellitu	{	2 4	2	.	2 2	.	.	.	1 1	1 3	.

15	Intra-cranial Lesions of Vascular M. F.	50	31 19	20 17	4 2	3 1
16	Diseases of the Heart	168	112 56	1	.	.	2	4 3	16 7	9 2	7 2	2	4 1	75 48	25 4	7 3
17	Other Diseases of the Circulatory M. F.	9	4 5	4 3	1 3	1 1
18	Bronchitis ...	15	13 2	1 1	2	.	8 1	.	1	10 2	2	.	1
19	Pneumonia ...	23	13 10	4 2	1 3	2	2	1 2	.	.	10 8	3 1	.	.
20	Other Diseases of the Respiratory M. F.	7	3 4	1	1 1	1 1	1 1	.	.	1 2	1 2	.	.	.
21	Ulcer of the Stomach or Duo- denum.	6	4 2	1	3 1	.	.	.	1 1	1 1	.	.	.
22	Diarrhoea and Enteritis	11	7 4	3 3	1	1	3 2	3 1	.	.	.
23	Appendicitis ...	4	1 3	1	.	.	.	1 1	1 2	.	.	.
24	Cirrhosis of the Liver	1	1	1	.	.	.	1	.	.	.
25	Diseases of the Liver and Biliary Passages.	3	2 1	2 1	.	1 1	1 1	.	.	.
26	Other Diseases of the Digestive M. F.	6	3 3	1	1 1	1 1	1 1	.	2	1 3	.	.	.
27	Nephritis ...	21	15 6	1 1	3 1	1 3	4 2	2 2	.	2	6 1	7 5	.	1
28	Puerperal Infection
29	Other Diseases of Childbirth ...	2	2	1	1	.	1	.	.	.
30	Congenital Debility, etc. Nos. M. F. 157-161.	34	19 15	19 15	2 2	10 6	7 7	2 2	.
31	Senility ...	140	56 84	7 19	49 65	1	7 16	49 67	23 35	.
32	Suicide ...	4	1 3	1 1	1 3	.	.
33	Other Violence ...	11	6 5	2 1	1 1	1	.	.	.	2	1	1	.	5 3	5 3	.	.
34	Other Causes ...	41	22 19	1 2	2 4	1 3	2 2	2 2	12 4	2	2 2	4 10	14 7	2 1	.

ABSTRACT V—*contd.*—Causes of Death for the Administrative County of WESTMEATH, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-16	25-15	35-12	45-25	55-37	65-77	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County homes and District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES	704	370 334	28 22	5 8	2 4	11 16	9 15	19 12	24 25	49 37	106 77	117 118	30 21	13 14	117 79	210 220	29 32
1	Typhoid Fever (including Para-typhoid).	1	1	1	1	.	.
2	Cerebro-spinal Meningitis
3	Scarlet Fever	1	1	1	1	.	.
4	Whooping Cough	1	1	.	1	1	.
5	Diphtheria
6	Tuberculosis of the Respiratory System.	42	22 20	.	.	.	4 8	6 5	5 2	3 2	2 2	2 1	.	15 11	1	2 1	4 8	.
7	All other forms of Tuberculosis	15	6 9	.	1 1	.	3 4	.	1	1	1	4 5	2 4	.
8	Dysentery
9	Influenza	4	3 1	.	1	2 1	.	.	.	1	2 1	.
10	Measles
11	Acute Infectious Encephalitis
12	Typhus
13	Cancer	73	40 33	.	1	.	1 1	.	3 2	1 8	7 7	19 8	9 6	7 4	1	17 6	15 23	1 1
14	Diabetes Mellitus	5	3 2	.	.	.	1	1	.	.	1	1	2 1	.

No.	Disease	M.	F.	Total
15	Intra-cranial Lesions of Vascular Origin.	69	25	94
16	Diseases of the Heart	174	94	268
17	Other Diseases of the Circulatory System.	21	11	32
18	Bronchitis ...	15	10	25
19	Pneumonia ...	20	10	30
20	Other Diseases of the Respiratory System.	7	2	9
21	Ulcer of the Stomach or Duodenum.	3	3	6
22	Diarrhoea and Enteritis ...	3	1	4
23	Appendicitis ...	3	1	4
24	Cirrhosis of the Liver	.	.	.
25	Diseases of the Liver and Biliary Passages.	2	2	4
26	Other Diseases of the Digestive System.	6	3	9
27	Nephritis ...	20	16	36
28	Puerperal Infection
29	Other Diseases of Childbirth ...	7	7	14
30	Congenital Debility, etc (157-161).	35	21	56
31	Senility ...	108	59	167
32	Suicide ...	1	1	2
33	Other Violence ...	16	8	24
34	Other Causes ...	52	28	80

ABSTRACT V—continued.—Causes of Death for the Administrative County of WEXFORD, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.	Else-where.
			624 594	62 55	15 13	13 9	15 14	9 27	13 21	35 36	85 77	195 146	182 196	47 45	22 16	156 116	399 417	22 40
1	ALL CAUSES	1,218 { ... M. ... F.																
	Typhoid Fever (including Para-typhoid).	{ ... M. ... F.																
2	Cerebro-spinal Meningitis	{ ... M. ... F.																
3	Scarlet Fever	{ ... M. ... F.	1		1											1		
4	Whooping Cough	{ ... M. ... F.	1 1	1 1												1	1	
5	Diphtheria	{ ... M. ... F.																
6	Tuberculosis of the Respiratory System.	{ ... M. ... F.	25 32			2	8 7	5 10	2 7	4 4	5 2	1		13 17		1 3	11 12	
7	All other forms of Tuberculosis	{ ... M. ... F.	10 3	1	3 1	3 1	2	1	1					3		3 3	4	
8	Dysentery	{ ... M. ... F.																
9	Influenza	{ ... M. ... F.	5 2									3	2 1	1 1			4 1	
10	Measles	{ ... M. ... F.																
11	Acute Infectious Encephalitis	{ ... M. ... F.	2 1		1	1	1									2 1		
12	Typhus	{ ... M. ... F.																
13	Cancer	{ ... M. ... F.	72 64		1	1	1	2	1 4	6 11	15 18	38 21	9 8	10 7		3 3	39 38	
14	Diabetes Mellitus	{ ... M. ... F.	3 5									2 1	1 1			2 3	1 2	1

ABSTRACT V—contd.—Causes of Death for the Administrative County of WICKLOW, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un- certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospitals.	Mental Hos- pitals.		County Homes and District Hospitals, and Co. Infir- maries.	Else- where.
	ALL CAUSES	792	399 393	39 37	5 9	4 4	8 7	12 16	16 13	22 24	59 42	98 108	136 133	60 55	10 9	76 56	253 273	11 17
1	Typhoid Fever (including Para-typhoid),	{ M. F.
2	Cerebro-spinal Meningitis	{ M. F.
3	Scarlet Fever	{ M. F.
4	Whooping Cough	{ M. F.	3	3	1	.	.	2	.
5	Diphtheria	{ M. F.	1	.	1	1	.
6	Tuberculosis of the Respiratory System.	{ M. F.	13 28	.	.	.	3 2	5 11	2 5	1 2	3	2 5	.	5 7	1 1	3 2	4 18	.
7	All other forms of Tuberculosis	{ M. F.	6 9	2	1 2	1 1	.	2	1 1	1	.	1	.	2 3	.	2 5	2 1	.
8	Dysentery	{ M. F.
9	Influenza	{ M. F.	1 4	2	1	.	.	.	1 4	1
10	Measles	{ M. F.	1	1	1
11	Acute Infectious Encephalitis	{ M. F.
12	Typhus	{ M. F.
13	Cancer	{ M. F.	51 51	5 2	7 5	13 14	14 19	12 11	8 11	1 1	8 8	34 31	.
14	Diabetes Mellitus	{ M. F.	2 2	.	.	1	.	1	2 1	.	1

ABSTRACT V—contd.—Causes of Death for the PROVINCE OF MUNSTER, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES	12,295	6,452 5,843	615 479	131 108	77 84	144 136	187 203	250 236	464 339	851 675	1,651 1,468	2,082 2,115	600 499	137 148	1,651 1,234	4,064 3,962	678 678
1	Typhoid Fever (including Para-typhoid).	2	2	1	.	.	.	1	.	.	2	.	.
2	Cerebro-spinal Meningitis	10	5 5	1 1	3 1	1	.	.	1 1	.	.	1	.	1 1	.	4 2	.	2
3	Scarlet Fever
4	Whooping Cough	36	9 27	4 20	5 5	2	4	.	2 5	7 18	1 4
5	Diphtheria	4	2 2	.	1 1	1 1	1 2	1	.
6	Tuberculosis of the Respiratory System.	673	357 316	2	1 7	2 12	55 74	80 88	61 53	73 43	54 23	24 13	5 3	101 93	39 29	95 81	122 113	5 1
7	All other forms of Tuberculosis	197	89 108	7 9	14 18	22 21	15 22	13 17	5 6	7 3	3 8	2 4	1	20 25	3 2	39 51	27 30	1
8	Dysentery
9	Influenza	88	47 41	5 2	1	1	.	1	.	2 1	7 7	16 17	14 11	2 3	.	2 2	43 36	3 4
10	Measles	25	15 10	3 3	10 4	2 2	1	.	2 1	.	5 6	8 2	.
11	Acute Infectious Encephalitis	6	3 3	.	.	1 1	.	1	1	.	.	.	1	1 1	.	1	1	.
12	Typhus
13	Cancer	1,261	691 570	.	3	1 2	4 1	7 12	29 42	79 65	140 151	251 179	180 115	95 74	6 7	214 131	376 358	3 4
14	Diabetes Mellitus	86	33 53	1	.	2 2	.	1 3	6 2	1 4	10 11	6 14	7 13	3 7	.	14 18	16 28	.

[illegible]

ABSTRACT V—continued.—Causes of Death for the Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.	Else-where.				
	ALL CAUSES	...	M. ... F.	1,127 {	625 502	45 37	10 9	8 7	21 9	17 22	22 16	41 27	79 57	134 122	248 196	63 45	21 6	130 84	411 367	131 110	
1	Typhoid Fever (including Para-typhoid).	{	M. ... F.
2	Cerebro-spinal Meningitis	1 {	M. ... F.	.	1	1	.	.	.
3	Scarlet Fever	{	M. ... F.
4	Whooping Cough	3 {	M. ... F.	1	2	1	.	1	1	2
5	Diphtheria ...	2 {	M. ... F.	.	.	.	1	1	2	.	.	.
6	Tuberculosis of the Respiratory System.	73 {	M. ... F.	45 28	.	1	2	9 5	10 11	8 6	6 2	4 1	.	14 10	8	10 7	13 11
7	All other forms of Tuberculosis	26 {	M. ... F.	13 13	2 1	2 2	2 1	4 2	2 5	1 .	1 .	.	.	5 3	6 8	2 2
8	Dysentery ...	{	M. ... F.
9	Influenza ...	6 {	M. ... F.	3 3	2	1	.	1	1 1	.	.	3 3	.	.	2 1	.
10	Measles ...	{	M. ... F.
11	Acute Infectious Encephalitis	1 {	M. ... F.	1	1	.	1
12	Typhus ...	{	M. ... F.
13	Cancer	101 {	M. ... F.	56 45	2 3	9 6	13 14	17 16	15 6	9 4	1	19 3	28 37	1	.
14	Diabetes Mellitus	2 {	M. ... F.	1	1

ABSTRACT V—continued.—Causes of Death for the Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.				Un-certified Deaths.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.		General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	3,667	1,951 1,716	159 113	30 23	21 21	42 41	54 62	68 70	152 97	267 201	505 428	653 660	190 163	38 29	518 374	1,205 1,150	178 197
1	Typhoid Fever (including Para-M. typhoid).																	
2	Cerebro-spinal Meningitis	6	3 3	1 .	2 1	.	.	.	1	.	.	1	.	.	.	3	2	.
3	Scarlet Fever																	
4	Whooping Cough	5	3 2	1 2	2	1	2	.
5	Diphtheria	2	2	.	1	1	1	1	.
6	Tuberculosis of the Respiratory System.	199	113 86	1 .	1 1	2	16 23	23 28	17 12	28 10	19 5	7 4	2 1	34 31	11 7	29 19	39 29	2
7	All other forms of Tuberculosis	53	28 25	1 4	5 4	10 7	3 4	3 3	1 1	1 1	3 1	1 .	.	6 6	.	17 13	5 6	.
8	Dysentery																	
9	Influenza	25	11 14	1	4	3 8	3 5	.	.	1	10 11	1
10	Measles	3	3	1	2	1	2	.
11	Acute Infectious Encephalitis	2	1 1	1	.	1	1	1	.
12	Typhus																	
13	Cancer	380	207 173	.	.	1 1	1 1	3 5	9 13	19 22	35 39	77 50	62 42	24 31	1	54 48	128 94	1 2
14	Diabetes Mellitus	28	8 20	.	.	1	1	.	1 2	.	5 4	1 7	.	1 7	.	4 6	3 7	.

15	295	Intra-uterine Lesions of vascular Origin.	M. F.	155
----	-----	---	-------	-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

ABSTRACT V—continued.—Causes of Death for the Administrative County Borough of Cork, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un- certified Deaths		
			All Ages	Under 1 year.	1-5	5- 13	15- 12	25- 18	35- 25	45- 36	55- 85	65- 133	75 years and up.	General and Special Hosp's.	Mental Hos- pitals.		County Homes and Hosp's. District Hosp's. and Co. Infirm- aries.	Else- where.
	ALL CAUSES	1,058	506 552	70 59	11 15	6 13	9 12	11 18	22 25	50 36	97 85	132 133	98 156	100 124	7 6	151 140	248 282	1
1	Typhoid Fever (including Para- typhoid).	{ M. F.}																
2	Cerebro-spinal Meningitis	{ M. F.}																
3	Scarlet Fever	{ M. F.}																
4	Whooping Cough	{ M. F.}	4	3	1									3			1	
5	Diphtheria	{ M. F.}																
6	Tuberculosis of the Respiratory System.	{ M. F.}	31 42	1	2	3	4 8	4 9	5 5	11 9	3 5	3 1		15 21	3	6 11	7 10	
7	All other forms of Tuberculosis	{ M. F.}	4 9	1 2	1 2	1 3	1	1				1		7		2 1	2 1	
8	Dysentery	{ M. F.}																
9	Influenza	{ M. F.}	3 3								1 2	2 1		1			2 3	
10	Measles	{ M. F.}	3 2	1 1	2 1									1		2 1	1	
11	Acute Infectious Encephalitis	{ M. F.}	1					1							1			
12	Typhus	{ M. F.}																
13	Cancer	{ M. F.}	54 54				1	2 1	3 7	6 6	15 18	19 16	8 6	19 18		14 16	21 20	
14	Diabetes Mellitus	{ M. F.}	2						1			1				2		

15	Intra-cranial Lesions of Vascular Origin.	M. F.	81	36 45	1	2	4	6	14	9	11	21
16	Diseases of the Heart	... M. F.	340	147 193	.	.	3	.	.	.	2	6	14	34	54	36	33	30
17	Other Diseases of the Circulatory System.	M. F.	21	8 13	1	3	4	3	98
18	Bronchitis M. F.	50	27 23	3	10	8	6	11	15
19	Pneumonia M. F.	31	14 17	9 5	1 2	.	1	.	.	1	1	.	3	.	1	4	19
20	Other Diseases of the Respiratory System.	M. F.	20	15 5	1	1	2	4	5	2	1	4
21	Ulcer of the Stomach or Duodenum.	M. F.	6	4 2	1	2	.	1	.	1	2	1
22	Diarrhoea and Enteritis	... M. F.	43	28 15	25 11	2 2	1	.	.	1	.	16	7
23	Appendicitis	... M. F.
24	Cirrhosis of the Liver	... M. F.
25	Diseases of the Liver and Biliary Passages.	M. F.	3	1	.	.	2	.	3
26	Other Diseases of the Digestive System.	M. F.	21	9 12	1	.	2	1	1	3	3	1	3	4
27	Nephritis	... M. F.	15	11 4	.	1	1	.	.	.	1	.	.	3	4	3	5	4
28	Puerperal Infection	... F.	1	1	1	.	.	.	1	.	.	1
29	Other Diseases of Childbirth	... F.
30	Congenital Debility, etc. (Nos. M. F. 157-161).	M. F.	56	28 25	27 27	1	1	18 13	3 8	7 7
31	Senility	... M. F.	53	21 32	3	2	8	11
32	Suicide	... M. F.	2	1 1	.	.	.	1	1
33	Other Violence	... M. F.	21	14 7	1	.	2	1	.	.	3	1	1	2	1	3	4	7
34	Other Causes	... M. F.	32	46 56	5 7	3 5	.	1	.	.	.	2	8	11	11	5	18	23
													1	6	9	13	8	15

ABSTRACT V—continued.—Causes of Death for the Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and up	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES	1,762	942 820	78 55	26 15	11 13	22 17	32 32	39 30	53 50	110 71	232 209	339 328	64 48	22 18	238 160	618 594	198 203
1	Typhoid Fever (including Para-M. typhoid).	2	2	1	.	.	.	1	.	.	2	.	.
2	Cerebro-spinal Meningitis	1	1	.	1	1	.	.
3	Scarlet Fever
4	Whooping Cough	12	3 9	1 6	2 2	1	1 5	2 4	1 2
5	Diphtheria
6	Tuberculosis of the Respiratory System.	95	51 44	.	1 2	1 3	9 8	14 15	7 4	8 7	8 2	3 3	.	19 21	5 6	9 7	18 10	1
7	All other forms of Tuberculosis	20	12 8	2	2 2	3 1	3 3	.	1 1	1	1	.	.	3	1	4 5	4 3	1
8	Dysentery
9	Influenza	12	7 5	2 2	1	.	.	4 1	1	1	.	.	6 5	1 2
10	Measles	12	7 5	1 2	5 2	1	1	.	.	1	3	5 1	.
11	Acute Infectious Encephalitis
12	Typhus
13	Cancer	161	99 62	.	.	1	.	1 1	7 2	12 9	25 13	34 20	20 16	10 4	1 1	37 19	51 38	4
14	Diabetes Mellitus	17	8 9	.	.	1	.	1	2	.	1	.	4	.	.	4 4	4 5	.

ABSTRACT V—contd.—Causes of Death for the Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1949.

No	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-	15	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm aries.	Else-where.	
	ALL CAUSES	1,253	645 608	70 66	15 10	10 8	13 17	18 20	27 25	43 22	67 66	175 158	207 216	38 31	14 31	141 102	452 444	57 62
1	Typhoid Fever (including Para-typhoid).	{ M. F. }
2	Cerebro-spinal Meningitis	{ M. F. }
3	Scarlet Fever	{ M. F. }
4	Whooping Cough	{ M. F. }	1 2	1 2	1 2	.
5	Diphtheria	{ M. F. }
6	Tuberculosis of the Respiratory System.	{ M. F. }	24 33	.	.	1 1	3 7	7 7	5 8	3 4	4 3	2 2	.	4 2	1 8	9 10	10 13	1 1
7	All other forms of Tuberculosis	{ M. F. }	9 13	1 1	1 1	2 2	2 3	3 2	.	1 1	.	2 1	.	3 1	.	4 1	3 8	.
8	Dysentery	{ M. F. }
9	Influenza	{ M. F. }	7 7	1	1	1	.	.	1	.	1	1 2	3 3	.	.	2 2	7 5	.
10	Measles	{ M. F. }
11	Acute Infectious Encephalitis	{ M. F. }	1	.	.	1	1
12	Typhus	{ M. F. }
13	Cancer	{ M. F. }	55 64	3	2 1	9 5	11 20	19 24	14 11	3 4	1 2	12 7	39 51	1 1
14	Diabetes Mellitus	{ M. F. }	5 8	1	.	.	.	1	2	.	1 1	2 1	.	.	.	1 3	4 5	.

15	Intra-cranial Lesions of Vascular Origin.	M. F.	84	33 51
----	---	-------	----	----------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.		Else-where.	
	ALL CAUSES	525 { M. ... F. ...	265 260	44 29	12 13	7 4	7 13	10 13	12 15	35 21	39 37	55 66	44 49	48 26	2 11	96 75	119 148	2 4
1	Typhoid Fever (including Para-typhoid).	{ M. F.
2	Cerebro-spinal Meningitis	1 { M. F.	1	1	1
3	Scarlet Fever	{ M. F.
4	Whooping Cough	5 { M. F.	.	3	2
5	Diphtheria	{ M. F.
6	Tuberculosis of the Respiratory System.	53 { M. F.	25 28	.	.	1	3 9	8 7	3 6	5 2	4 3	1	1	2	.	17 12	6 14	.
7	All other forms of Tuberculosis...	15 { M. F.	7 8	.	2 2	4 1	.	1 1	1 1	.	1	.	.	4 2	.	2 4	1 2	.
8	Dysentery	{ M. F.
9	Influenza	1 { M. F.	1	1	.
10	Measles	{ M. F.
11	Acute Infectious Encephalitis...	1 { M. F.	1	.	.	1	1
12	Typhus	{ M. F.
13	Cancer	65 { M. F.	35 30	.	.	.	1	1	2	9 5	8 6	10 10	7 6	7 4	.	17 8	11 18	.
14	Diabetes Mellitus	3 { M. F.	3	1	.	2	.	.	2	1	.

ABSTRACT V—continued.—Causes of Death for the Administrative County of TIPPERARY (N.R.), by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un- certified Deaths
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospita.	Mental Hos- pitals.	County Homes and District Hospita. and Co. Infir- maries.	Else- where.		
	ALL CAUSES	778	427 351	37 32	6 3	2 7	9 9	15 10	15 15	17 19	48 36	125 85	153 135	39 17	1 7	115 80	272 247	46 38
1	Typhoid Fever (including Para-typhoid).	{ M. F. }
2	Cerebro-spinal Meningitis	{ M. F. }	1	.	.	1	1	.	.
3	Scarlet Fever	{ M. F. }
4	Whooping Cough	{ M. F. }	1	1
5	Diphtheria	{ M. F. }
6	Tuberculosis of the Respiratory System.	{ M. F. }	18 13	.	.	.	5 4	5 2	5 4	1 2	2 1	.	.	10 6	1 1	4 1	3 5	.
7	All other forms of Tuberculosis	{ M. F. }	4 7	.	.	1	2	3 2	1	.	1	1	.	1 1	.	2 6	1	.
8	Dysentery	{ M. F. }
9	Influenza	{ M. F. }	9 4	1	.	3 2	5 2	.	.	1	8 4	.
10	Measles	{ M. F. }	1	.	.	1	1	.	.
11	Acute Infectious Encephalitis	{ M. F. }
12	Typhus	{ M. F. }
13	Cancer	{ M. F. }	47 37	1	1 2	1 2	9 14	21 9	15 9	8 5	.	15 11	24 21	1
14	Diabetes Mellitus	{ M. F. }	1 5	.	.	2	1	1 2	.	.	.	2	1 3	.

ABSTRACT V—continued.—Causes of Death for the Administrative County of TIPPERARY, (S.R.), by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.		Else-where.	
	ALL CAUSES	1,092	572 520	59 39	9 13	6 5	9 7	16 11	18 15	38 40	71 65	157 137	189 188	27 17	11 16	122 112	412 375	41 32
1	Typhoid Fever (including Para-typhoid).	{
2	Cerebro-spinal Meningitis	{
3	Scarlet Fever	{
4	Whooping Cough	{	1	1	1	.
5	Diphtheria	{
6	Tuberculosis of the Respiratory System.	{	25 20	.	.	.	4 3	5 6	5 3	5 4	2 3	2 1	2	2 1	4 3	6 7	13 9	1
7	All other forms of Tuberculosis	{	8 15	1 1	5	3	1 3	1 1	2	3	1	1	.	.	.	1 10	7 5	.
8	Dysentery	{
9	Influenza	{	6 3	1	.	1	2	1 2	2	.	.	.	6 3	.
10	Measles	{
11	Acute Infectious Encephalitis	{
12	Typhus	{
13	Cancer	{	78 57	.	1	.	.	1	1 5	7 7	12 16	30 18	27 10	8 2	1 3	19 10	50 42	1
14	Diabetes Mellitus	{	3 6	.	.	.	1	1	.	1	1 2	.	3	.	.	1	2 6	.

15	Intra-cranial Lesions of Vascular Origin.	105	35 70	1	1	6	13	2	18 19	15 30	2	.	12 17	21 52	.	1
16	Diseases of the Heart	322	171 151	3	4	3	12 7	29 15	67 69	56 66	3 2	.	2	39 38	127 111	10 4	.
17	Other Diseases of the Circulatory System.	15	8 7	1	.	.	2	3	2	2	1	.	1	7	.	.
18	Bronchitis ...	23	15 8	.	1	1	7	1	3	5	.	.	1	14	1	.
19	Pneumonia ...	33	19 14	4 2	2 3	.	2	1	2	1	3	5	.	1	4	15	1	.
20	Other Diseases of the Respiratory System.	11	6 5	1	1	1	.	2	1	.	.	4	1	.	2	13	.	.
21	Ulcer of the Stomach or Duodenum.	3	3	1	.	.	2	.	.	1	1	4	.	.
22	Diarrhoea and Enteritis	15	19 5	9 4	1	.	1	1	.	1	.	10	3	.	.
23	Appendicitis	1	1	1	.	.	1	.	.	.
24	Cirrhosis of the Liver
25	Diseases of the Liver and Biliary Passages.	4	1 3	1	1	.	1	1	.	1	1	.	.
26	Other Diseases of the Digestive System.	11	7 4	2	1 1	1	1	.	3	2	.	.	3	4	.	.
27	Nephritis ...	29	16 13	1	1	1 3	3 2	6 3	5 3	.	1	.	4	12	.	.
28	Puerperal Infection
29	Other Diseases of Childbirth ...	3	3	2	1	1	.	1	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	62	38 24	35 22	1 1	2 1	5 5	.	15 12	18	2	.
31	Senility ...	138	63 75	7 13	56 62	1	2 2	2	58	25 24	.
32	Suicide ...	2	2	2	.	.
33	Other Violence	18	15 3	1	1	1	1	3	.	1	1	1	1	2	4	2	1	.	4	11	2	.	.
34	Other Causes	75	44 31	7 7	3 2	1 1	1	1	.	2	2	2	7	5	11	10	.	5	2	8	29	1	2

ABSTRACT V—continued—Causes of Death for the Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un- certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up	General and Special Hospis.	Mental Hos- pitals.	County Homes and District Hospis. and Oo- Infirm- aries.		Else- where.	
	ALL CAUSES	678 {	348 330	35 28	5 6	3 4	10 6	10 8	14 18	24 15	42 37	97 83	108 125	16 14	17 18	98 62	217 236	25 26
1	Typhoid Fever (including Para-typhoid).	{
2	Cerebro-spinal Meningitis	{
3	Scarlet Fever	{
4	Whooping Cough	{
5	Diphtheria	{
6	Tuberculosis of the Respiratory System.	28 {	17 11	.	1	1	2 3	4	2 3	4 1	2 1	2 1	1	1 1	5 2	2 4	9 4	.
7	All other forms of Tuberculosis	9 {	1 8	.	1	2	1	.	1	1	1	.	.	2	1 3	1 3	2	.
8	Dysentery	{
9	Influenza	2 {	1 1	1	1 1	.
10	Measles	2 {	2	.	1	1	1	1	.
11	Acute Infectious Encephalitis	{
12	Typhus	{
13	Cancer	66 {	41 25	.	2	.	.	.	2 5	5 1	8 5	15 7	11 5	4 2	2	18 5	17 18	.
14	Diabetes Mellitus	3 {	1 2	1 1	.	1	.	.	1	1 1	.

No.	Disease	M.	F.	Total
15	Intra-cranial Lesions of Vascular Origin.	42	20	62
16	Diseases of the Heart	204	102	306
17	Other Diseases of the Circulatory System.	13	5	18
18	Bronchitis ...	18	5	23
19	Pneumonia ...	18	12	30
20	Other Diseases of the Respiratory System.	11	6	17
21	Ulcer of the Stomach or Duodenum.	7	6	13
22	Diarrhoea and Enteritis	17	11	28
23	Appendicitis	3	3	6
24	Cirrhosis of the Liver			
25	Diseases of the Liver and Biliary Passages.	4	1	5
26	Other Diseases of the Digestive System.	5	3	8
27	Nephritis ...	11	5	16
28	Puerperal Infection ...			
29	Other Diseases of Childbirth	2	2	4
30	Congenital Debility, etc. (Nos. 157-161).	37	21	58
31	Senility	118	52	170
32	Suicide			
33	Other Violence	24	16	40
34	Other Causes	34	19	53

ABSTRACT V—continued.—Causes of Death for the Administrative County Borough of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES	355	171 184	18 21	7 1	3 2	2 5	4 7	13 7	11 12	31 20	39 47	43 62	15 14	4 6	42 45	110 119	.
1	Typhoid Fever (including Para-typhoid).	{ M. F. }
2	Cerebro-spinal Meningitis	{ M. F. }
3	Scarlet Fever	{ M. F. }
4	Whooping Cough	{ M. F. }	1	1	1
5	Diphtheria	{ M. F. }
6	Tuberculosis of the Respiratory System.	{ M. F. }	8 11	.	.	.	4	3	4 2	2 2	2	.	.	.	1	3 3	4 8	.
7	All other forms of Tuberculosis	{ M. F. }	3 2	.	.	.	1 1	1 1	1	1	.	.	2 1	.
8	Dysentery	{ M. F. }
9	Influenza	{ M. F. }
10	Measles	{ M. F. }	2	.	1	1	1	.	1	.	.
11	Acute Infectious Encephalitis	{ M. F. }
12	Typhus	{ M. F. }
13	Cancer	{ M. F. }	19 23	.	.	.	1	.	2 2	2 2	4 6	9 9	1 4	3	.	9 4	7 19	.
14	Diabetes Mellitus	{ M. F. }	2	1	1	2

ABSTRACT V—continued.—Causes of Death for the PROVINCE OF CONNAUGHT, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.						Un- certified Deaths	
			All Ages.	Under 1 year.	1-5	5- 15	15- 25	25- 35	35- 45	45- 55	55- 65	65- 75 years and up.	General and Special Hospis.	Mental Hos- pitals.	County Homes and District Hospis. and Co. Infir- maries.	Else- where.		
	ALL CAUSES	6,556	3,451 3,105	219 156	44 36	30 33	90 65	81 108	109 121	209 190	308 284	850 734	1,511 1,378	299 250	89 82	589 418	2,474 2,355	857 787
1	Typhoid Fever (including Para-typhoid).	2	1 1	1	.	.	.	1	.	.	1	.
2	Cerebro-spinal Meningitis	2	1 1	1	.	.	.	1	1	.
3	Scarlet Fever	3	3	.	.	2	.	1	3	1
4	Whooping Cough	17	8 9	6 5	1 4	1	1	.	1	7 8	1 1
5	Diphtheria	2	2	.	2	2	.
6	Tuberculosis of the Respiratory System.	310	166 144	1	3 1	3 2	34 27	36 46	28 30	30 17	18 10	12 9	2 1	67 61	21 15	30 22	48 46	2 1
7	All other forms of Tuberculosis	94	54 40	4 2	4 2	6 4	18 12	7 9	8 3	4 6	2	1 2	.	22 18	1 2	21 12	10 8	1 .
8	Dysentery	1	1	1	1
9	Influenza	60	30 30	5 2	2	.	.	1 1	.	2 1	1 5	7 7	12 10	1	2 1	4 2	23 27	6 8
10	Measles	3	1 2	1	1	.	1	1	.	.	2	.
11	Acute Infectious Encephalitis	2	1 1	.	.	.	1	1	.	.	.	1	1	.
12	Typhus	1	1	1
13	Cancer	670	343 327	.	1	1	1 3	2 7	10 16	24 45	62 72	149 102	95 80	38 29	6 5	75 62	224 231	10 6
14	Diabetes Mellitus	42	21 21	.	.	2	.	2	2	2 1	3 2	6 9	4 8	3 2	.	7 4	11 15	1 1

[illegible]

ABSTRACT V—continued—Causes of Death for the Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.						Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES	2,014	1,067 947	85 59	18 11	7 11	33 22	32 31	32 35	65 62	98 89	232 202	465 425	149 145	24 27	141 84	753 691	262 232
1	Typhoid Fever (including Para-typhoid).	{ M. F. }
2	Cerebro-spinal Meningitis	{ M. F. }
3	Scarlet Fever	{ M. F. }
4	Whooping Cough	{ M. F. }	1 4	1 2	2	1	.	.	1 3	.
5	Diphtheria	{ M. F. }
6	Tuberculosis of the Respiratory System.	{ M. F. }	54 41	1	3	2	9 6	13 10	10 12	9 6	5 4	1 2	2	26 24	7 3	6 2	15 12	1
7	All other forms of Tuberculosis	{ M. F. }	23 21	2 2	4 2	1 3	9 6	4 5	.	2 1	1	2	.	17 13	.	4 4	2 4	.
8	Dysentery	{ M. F. }
9	Influenza	{ M. F. }	5 9	2 2	1	.	1	.	.	1	1	1 2	1	.	.	2 1	3 8	3
10	Measles	{ M. F. }	1	.	.	.	1	1	.
11	Acute Infectious Encephalitis	{ M. F. }	1	1	1	.
12	Typhus	{ M. F. }
13	Cancer	{ M. F. }	104 90	.	.	.	1 1	1 1	2 5	5 9	18 23	51 29	27 22	16 14	1 1	22 19	65 56	2 1
14	Diabetes Mellitus	{ M. F. }	5 9	1	3	2 5	.	.	1 2	3 6	1

No.	Disease	M.	F.	Total
15	Intra-cranial Lesions of Vascular Origin.	57	66	123
16	Diseases of the Heart	219	216	435
17	Other Diseases of the Circulatory System.	27	35	62
18	Bronchitis ...	26	16	42
19	Pneumonia ...	34	41	75
20	Other Diseases of the Respiratory System.	21	3	24
21	Ulcer of the Stomach or Duodenum.	6	2	8
22	Diarrhoea and Enteritis	8	7	15
23	Appendicitis	1	2	3
24	Cirrhosis of the Liver	1	1	2
25	Diseases of the Liver and Biliary Passages.	4	2	6
26	Other Diseases of the Digestive System.	13	6	19
27	Nephritis	24	18	42
28	Puerperal Infection	1	1	2
29	Other Diseases of Childbirth	4	4	8
30	Congenital Debility, etc. (Nos. 157-161).	50	32	82
31	Senility	248	235	483
32	Suicide	7	3	10
33	Other Violence	44	17	61
34	Other Causes	84	66	150

ABSTRACT V—continued.—Causes of Death for the Administrative County of LEITRIM, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospla.	Mental Hos-pitals.		County Homes and District Hospla. and Co. Infirm-asies.
	ALL CAUSES	624	343 281	18 16	4 3	5 6	8 7	10 11	17 24	35 35	104 80	142 96	14 12	15 14	57 41	257 214	100 70
1	Typhoid Fever (including Para-typhoid),	{ M. F. }
2	Cerebro-spinal Meningitis	{ M. F. }
3	Scarlet Fever	{ M. F. }	1	.	.	1	1	.
4	Whooping Cough	{ M. F. }	1	.	1	1	.
5	Diphtheria	{ M. F. }
6	Tuberculosis of the Respiratory System.	{ M. F. }	14 15	.	.	1 4	3 5	2	4 3	2 1	4	.	2 2	3 3	3 2	6 8	1
7	All other forms of Tuberculosis	{ M. F. }	3 4	1	.	1 1	1 1	.	2	1	1	2	.
8	Dysentery	{ M. F. }
9	Influenza	{ M. F. }	2	1	.	.	.	1	.	.	.	2	.
10	Measles	{ M. F. }
11	Acute Infectious Encephalitis...	{ M. F. }
12	Typhus	{ M. F. }
13	Cancer	{ M. F. }	26 33	.	.	.	1	2	1 3	6 9	14 15	3 4	4 2	3 2	3 8	16 21	1
14	Diabetes Mellitus	{ M. F. }	2 1	.	.	.	1	.	.	.	1	2 1	.

No.	Disease	Sex	Age	Season	Month	Day	Year	Total
15	Intra-cranial Lesions of Vascular Origin.	M.	F.					17 21
16	Diseases of the Heart	M.	F.					87 64
17	Other Diseases of the Circulatory System.	M.	F.					4 3
18	Bronchitis	M.	F.					7 9
19	Pneumonia	M.	F.					11 9
20	Other Diseases of the Respiratory System.	M.	F.					5 3
21	Ulcer of the Stomach or Duodenum.	M.	F.					3
22	Diarrhea and Enteritis	M.	F.					3 2
23	*Appendicitis	M.	F.					2
24	Cirrhosis of the Liver	M.	F.					2
25	Diseases of the Liver and Biliary Passages.	M.	F.					3
26	Other Diseases of the Digestive System.	M.	F.					5 4
27	Nephritis	M.	F.					12 5
28	Puerperal Infection	M.	F.					
29	Other Diseases of Childbirth	M.	F.					
30	Congenital Debility, etc. (Nos. 157-161.)	M.	F.					9 10
31	Serility	M.	F.					103 64
32	Suicide	M.	F.					1
33	Other Violence	M.	F.					6 2
34	Other Causes	M.	F.					23 23

ABSTRACT V—continued.—Causes of Death for the Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.		Else-where.	
	ALL CAUSES	1,991	1,038 953	61 37	8 12	13 8	28 14	18 37	39 37	66 53	82 77	260 246	463 432	43 26	21 18	206 139	768 770	270 264
	Typhoid Fever (including Para-M. typhoid).																	
2	Cerebro-spinal Meningitis	2	1 1	1				1									1	
3	Scarlet Fever																	
4	Whooping Cough	7	4 3	4 2	1												4 3	1 1
5	Diphtheria																	
6	Tuberculosis of the Respiratory System.	94	51 43		1	1	11 8	9 15	10 10	9 3	5 1	7 4		20 13	8 6	10 9	13 15	
7	All other forms of Tuberculosis...	16	15 1			4	5 1		4	1	1			2		10 1	3	1
8	Dysentery																	
9	Influenza	26	17 9	3	1					1	1	2 4	9 5	1	1	1	14 9	5 3
10	Measles																	
11	Acute Infectious Encephalitis...																	
12	Typhus	1	1								1					1		
13	Cancer	203	106 97		1		1 1	1 3	4 6	9 16	16 19	42 22	33 29	6 5		28 17	72 75	3 3
14	Diabetes Mellitus	17	6 11						1	1	3 1		1			3 2	3 8	

15	Intra-cranial Lesions of Vascular Origin.	M. F.	115	35	69	1	1	1	2	8	5	5	10	29	2	1	13	39	7
10	Diseases of the Heart	M. F.	410	219	191	1	1	2	6	16	28	28	82	85	2	2	34	181	13
17	Other Diseases of the Circulatory System.	M. F.	43	19	24	1	1	1	2	3	2	2	9	8	1	1	2	16	1
18	Bronchitis	M. F.	42	19	23	1	1	1	1	2	4	2	3	11	1	1	4	15	3
19	Pneumonia	M. F.	69	38	31	3	3	1	1	3	4	3	9	11	1	2	7	29	1
20	Other Diseases of the Respiratory System.	M. F.	21	7	14	1	1	1	4	1	2	1	1	4	1	1	4	3	2
21	Ulcer of the Stomach or Duodenum.	M. F.	10	7	3	1	1	1	1	1	1	1	2	1	1	1	5	2	1
22	Diarrhea and Enteritis	M. F.	11	4	7	1	1	1	1	1	1	1	1	1	1	1	1	3	1
23	Appendicitis	M. F.	4	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
24	Cirrhosis of the Liver	M. F.	10	4	6	1	1	1	1	1	1	1	1	2	1	1	1	3	1
25	Diseases of the Liver and Biliary Passages.	M. F.	23	14	9	1	1	1	1	1	1	1	9	3	1	1	7	6	3
26	Other Diseases of the Digestive System.	M. F.	45	27	18	2	2	2	3	2	2	2	11	8	1	1	14	12	4
27	Nephritis	M. F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
28	Puerperal Infection	M. F.	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Other Diseases of Childbirth	M. F.	56	30	26	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30	Congenital Debility, etc. (Nos 157-161).	M. F.	556	270	286	1	1	1	1	1	1	1	37	233	1	1	12	254	201
31	Scutidity	M. F.	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32	Suicide	M. F.	42	20	22	1	1	1	1	1	1	1	6	2	1	1	8	12	1
33	Other Violence	M. F.	161	102	59	6	2	4	6	9	8	12	27	27	5	2	32	63	18
34	Other Causes	M. F.				5	5	5	4	6	12	8	13	13	1	5	13	40	11

ABSTRACT V—continued.—Causes of Death for the Administrative County of ROSCOMMON, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.		Else-where.
	ALL CAUSES	995	498 497	22 21	8 4	1 3	15 16	9 19	13 14	25 23	48 41	132 253	54 51	16 10	87 52	341 384	126 145
1	Typhoid Fever (including Para-typhoid).	{ M. F. }
2	Cerebro-spinal Meningitis	{ M. F. }
3	Scarlet Fever	{ M. F. }	2	.	.	1	.	1	2	1
4	Whooping Cough	{ M. F. }	1	1	1	1	.
5	Diphtheria ...	{ M. F. }	2	.	2	2	.
6	Tuberculosis of the Respiratory System.	{ M. F. }	26 22	.	.	1 1	8 5	5 12	5 1	3 1	4 2	.	6 11	2 2	11 6	7 3	.
7	All other forms of Tuberculosis ...	{ M. F. }	5 7	.	.	.	2 2	2 2	2 2	1	.	1	1 3	1 1	3 2	1	.
8	Dysentery ...	{ M. F. }
9	Influenza ...	{ M. F. }	4 6	1	.	2	2 1	.	.	.	4 6	1
10	Measles ...	{ M. F. }
11	Acute Infectious Encephalitis...	{ M. F. }	1	.	.	.	1	1	.	.
12	Typhus ...	{ M. F. }
13	Cancer ...	{ M. F. }	53 53	.	.	1	1 1	1	2 1	4 7	10 11	27 14	8 6	1 1	9 7	35 39	3 1
14	Diabetes Mellitus ...	{ M. F. }	2	1	.	.	.	1	.	.	1	.

[illegible]

ABSTRACT V—continued.—Causes of Death for the Administrative County of SLIGO, by Sexes, Ages, and Places of Occurrence during the year 1949

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.								
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infirm- aries.	Else- where.	Un- certified Deaths.	
	ALL CAUSES	932	505 427	33 23	6 6	9 8	9 7	14 14	15 24	36 28	45 42	122 103	216 172	39 16	13 13	98 102	355 296	99 76
1	Typhoid Fever (including Para- M. typhoid).	2	1 1	1	.	.	1	1	.	.	1	.
2	Cerebro-spinal Meningitis
3	Scarlet Fever
4	Whooping Cough	2	2	1	.	1	2	.
5	Diphtheria
6	Tuberculosis of the Respiratory System.	44	21 23	.	.	.	5 4	6 4	3 5	5 4	2 2	.	1	13 11	1 1	3	7 8	1
7	All other forms of Tuberculosis	15	8 7	1	.	1 1	1 2	2 1	2 1	1 2	.	.	.	2	.	3 4	3 3	.
8	Dysentery	1	1	1	1
9	Influenza	8	4 4	1 1	1	1	.	2	.	.	1 1	1 1	2 2	1 1
10	Measles	2	1 1	1	1	.	.	1	.
11	Acute Infectious Encephalitis
12	Typhus
13	Cancer	108	54 54	1	3	5 10	12 10	15 19	22 11	4 2	1 1	13 11	36 40	1 1
14	Diabetes Mellitus	6	6	.	.	2	.	1	.	1	.	1	1	1	.	3	2	.

15	Intra-cranial Lesions of Vascular Origin.	M. F.	58 {	33 25	1	7	16	9	1	9	22	4
16	Diseases of the Heart	M. F.	209 {	119 90	.	.	.	1	1	1	1	2	11	8	13	43 37	53 34	2	16 13	94 74	2 5
17	Other Diseases of the Circulatory System.	M. F.	29 {	13 16	1	.	2	2	6	4	.	3 4	10 12	1
18	Bronchitis ...	M. F.	24 {	15 9	1	1	2	2	6	6	1	2 1	13 7	1 1
19	Pneumonia ...	M. F.	13 {	7 6	1	2	.	1	2	1	.	1 3	5 3	.
20	Other Diseases of the Respiratory System.	M. F.	14 {	8 6	1	.	2	1	2	2	1	2	1	.	7 4	1 1
21	Ulcer of the Stomach or Duodenum.	M. F.	6 {	5 1	1	1	1	1	1	2	.	2	3 1	.
22	Diarrhea and Enteritis ...	M. F.	4 {	4	2	1	.	.	1	.	.	1	.	3	.
23	Appendicitis ...	M. F.	5 {	1 4	.	.	.	1 1	1 2	1	.
24	Cirrhosis of the Liver	M. F.	4 {	2 2	2	1	1	.	.	1	1 1	.
25	Diseases of the Liver and Biliary Passages.	M. F.	1 {	1	1	.	.	.	1	1
26	Other Diseases of the Digestive System.	M. F.	12 {	3 9	2	1	.	.	.	1	1	1	2	.	5	2 4	1
27	Nephritis ...	M. F.	17 {	11 6	1	1	2	2	2	4	1	1	5 3	5 3	.
28	Puerperal Infection ...	F.	2	2	2	2	.
29	Other Diseases of Childbirth ...	F.	3	3	2	.	1	3	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	45 {	26 19	24 17	2 1	.	.	.	1	2	11 9	13 10	2
31	Senility ...	M. F.	219 {	118 101	12	106 93	.	18 20	100 81	84 62
32	Suicide ...	M. F.	2 {	1 1	1	1 1	.
33	Other Violence ...	M. F.	21 {	11 10	1	1	1	1	1	1	1	2	1	1	2	1	4	1	2 5	8 5	.
34	Other Causes ...	M. F.	56 {	30 26	2	1	2	3	.	1	.	2	3	4	4	11	7	4	8 6	16 14	1 3

ABSTRACT V—continued.—Causes of Death for the PROVINCE OF ULSTER (part of), by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.					Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES	3,526	1,886 1,640	130 105	32 25	16 15	31 32	53 60	78 62	113 80	183 173	507 413	743 675	79 72	43 34	287 240	1,477 1,294	321 315
1	Typhoid Fever (including Para-typhoid).	3	1	.	.	1	.	1	.	.	2	.	.
2	Cerebro-spinal Meningitis	1	1	.	.	1	1	.	.
3	Scarlet Fever
4	Whooping Cough	7	3 4	3 2	2	1	.	1	2 3	2
5	Diphtheria	1	1	.	1	1	.	.
6	Tuberculosis of the Respiratory System.	133	61 72	2	2 1	2 1	9 17	14 24	14 12	8 3	6 4	4 5	1 4	21 18	3 8	8 9	29 37	1
7	All other forms of Tuberculosis	46	25 21	.	2 2	5 4	4 5	5 3	3 4	1 2	2 1	1 .	2	5 5	1	5 6	15 9	1
8	Dysentery
9	Influenza	48	33 15	5 1	2	.	.	1	.	2	4 3	10 5	9 6	.	.	5 2	28 13	9 6
10	Measles
11	Acute Infectious Encephalitis	6	3 3	.	2	.	.	1	.	.	2	1 3	2	1
12	Typhus
13	Cancer	366	199 167	.	.	1 1	1	1 5	11 8	15 18	40 33	79 68	51 34	12 11	6 1	32 29	149 126	3 3
14	Diabetes Mellitus	15	9 6	.	.	.	1	2	.	1	1	5	4 1	1	.	1 1	7 5	.

15	Intra-cranial Lesions of Vascular Origin.	M. F.	299	146 153	1	1	6	17	60	61	4	3	20	119 140	23 17
16	Diseases of the Heart	... M. F.	373	501 372	3	2	5	4	35 14	75 53	181 138	191 155	7	18	69 53	407 301	33 30
17	Other Diseases of the Circulatory System.	M. F.	100	51 49	3	1	3	3	18	24	.	6	10	35 46	5 5
18	Bronchitis M. F.	92	49 43	2	3	2	1	1	.	3	.	3	2	18	17	.	1	3	45 39	4 3
19	Pneumonia M. F.	123	54 69	18	9	9	4	1	.	1	2	2	2	6	11	1	1	8	44 57	5 5
20	Other Diseases of the Respiratory System.	M. F.	42	25 17	2	.	.	.	1	.	.	.	3	2	10	4	1	1	1	23 12	1 2
21	Ulcer of the Stomach or Duodenum.	M. F.	21	17 4	2	5	2	3	1	6	.	4	.	7	6	1
22	Diarrhoea and Enteritis	... M. F.	26	11 15	6	7	3	.	1	.	1	.	1	.	1	2	.	.	3	8	2
23	Appendicitis	... M. F.	12	6 6	.	.	1	1	.	1	1	.	2	.	1	.	2	.	6	.	.
24	Cirrhosis of the Liver	... M. F.	5	4 1	1	1	1	1	.	.	1	3	.
25	Diseases of the Liver and Biliary Passages.	M. F.	16	6 10	.	.	.	1	1	.	1	2	1	.	3	1	.	.	3	6	.
26	Other Diseases of the Digestive System.	M. F.	28	19 9	1	1	1	1	1	1	8	6	2	.	4	13	3
27	Nephritis M. F.	119	71 48	.	1	.	.	2	1	3	5	4	4	22	30	7	1	14	49 35	2 1
28	Puerperal Infection F.	2	2	2	1	1	.
29	Other Diseases of Childbirth	... F.	16	16	2	7	2	.	11	3	.
30	Congenital Debility, etc. (Nos. 157.-161).	M. F.	137	79 58	76	57	1	1	1	1	4	.	22	53	19
31	Senility M. F.	685	346 339	49	297	.	1	25	320	197
32	Suicid	... M. F.	10	7 3	1	2	1	1	1	1	1	.	.	.	7	.
33	Other Violence	M. F.	81	46 35	3	1	4	3	6	4	7	9	9	5	4	3	8	.	11	32	.
34	Other Causes	... M. F.	213	113 100	12	14	8	5	2	6	7	12	14	13	24	27	7	2	26	78	13
									3	7		8			27	14	8	2	68	18	

ABSTRACT V—continued.—Causes of Death for the Administrative County of CAVAN, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Oo. Infirm-aries.	Else-where.
	ALL CAUSES	1,089 {	600 489	34 31	6 8	2 5	10 5	14 22	21 16	29 31	71 48	167 132	246 191	37 34	17 15	107 85	439 355	86 82
1	Typhoid Fever (including Para-M. typhoid).	1 {	1	1	1	.	.	.
2	Cerebro-spinal Meningitis	. {
3	Scarlet Fever	. {
4	Whooping Cough	3 {	2 1	2	1	1	.	1	1	.
5	Diphtheria	. {
6	Tuberculosis of the Respiratory System.	29 {	13 16	.	1	.	4 1	1 6	2 1	2 1	2 1	2 1	4	8 5	.	.	5 5	.
7	All other forms of Tuberculosis	12 {	7 5	.	1 1	1 1	1 1	3 1	.	1	1 1	.	1	2 3	.	2 1	3 1	.
8	Dysentery	. {
9	Influenza	4 {	4	2	.	.	.	4	1
10	Measles	. {
11	Acute Infectious Encephalitis	. {
12	Typhus	. {
13	Cancer	123 {	69 54	.	.	1	.	2	5 5	4 6	13 10	28 20	19 10	6 5	2	13 14	48 35	1
14	Diabetes Mellitus	1 {	1	1	1	.

15	Intra-cranial Lesions of Vascular Origin.	M. F.	91	51 40	23	18	7	3	1	40	5	
16	Diseases of the Heart	M. F.	326	193 133	.	.	.	1	3	5	2	1	2	2	2	2	2	2	2	15	16	.	.	1	39	5	
17	Other Diseases of the Circulatory System.	M. F.	35	12 23	1	1	1	1	2	2	2	2	2	6	76	63	36	8	4	150	7	
18	Bronchitis	M. F.	26	11 15	1	1	1	2	4	4	4	6	48	10	1	.	.	98	9	
19	Pneumonia	M. F.	30	12 18	4	2	2	.	.	1	.	1	6	4	3	1	1	22	2	2	
20	Other Diseases of the Respiratory System.	M. F.	9	7 2	1	1	.	1	1	2	2	2	2	2	6	7	4	1	1	8	1		
21	Ulcer of the Stomach or Duodenum.	M. F.	10	9 1	2	2	.	2	1	1	1	1	1	1	4	.	3	.	.	3	.		
22	Diarrhoea and Enteritis	M. F.	11	5 6	2	3	1	.	.	1	.	1	1	1	.	1	2	.	3	.		
23	Appendicitis	M. F.	1	1	1	.	1	
24	Cirrhosis of the Liver	M. F.	
25	Diseases of the Liver and Biliary Passages.	M. F.	2	1 1	1	.	1	1	1	.	1	.	1	
26	Other Diseases of the Digestive System.	M. F.	10	7 3	1	.	.	.	1	.	.	.	1	1	1	1	1	1	1	1	4	.	1	2	5	1	
27	Nephritis	M. F.	33	18 15	.	.	.	1	1	1	1	1	1	3	2	2	2	2	9	2	6	4	.	2	12	.	
28	Puerperal Infection	M. F.	1	1	1	1	.	.
29	Other Diseases of Childbirth	M. F.	3	3	3	2	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	39	22 17	21	16	.	1	2	7	7	1
31	Senility	M. F.	203	107 96	92	15	6	1	1	.	94	60	
32	Suicide	M. F.	2	1 1	1	90	85	58	
33	Other Violence	M. F.	22	13 9	.	.	1	1	1	2	.	2	2	1	1	1	1	1	1	1	1	3	.	3	7	.	
34	Other Causes	M. F.	62	34 28	2	5	3	1	4	1	4	1	5	3	3	3	3	3	7	7	9	16	2	2	14	4	4

ABSTRACT V—continued.—Causes of Death for the Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.				Un- certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.		Else- where.
	ALL CAUSES	1,759	938 821	70 54	21 11	11 8	16 22	22 21	42 34	57 35	80 79	241 200	378 357	21 26	22 8	110 92	785 695	221 189
1	Typhoid Fever (including Para-typhoid).	1	1	1	.	.	1	.	.
2	Cerebro-spinal Meningitis	1	1	.	.	1	1	.	.
3	Scarlet Fever
4	Whooping Cough	4	1 3	1 2	1	1 3	2
5	Diphtheria	1	1	.	1	1	.	.
6	Tuberculosis of the Respiratory System.	73	32 41	1	1 1	2 1	4 13	7 12	9 9	3 2	3 2	2 2	.	6 8	3 1	6 8	17 24	1
7	All other forms of Tuberculosis	29	17 12	.	2 1	4 3	3 3	2 1	3 2	2 2	1 .	1 .	.	2 2	1 .	3 3	12 6	1
8	Dysentery
9	Influenza	34	21 13	3 1	2 .	.	.	1	.	1	4 2	5 5	5 5	.	.	5 2	16 11	8 6
10	Measles
11	Acute Infectious Encephalitis	5	2 3	.	2	.	.	1	1	.	1	1 3	1	1
12	Typhus
13	Cancer	180	100 80	.	.	1	.	1 3	3 2	9 9	21 12	40 35	25 19	3 2	3 1	14 12	80 65	2 3
14	Diabetes Mellitus	9	5 4	.	.	.	1	1	.	.	.	4	3	.	.	1 1	4 3	.

No.	Disease	Males	Females	Total
15	Intra-cranial Lesions of Vascular Origin.	67	73	140
16	Diseases of the Heart	211	167	378
17	Other Diseases of the Circulatory System.	26	19	45
18	Bronchitis	21	15	36
19	Pneumonia	31	39	70
20	Other Diseases of the Respiratory System.	14	9	23
21	Ulcer of the Stomach or Duodenum.	5	2	7
22	Diarrhoea and Enteritis	5	5	10
23	Appendicitis	5	5	10
24	Cirrhosis of the Liver	3	3	3
25	Diseases of the Liver and Biliary Passages.	3	7	10
26	Other Diseases of the Digestive System.	8	4	12
27	Nephritis	35	24	59
28	Puerperal Infection	1	1	1
29	Other Diseases of Childbirth	7	7	7
30	Congenital Debility, etc. (Nos. 157-161).	42	28	70
31	Senility	194	193	387
32	Suicide	6	1	7
33	Other Violence	22	16	38
34	Other causes	60	49	109

ABSTRACT V—*contd.*—Causes of Death for the Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1949.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.								
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	Un-certified Deaths.	
	ALL CAUSES	678	348 330	26 20	5 6	3 2	5 5	17 17	15 12	27 14	32 46	99 81	119 127	21 12	4 11	70 63	253 244	14 44
1	Typhoid Fever (including Para-M. typhoid).	1	1								1					1		
2	Cerebro-spinal Meningitis																	
3	Scarlet Fever																	
4	Whooping Cough																	
5	Diphtheria																	
6	Tuberculosis of the Respiratory System.	31	16 15	1	1		1 3	6 6	3 2	3 1	1 1		1	7 5	1	2 1	7 8	
7	All other forms of Tuberculosis	5	1 4			1	1	1	2					1		2		
8	Dysentery																	
9	Influenza	10	8 2	2						1	1	3	2 1				8 2	
10	Measles																	
11	Acute Infectious Encephalitis	1	1								1						1	
12	Typhus																	
13	Cancer	63	30 33				1		3 1	2 3	6 11	11 13	7 5	3 4	1	5 3	21 26	
14	Diabetes Mellitus	5	3 2					1		1			1	1			2 2	

No.	Disease	M.	F.	Total
15	Intra-cranial Lesions of Vascular Origin.	68	40	108
16	Diseases of the Heart	169	97	266
17	Other Diseases of the Circulatory System.	20	13	33
18	Bronchitis	30	17	47
19	Pneumonia	23	13	36
20	Other Diseases of the Respiratory System.	10	11	21
21	Ulcer of the Stomach or Duodenum.	4	3	7
22	Diarrhoea and Enteritis	5	1	6
23	Appendicitis	1	1	2
24	Cirrhosis of the Liver	2	1	3
25	Diseases of the Liver and Biliary Passages.	4	2	6
26	Other Diseases of the Digestive System.	6	4	10
27	Nephritis	27	18	45
28	Puerperal Infection	6	9	15
29	Other Diseases of Childbirth	6	6	12
30	Congenital Debility, etc. (Nos. 157-161).	28	15	43
31	Senility	95	45	140
32	Suicide	1	1	2
33	Other Violence	21	11	32
34	Other Causes	42	19	61

ABSTRACT VI.—CAUSES OF DEATH for each of the Fourteen Principal Towns during the year 1949.

No.	CAUSES OF DEATH.		Total	City of Dublin	Borough of Dun Laoghaire	Cork County Borough	Limerick County Borough	Waterford County Borough	Galway Borough	Dundalk	Drogheda	Sligo	Wexford	Kilkenny	Bray	Tralee	Clonmel
	All Causes M. F.	4,813 5,022	2,931 3,006	255 255	506 552	265 260	171 184	82 124	116 124	93 89	81 83	72 90	63 57	60 82	70 68	48 48
2	Typhoid Fever (including Para-typhoid).	M. F.	1 1	1	1												
3	Cerebro-spinal Meningitis	M. F.	10 4	7 4	1		1									1	
4	Scarlet Fever	M. F.	2 2	2 2													
5	Whooping Cough	M. F.	27 36	23 21	1	4	5	1	1			1			1	4	
6	Diphtheria	M. F.	1							1							
7	Tuberculosis of the Respiratory System.	M. F.	411 340	265 193	21 7	31 42	25 28	8 11	10 8	12 14	4 10	9 4	2 2	9 4	4 9	9 5	2 3
8	All other forms of Tuberculosis.	M. F.	72 83	40 43	2 2	4 9	7 8	3 2	5 7	2 2	1 2	3 3	1 1	1 1	1 1	3 1	1 1
9	Dysentery	M. F.															
10	Influenza	M. F.	16 19	6 13	1	3 3	1		1				2 1	1		1 1	1
11	Measles	M. F.	13 14	6 10		3 2		2				1				2 1	
12	Acute Infectious Encephalitis	M. F.	2 7	2 3		1	1			1			1				
13	Typhus	M. F.															
14	Cancer	M. F.	591 615	372 375	32 40	54 54	35 30	19 23	5 11	14 21	18 8	7 11	10 14	3 2	10 13	6 7	6 6
15	Diabetes Mellitus	M. F.	25 41	12 30	4 4	2	3	2 1	1		1 1	1				1	

15	Intra-cranial Lesions of Vascular Origin.	M. F.	277 478	166 288	12 32	36 45	15 24	8 11	6 13	4 11	3 13	4 5	5 6	5 7	7 13	3 5	3 5
16	Diseases of the Heart	M. F.	1,325 1,471	784 892	78 69	147 193	75 66	60 64	17 32	35 24	26 27	21 16	22 29	14 11	16 17	14 20	16 11
17	Other Diseases of the Circulatory System.	M. F.	134 184	88 124	11 18	8 13	3 3	1 2	4 5	3 2	2 3	2 2	4 1	4 4	1 1	3 3	1 1
18	Bronchitis	M. F.	173 128	117 75	3 7	27 23	6 8	2 5	4 1	1 .	2 3	2 3	.	2 1	.	1 .	6 .
19	Pneumonia	M. F.	246 201	175 131	7 9	14 17	15 10	6 5	4 7	6 4	2 2	3 .	5 9	1 1	2 2	3 2	4 2
20	Other Diseases of the Respiratory System.	M. F.	108 79	65 48	3 4	15 5	5 6	7 .	2 .	.	1 1	.	1 .	2 2	7 7	1 .	1 .
21	Ulcer of the Stomach or Duodenum.	M. F.	46 8	28 3	3 2	4 2	4 .	2 .	.	1 .	.	.	2 .	.	2 1	.	.
22	Diarrhoea and Enteritis	M. F.	137 100	74 62	7 2	28 15	11 6	9 5	3 3	1 1	.	1 .	1 .	2 1	1 1	1 .	1 .
23	Appendicitis	M. F.	5 3	3 .	2 2
24	Cirrhosis of the Liver	M. F.	17 1	9 1	1 .	.	.	3 .	.	1 .	.	1 .	.	1 .	.	1 .	.
25	Diseases of the Liver and Biliary Passages.	M. F.	15 25	8 15	2 1	3 .	1 1	2 2	1	1	2 .
26	Other Diseases of the Digestive System.	M. F.	55 66	27 33	6 7	9 12	3 4	1 3	.	4 1	.	1 2	1 .	2 .	1 .	1 1	2 .
27	Nephritis	M. F.	86 109	51 61	3 5	11 4	6 10	8 .	1 2	1 7	4 3	4 2	1 1	2 1	2 .	1 3	1 .
28	Puerperal Infection	M. F.	9	7	.	1	.	.	1
29	Other Diseases of Childbirth	M. F.	18	13	.	.	2	.	1	.	.	.	1	.	.	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	365 290	242 176	16 12	28 28	23 16	9 10	6 6	8 8	9 5	7 10	3 5	8 8	2 7	3 1	1 4
31	Senility	M. F.	177 311	78 148	10 14	21 32	4 12	11 22	7 17	10 16	9 8	7 13	6 7	4 9	2 3	8 4	6 .
32	Suicide	M. F.	13 2	8 .	2 .	1 1	.	.	1 .	.	.	1 1
33	Other Violence	M. F.	150 89	93 66	9 3	14 7	2 2	8 2	3 1	5 3	6 2	3 1	2 1	2 .	1 .	2 1	.
34	Other Causes	M. F.	314 287	180 168	17 15	46 36	21 23	8 6	2 7	8 4	5 .	3 7	6 5	3 3	3 5	7 3	5 5

APPENDIX I.

Table showing the number of searches made, certificates issued, and the total amount received as fees for same at the General Register Office, Dublin, during the 86 years 1864-1949.

YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.	YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.
1864	15	3	£ 1	1907	5,877	4,544	£ 875
1865	41	20	10	1908	5,984	4,670	0
1866	55	34	12	1909	6,220	4,761	19
1867	46	26	0	1910	6,387	4,903	8
1868	69	42	12	1911	6,128	4,778	18
1869	80	34	0	1912	6,811	5,160	4
1870	93	54	13	1913	6,462	4,972	9
1871	112	67	15	1914	7,552	6,140	11
1872	120	76	10	1915	7,398	5,898	7
1873	100	106	6	1916	7,729	6,198	9
1874	166	107	14	1917	8,151	6,475	0
1875	244	166	6	1918	10,702	8,499	1
1876	270	185	15	1919	11,513	8,998	13
1877	312	202	16	1920	11,484	8,810	11
1878	391	286	14	1921	11,419	8,499	16
1879	522	399	15	1922	18,413	7,675	2
1880	753	596	0	1923	19,377	8,808	0
1881	743	583	7	1924	23,947	14,367	0
1882	852	688	8	1925	33,945	45,435	0
1883	1,036	773	11	1926	48,193	77,347	12
1884	1,254	966	1	1927	45,802	72,065	6
1885	1,412	1,116	3	1928	37,462	56,865	6
1886	1,527	1,173	8	1929	39,650	61,182	0
1887	1,693	1,307	7	1930	29,901	41,744	2
1888	1,778	1,404	9	1931	16,540	14,548	6
1889	1,986	1,561	4	1932	19,265	12,031	0
1890	2,448	2,042	2	1933	23,360	11,477	16
1891	2,815	2,297	9	1934	29,611	3,052	6
1892	3,209	2,534	1	1935	29,463	3,329	0
1893	3,559	2,733	17	1936	27,778	13,024	5
1894	3,492	2,678	2	1937	32,502	13,552	4
1895	3,482	2,618	7	1938	32,502	16,191	0
1896	4,046	3,103	8	1939	32,595	4,376	2
1897	3,917	3,207	10	1940	34,803	4,529	0
1898	4,132	3,207	6	1941	33,704	20,876	4
1899	4,133	3,201	3	1942	30,587	18,570	12
1900	4,558	3,481	1	1943	32,061	16,227	11
1901	4,843	3,733	13	1944	32,777	4,529	4
1902	4,871	3,719	7	1945	38,311	20,562	7
1903	4,944	3,796	18	1946	52,577	18,918	11
1904	5,183	3,958	16	1947	52,228	25,475	0
1905	5,110	3,954	12	1948	59,712	35,982	6
1906	5,714	4,409	19	1949	54,636	46,706	10
			8			51,683	8
			49			8,730	6
			0			37,491	0

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.

APPENDIX II.

CASES OF INFECTIOUS DISEASES.

Summary of Cases of Infectious Diseases notified to the Department of Health during the Year 1949.

This Summary has been prepared from the Department's Weekly Returns but adjustments have been made in respect of any corrections of these returns received after this issue.

The letters in the last column denote the following diseases:—A—Acute Anterior Poliomyelitis. B—Cerebro-spinal Fever. C—Encephalitis Lethargica. D—Diarrhoea and Enteritis. E—Paratyphoid A. F—Paratyphoid B. G—Trachoma. H—Erysipelas. J—Ophthalmia Neonatorum. K—Pemphigus Neonatorum. L—Undulant Fever. M—Continued Fever. N—Dysentery (Bacillary). O—Dysentery (Amoebic). P—Malaria. Q—Membranous Croup. U—Scabies. V—Infective hepatitis. W—Streptococcal sore throat. X—Tinea capitis. Y—Rubella. Z—Anthrax Z (1)—Infective Mononucleosis. Z (2)—Salmonella Infection. Z (3)—Weil's Disease.

COUNTY BOROUGHES.

County Boroughs	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
								Pri-mary	Influ-enzal	
Cork	7	47	338	81	.	27	4	A.1, B.1, C.1, D. 144, F.4, G.1, H. 15, U.23, W.12, Y.2, Z.1.
Dublin	1	21	2,601	3,478	2,512	6	621	46	A.18, B.40, D.2217 F.8, G.2, H.159, J.6, K.1, L.3, N.17 U.569, V.106 W.3292, X.25, Y. 174, Z.66, Z(1),8, Z(2), 18.
Limerick	1	7	48	15	34	.	24	1	B.1, D.35, H.1, U.12, W.3, X.1, Y.2, Z.3, Z(2) 1.
Waterford	2	.	21	405	3	.	31	.	B.1, D.96, F.2 G.2, H.6, U.30, V.10, W.5, Z.18.
TOTAL	4	35	2 717	4 236	2 630	6	706	51	A.19 B.43 C.1, D.2492, F.14, G.5, H.181, J.6, K.1, L.3, N.17, U.634, V.116, W.3312, X. 26, Y.178, Z.88, Z(1), 8, Z(2), 19.

URBAN DISTRICTS.

County	Urban Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influ-enzal	
Carlow ...	Carlow	3	9	10	1	.	1	1	F.4, H.2.
Cavan ...	Belturbet	2	.	D.9, H.4, U.7, V.21, W.18, X.7, Y.4, Z.1.
	Cavan	1	1	1	12	.	.	4	.	
	Cootehill	1	.	U.1, V.5, W.5, Y.1, Z.1.
Clare ...	Ennis	3	2	1	A.1, H.2.
	Kilrush	1	1	1	.	W.1.
Cork ...	Clonakilty	H.1.
	Cobh	16	
	Fermoy	1	2	.	.	1	.	
	Kinsale	D.1. C.1.
	Macroom	1	
	Mallow	3	D.1, H.2, U.2. U.3.
	Midleton	1	10	.	.	.	
	Skibbereen	
	Youghal	1	1	12	.	.	1	4	F.1.
Donegal ...	Buncrana	1	3	9	B.1.
	Bundoran	
	Letterkenny	2	1	.	.	.	1	
Dublin ...	Dun Laoghaire	.	.	4	111	39	57	.	47	4	A.2, B.1, D.129, F.9, H.14, J.1, N.1., U.60, V.9, W.132, X.5, Y.7, Z.16, Z(2).3.

CASES OF INFECTIOUS DISEASES—contd.

URBAN DISTRICTS—continued.

County	Urban Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influ-enzal	
Galway ...	Ballinasloe ... Galway ...	· ·	1 2	· 2	1 21	· 2	· 106	· ·	· 11	· 1	B.1, H.1, U.5. B.1, D.22, H.3, U.46, W.16, Y.1, Z.1.
Kerry ...	Killarney ... Listowel ... Tralee ...	· · ·	3 · 1	1 ·	1 7 2	46 · 98	1 · 19	· · ·	8 · ·	· · 1	A.1. G.1, H.3, J.2, U.5, W.2, X.2.
Kildare ...	Athy ... Naas ...	· ·	1 ·	· ·	2 6	1 36	· 1	· ·	· 10	2 ·	W.2. A.1, H.2, U.4.
Kilkenny ...	Kilkenny ...	·	2	1	32	2	·	·	·	·	A.1, D.2, F.6, H.2, U.4, V.1, W.1, Y.1.
Longford ...	Longford ...	·	·	·	3	7	18	·	4	·	D.9, U.9, W.8, Z.6.
Louth ...	Drogheda ... Dundalk ...	· ·	· 2	1 8	3 14	· 1	2 ·	· ·	· 1	· ·	A.1, D.3, H.2, U.1. A.1, F.1, H.2, Z.6.
Mayo ...	Ballina ... Castlebar ... Westport ...	· · ·	· · ·	· · ·	5 2 2	1 · 1	· · ·	· · ·	1 4 1	· · ·	B.2.
Meath ...	An Uaimh ... Ceannanus Mor Trim ...	· · ·	1 · ·	· · ·	3 · ·	· · ·	1 · ·	· · ·	· · ·	· · ·	D.2, U.3, W.1, X.1, Z.1.
Monaghan...	Carrickmacross ... Castleblayney ... Clones ... Monaghan ...	· · · ·	· · · 3	1 · · ·	4 1 1 4	5 · · ·	· · · ·	· · · ·	1 · · ·	· · · ·	Z(3).1.
Offaly ...	Birr ... Tullamore ...	· ·	· ·	· ·	· 2	· ·	· ·	· ·	· 9	· ·	D.1, U.12. B.2, N.4, U.14, W.7.
Sligo ...	Sligo ...	·	·	1	113	8	8	·	·	2	D.6, H.5, N.6, U.14, V.1, W.3, Y.4, Z.16.
Tipperary N.R.	Nenagh ... Templemore ... Thurles ...	· · ·	· · 4	1 · ·	4 · 3	3 2 26	· · ·	1 · ·	2 1 2	· 2 1	B.1, V.3. U.1. A.1, F.4, U.1.
Tipperary S.R.	Carrick-on-Suir ... Cashel ... Clonmel ... Tipperary ...	· · · ·	· · · ·	· · · ·	1 · 16 84	· 12 · 101	· 3 · ·	· · · ·	· · · 2	· · · 3	D.1. D.1, F.1, V.9, Z.1 H.1, U.4.
Waterford...	Dungarvan ...	·	·	3	2	4	1	1	2	3	D.1, H.1, U.5, V.2 W.3, X.1.
Westmeath	Athlone ...	·	·	·	2	12	·	·	4	·	G.1, U.14, V.1, Z.3.
Wexford ...	Enniscorthy ... New Ross ... Wexford ...	· · ·	· · ·	· 1 2	34 36 3	2 · 1	· 4 1	· · ·	· · 17	· · ·	B.1, D.1, Z.1. H.1, U.6, W.1. A.1, C.1, D.14, H.2, U.5, W.4, X.1, Z.3.
Wicklow ...	Arklow ... Bray ... Wicklow ...	· · ·	· · ·	· · 1	79 10 4	2 23 1	1 53 ·	· · ·	· 14 11	· 35 ·	U.1, W.7. A.1, D.18, H.7, L.1, U.25, W.1, Z.27. A.1, D.2, H.1, U.13, W.45, X.4, Z.11.
	TOTAL ...	·	25	37	646	490	288	3	163	61	A.12, B.10, C.2, D.223, F.26, G.2, H.58, J.3, L.1, N.11, U.265, V.52, W.527, X.21, Y.18, Z.94, Z(2).3, Z.(3).1.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influ-enzal	
Carlow	Carlow	.	.	.	9	51	16	2	2	1	B.1, C.1, D.2, H.1
	Carlow No. 2	.	.	.	7	A.1.
	Idrone	.	.	.	1
Cavan	Bailieboro'	.	1	1	1	2	.	.	1	.	A.1, F.2, V.6, W.10.
	Bawnboy	.	.	.	4	.	16	1	6	1	K.1.
	Castlerahan	.	2	.	4	6	D.2, W.2.
	Cavan	.	2	.	17	39	2	.	20	2	A.1, D.4, H.5, V.31, W.19, X.2, Y.13, Z.7.
Clare	Enniskillen No. 2	V.1.
	Mullaghoran	11	A.1, W.1.
	Ballyvaughan	B.1.
Cork	Corrofin	.	.	1	2	.	.	.	2	.	.
	Ennis	.	.	1	3	2	.	.	8	.	D.1, W.4, Z.1.
	Ennistymon	.	.	.	1	A.1.
	Killadysert	.	.	4	2	.	4
	Kilrush	.	.	3	2	.	16	.	.	.	H.1.
	Meelick
	Scariff
	Tulla	.	.	.	2	B.1, H.2.
	Bandon	.	1	.	4	2	.	.	3	.	D.1, W.1
	Bantry	.	.	.	2	.	.	.	11	.	D.2, W.1.
Donegal	Castletown	.	1	.	1	1	.	.	4	4	D.2, F.1, W.2, Z.1.
	Clonakilty	.	1	.	1	D.1.
	Cork	.	.	1	38	227	36	1	31	12	A.2, B.1, D.49, H.10, W.6, Z.5.
	Dunmanway	.	.	1	1	.	.	.	1	.	A.1, V.1.
	Fermoy	.	.	.	2	1	4	.	5	1	H.1.
	Kanturk	.	1	3	5	2
	Kinsale	.	.	.	4	40	1	.	1	.	D.1, Z.1.
	Macroon	.	.	.	1	1	D.2.
	Mallow	.	.	.	2	1	.	.	.	1	B.1, H.1.
	Midleton	.	.	.	1	14	3	.	.	1	D.2, H.1, W.2
	Millstreet	.	.	.	1	2	.	.	1	.	Z(3).1.
	Mitchelstown No. 1	.	.	2	C.1.
	Rathluirc	.	1	2	B.1.
	Skibbereen	.	.	2	1	.	.	.	1	.	A.1, Z(3).1.
	Schull	.	.	1	1	.	.
Youghal No. 1	.	.	.	4	
Dublin	Ballyshannon	.	.	1	2	.	.
	Donegal	.	.	2	.	.	39	.	4	3	.
	Dunfanaghy	.	.	1	1	B.1.
	Glenties	.	.	5	7	.	1	.	24	7	A.1, B.1, C.1, H.8, N.1.
	Inishowen	.	2	1	12	5	43	.	6	2	H.1, W.2.
	Letterkenny	.	.	.	1	1	.	.	6	.	H.1, W.8.
	Milford	.	.	3	8	J.1, V.3.
	Stranorlar	.	7	2	7	246	.	.	3	.	H.1, V.1, W.1.
Galway	Balrothery	.	1	3	67	41	91	1	12	28	B.1, D.40, H.6, W.100, Z.3.
	Cill Droichead No. 2	.	.	.	54	54	133	.	7	.	C.1, D.2, V.4, W.10.
	Dublin Nth.	.	.	3	65	115	25	.	4	1	B.2, D.24, F.1, H.2, J.1, V.1, W.102, Y.1, Z(2).1.
	Dublin Sth.	.	.	2	73	153	66	.	40	1	D.28, F.1, H.3, J.2, K.2, V.13, W.115, X.5, Y.6, Z.12.
	Rathdown No. 1	.	.	2	67	32	58	.	17	5	A.3, B.1, D.14, H.9, N.1, V.6, W.43, Y.5, Z.7.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS—continued.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influ-enzal	
Kerry ...	Caherciveen	10	36	.	2	.	A.1, H.3, V.1.
	Dingle	1	.	1	3	3	.	5	3	D.7, H.1, W.6 Z(3). 1.
	Kenmare	5	.	.	.	1	.
	Killarney	2	1	.	9	12	.	19	.	.
	Listowel	2	3	228	24	.	16	10	D.2, F.1, H.3.
	Tralee	4	3	3	27	6	1	15	2	A.1, H.1, W.2, Z(3).5.
Kildare ...	Athy No. 1	3	50	.	.	2	5	A.1, G.1, V.1, W.8, Z.2.
	Cill Droichead No. 1.	.	.	.	8	2	1	.	.	.	D.1, H.1, W.1.
	Edenderry No. 2	.	.	.	16	3	F.1, H.2.
	Nás Na Riogh No. 1.	.	1	.	46	22	4	.	10	4	B.1, H.2, V.1, Z(2).1.
	Callan	4	138	.	.	5	3	D.1, H.1, V.2, W.2.
	Carrick-on-Suir No. 3	5
Kilkenny ...	Castlecomer	1	.	4	Z.4.
	Ida	1	4	H.2.
	Kilkenny	2	32	14	1	.	2	13	B.2, D.1, H.5, W.1, Y.2, Z.5.
	Thomastown	.	.	.	4	3	.	.	.	1	F.1.
	Urlingford No. 1
	Waterford No. 2	.	.	1	.	6	A.3, F.1, Z.1.
Laoighis ...	Abbeyleix	1	.	1	.	.	.	8	1	Z.1.
	Athy No. 2	3	5	15	2	.	7	6	H.1.
	Mountmellick	.	.	2	23	51	75	1	12	7	D.1, W.5, Z.7.
	Roscrea No. 3
	Slievemargy	2	1	.	.	1	1	D.1.
Leitrim ...	Ballinamore	3
	Carrick-on-Shannon No. 1	.	.	.	4	5	.
	Kinlough
	Manorhamilton	.	.	2	3	.	6
	Mohill	1
	Croom	1	H.1.
Limerick ...	Glin	1	4	.	1	.	10	.	D.10.
	Kilmallock	3	12	.	.	.	6	.	D.2, Z.1.
	Limerick No. 1	.	.	1	10	2	11	.	2	.	H.1, W.1, X.1, Y.1.
	Mitchelstown No. 2	1	Z.1.
	Newcastle	1	27	13	6	.	3	3	A.1.
	Rathkeale	1	.	22	.	5	.	2	.	.
	Tipperary No. 2	.	.	.	8	.	.	.	2	.	W.1.
Longford ...	Ballymahon	7	.	6	.	2	.	D.1.
	Granard No. 1	.	2	.	1	.	7	.	4	.	A.1, B.1, D.9, F.1, H.2, W.2, Z.3.
	Longford	1	.	.	5	41	.	6	1	D.6, H.1, N.2, V.1, W.11.
Louth ...	Ardee No. 1	1	.	1	2
	Dundalk	1	4	1	3	.	1	.	A.1, B.2, W.2, Z.5.
	Louth	3	.	11	.	.	.	A.1, D.2.
Mayo ...	Ballina	2	1	2	.	4	.	.
	Ballinrobe	2	.	1	.	A.3, H.1.
	Belmullet ...	1	A.1.
	Castlebar	6	.	.	4	2	.	11	1	.
	Claremorris	15	.	4	1	.	.	1	.	H.1.
	Swinford	1	9	1	4	.	10	2	B.1, H.1.
	Westport	1	.	3	2	2	.	1	.	.
Meath ...	Ardee No. 2	1	D.1, Z.1.
	Ceannanus Mor	.	.	.	3	H.1, L.1, W.1.
	Dunshaughlin	.	.	.	12	D.2, H.1, Z.1.
	Meath	1	W.6, X.4, Z.4.
	Navan	7	.	.	.	D.1.
	Oldcastle	5	17	D.1.
	Trim	12	1	.	.	1	.	A.1, W.1, Y.1, Z.2.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS—continued.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influ-enzal	
Monaghan...	Carrickmacross	21	.	1	9	.	A.2, H.1.
	Castleblayney	.	2	.	.	3	.	.	1	.	A.2, H.1.
	Clones No. 1	1	1	1	H.1.
	Monaghan	4	.	4	2	.	.	8	.	A.1, B.2, H.3, W.1, Z.5.
Offaly ...	Birr	1	1	.	1	22	.	D.5, V.3, W.8, X.2.
	Edenderry No. 1	1	.	.	.	D.1, V.2, W.5, X.1.
	Roscrea No. 2	.	.	1	1	5	.	.	2	3	
	Tullamore	1	18	7	2	.	9	.	B.2, H.2, V.1, W.19 Z(2).1.
Roscommon	Athlone No. 2	.	.	1	2	1	.	1	1	1	Z.3.
	Boyle No. 1	1	.	.	2	2	.	39	2	H.1, Y.5, Z.1.
	Carrick-on-Shannon No. 2	.	.	.	5	.	.	.	1	.	
	Castlerea	1	5	40	.	9	.	1	9	L.1, W.1, Y.1.
	Roscommon	3	27	6	3	1	6	.	A.1, B.1, D.1, H.1, W.3, Y.3, Z.6.
Sligo ...	Coolavin	1	6	.	1	.	.	1	A.1, B.1, W.1.
	Dromore West	.	.	.	1	.	1	.	.	.	W.1.
	Sligo	2	.	16	.	19	.	1	.	A.1, D.1, H.1, Y.1.
	Tobercurry	1	.	1	1	.	.	2	2	H.2.
Tipperary N.R.	Borrisokane	1	1	10	1	.	2	6	B.2, D.1, G.1, V.2.
	Nenagh	3	23	69	1	8	6	A.1, D.3, H.2, V.12, W.2.
	Roscrea No. 1...	.	.	.	7	49	1	.	7	.	B.1, D.1, Z.1.
	Thurles	1	.	1	.	3	.	15	3	B.1, D.2, F.2, H.1.
Tipperary S.R.	Carrick-on-Suir No. 1.	H.1.
	Cashel	1	2	2	4	1	1	2	1	D.7, H.1, J.1, V.2, W.1, Z.1.
	Clogheen	1	.	10	2	H.2.
	Clonmel No. 1	.	.	1	V.2, Z.1.
	Slievardagh	2	26	14	.	.	18	13	D.16, H.1, V.3, X.4, Y.32, Z.2.
	Tipperary No. 1	.	1	.	45	21	.	.	2	1	F.1, H.3, Z.1.
Waterford...	Carrick-on-Suir No. 2	1	3	85	.	.	3	.	D.1.
	Clonmel No. 2	.	.	.	1	F.1.
	Dungarvan	1	3	.	G.1, H.1, Y.1.
	Kilmacthomas	13	1	.	14	2	D.13, F.1, V.21, X.2, W.22, Z(1).2.
	Lismore	2	23	.	.	3	3	F.8, H.1, Z.3.
	Waterford No. 1	139	.	.	.	1	H.2, W.1.
	Youghal No. 2	.	.	1	.	2	1	.	1	1	D.1.
Westmeath	Athlone No. 1	.	.	1	.	1	1	.	1	.	F.2, Z.1.
	Ballymore	
	Coole	
	Delvin	1	23	A.1.
	Mullingar	1	1	18	46	79	.	19	8	A.1, B.2, D.3, F.2, H.3, V.13, Y.4, W.2.
Wexford ...	Enniscorthy	1	.	78	5	.	.	3	.	A.1, D.3, H.4, N.1, V.3, W.3.
	Gorey	2	54	1	8	1	1	.	A.2, H.3, Y.5, Z.1.
	New Ross	1	36	19	34	.	1	1	B.1, C.1, H.4.
	Wexford	1	.	5	35	.	.	2	2	D.1, H.2, N.1, X.1, W.2.
Wicklow ...	Baltinglass	13	5	1	.	7	.	B.1, D.1, Z.1.
	Rathdown No. 2	.	2	.	7	1	10	.	5	.	D.1, W.3, Y.2.
	Rathdrum	31	4	9	.	31	3	D.5, G.2, H.5, V.11, W.45, X.3, Z.1.
	Shillelagh	1	.	5	2	
	TOTAL ...	1	89	102	1,335	2,275	1,120	16	664	224	A.45, B.47, C.5, D.302, F.39, G.5, H.142, J.6, K.3, L.2, N.6, V.153, W.604, X.25, Y.85 Z.104, Z(1).2, Z(2).3, Z(3).9.

SUMMARY, 1949.

	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
								Pri-mary	Influ-enzal	
County Boroughs.	.	4	35	2,717	4,236	2,630	6	706	51	A.19, B.43, C.1, D.2492, F.14, G.5, H.181, J.6, K.1, L.3, N.17, U.634, V.116, W.3312, X.26, Y.178, Z.88, Z(1).8, Z(2).19.
Urban Districts	.	25	37	646	490	288	3	163	61	A.12, B.10, C.2, D.223, F.26, G.2, H.58, J.3, L.1, N.11, U.265, V.52, W.257, X.21, Y.18, Z.94, Z(2).3, Z(3).1.
Rural Districts.	1	89	102	1,335	2,275	1,120	16	664	224	A.45, B.47, C.5, D.302, F.39, G.5, H.142, J.6, K.3, L.2, N.6, V.153, W.604, X.25, Y.85, Z.104, Z(1).2, Z(2).3, Z(3).9.
TOTAL ...	1	118	174	4,698	7,001	4,038	25	1,533	336	A.76, B.100, C.8, D.3017, F.79, G.12, H.381, J.15, K.4, L.6, N.34, U.899, V.321, W.4173, X. 72, Y. 281, Z.286, Z(1).10, Z(2).25, Z(3).10.

